

Product overview 2020

More Space System





Company headquarters

Novus Dahle GmbH Breslauer Strasse 34-38 49808 Lingen Germany

Tel. +49 (0) 591/9140-0 Fax +49 (0) 591/9140-841

www.novus.de info@novus-dahle.com

Content

More space sets		04 - 13
Flat screen holders	Novus MY Novus Tetra-Support-System Novus SlatWall Novus Clu Novus LiftTEC® Novus ScreenMount Novus Tablet holder and accessories	14 - 97
Luminaires	Novus Attenzia luminaires	98 - 109
Office organisation	Universal support arms Tray sets Storage boards Display pocket holder Additional mounts	110 - 125
Seating ball		126 - 127
Explanation of symbols		128 - 129





More space sets

Cleverly combined solutions to meet all needs.

Sophisticated combination for diverse workstation designs.

Customised complete furnishings for more free space without any compromises.

11







NOVUS Business Combination

- Optimal set for your notebook workstation
- Classy aluminium finish with anodised surfaces
- Removable clamping grips for protection from theft and cable holder
- Range: TSS folding arm III 505 mm / TSS notebook holder 589 mm
- Mounting standard 75/100 mm
- Column attachment: system clamp 1, clamping length 14-40 mm
- Carrying capacity: monitor weight 7 kg / notebook weight 5 kg, infinitely variable height
- Height of the column: 445 mm

	Colours	Art.No.	EAN Code
-		220+0070+000	4009729046630



NOVUS Comfort Duo, with drilling screw fitting

- NOVUS LiftTEC: the innovative support arm concept for ergonomics and special convenience
- Range: 547 mm
- Mounting standard 75/100 mm
- Drilling screw fitting, desktop thickness 5-70 mm
- Carrying capacity: monitor weight 2 x 3-8 kg, infinitely variable height
- Height of the column: 120 mm

Colours	Art.No.	EAN Code
	220+0150+000	4009729046715





STANDARD 22 kg 22 kg 5 Years STANDARD 20 kg 22 kg 5 Years 445 mm 505 mm 505 mm

Corman Ingineering Sy Novas



NOVUS Control Center

- Everything in view: the monitor bridge of the NOVUS Tetra Support System for 4 flat screens
- Range: TSS folding arm III 505 mm / SlatWall-LM-Arm 0-0-1125 mm
- Mounting standard 75/100 mm
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Total carrying capacity: 22 kg, evenly spread over all support arms
- Height of the column: 445 mm
- Size SlatWall over the desk: 1200 x 445 mm

Colours	Art.No.	EAN Code
	220+0130+000	4009729046692

NOVUS TSS Single support carriage

- The starter set for the correct ergonomic use of a flat screen at the workstation
- Classy aluminium finish with anodised surfaces
- Removable clamping grips for protection from theft
- Range: TSS Single support carriage 105 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Carrying capacity: monitor weight 15 kg, infinitely variable height
- Height of the column: 445 mm

Colours	Art.No.	EAN Code
	220+0230+000	4009729064528









TI/100 STANDARD	No kg	The second secon	445 mm	450 mm	270°	5 Years Guarantee
German Engineering						

NOVUS TSS Single support arm

- The set for better ergonomics at the workstation
- Classy aluminium finish with anodised surfaces
- Removable clamping grips for protection from theft and cable holder
- Range: TSS support arm 250 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Carrying capacity: monitor weight 15 kg, infinitely variable height
- Height of the column: 445 mm

Colours	Art.No.	EAN Code
	220+0240+000	4009729064535

NOVUS TSS Single folding arm II

- The practical set for the correct ergonomic use of a monitor at the workstation
- Classy aluminium finish with anodised surfaces
- Removable clamping grips for protection from theft and cable holder • Range: TSS folding arm II 450 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Carrying capacity: monitor weight 10 kg, infinitely variable height
- Height of the column: 445 mm

Colours	Art.No.	EAN Code
	220+0250+000	4009729064542











NOVUS TSS Basic

- Novus bestseller for ergonomically correct use of the flat screen at your workstation
- Classy aluminium finish with anodised surfaces
- Removable clamping grips for protection from theft and cable holder
 Range: folding arm III 505 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Carrying capacity: monitor weight 12 kg, infinitely variable height
- Height of the column: 445 mm

Colours	Art.No.	EAN Code
	220+0050+000	4009729046616

NOVUS TSS Duo folding arm II


- The simple double screen solution of the Tetra Support System
- Classy aluminium finish with anodised surfaces
- Removable clamping grips for protection from theft and cable holder
- Range: TSS folding arm II 450 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Total carrying capacity: 10 kg, evenly spread over all support arms, infinitely variable height
- Height of the column: 445 mm

Colours	Art.No.	EAN Code
	220+0270+000	4009729064566









- The space-saving dual-monitor solution of the NOVUS Tetra Support System for mounting near walls or at two workstations facing each other
- Classy aluminium finish with anodised surfaces
- Removable clamping grips for protection from theft and cable holder
- Range: TSS telescopic arm III 314-400 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Total carrying capacity: 11 kg, evenly spread over all support arms, infinitely variable height
- Height of the column: 445 mm

Colours	Art.No.	EAN Code
	220+0260+000	4009729064559



- The solution for 3 flat screens at a workstation provides even more productivity
- Range: TSS telescopic arm III XL 700 476-724 mm / support carriage 105 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Drilling screw fitting HD, for desktop thickness 15-70 mm
- Total carrying capacity: 31 kg, evenly spread over all support arms, infinitely variable height
- Height of the column: 445 mm

Colours	Art.No.	EAN Code
	220+0300+000	4009729068908





)3/100	3		Ť	├──→	270°)	5
STANDARD	31 kg	- 	445 mm	724 mm	\mathbf{O}	Years Guarantee

German Engineering









NOVUS TSS Quattro Telescope

- four flat screens, no problem for the NOVUS Tetra-Support-System
- Range: TSS telescopic arm III 314-400 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Drilling screw fitting HD, for desktop thickness 15-70 mm
- Total carrying capacity: 40 kg, evenly spread over all support arms, infinitely variable height
- Height of the column: 845 mm

Colours	Art.No.	EAN Code
	220+0310+000	4009729068915

NOVUS TSS Sextett Telescope

- six flat screens, no problem for the NOVUS Tetra-Support-System
- Range: TSS telescopic arm III XL 700 476-724 mm / support carriage 105 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Drilling screw fitting HD, for desktop thickness 15-70 mm
- Total carrying capacity: 48 kg, evenly spread over all support arms, infinitely variable height
- Height of the column: 845 mm

Colours	Art.No.	EAN Code
	220+0320+000	4009729068922











NOVUS TSS Wall Station

- Special applications demand special solutions the NOVUS Tetra-Support-System for wall mounting.
- Range: TSS support carriage 105 mm / keyboard holder 528 mm
- Mounting standard 75/100 mm
- Carrying capacity: monitor weight 15 kg, infinitely variable height
- Length of the column: 890 mm.

Colours	Art.No.	EAN Code
	220+0100+000	4009729046661

NOVUS MY one plus & Light

- The space-saving combination of flat screen support and lighting
- Combinable with NOVUS MY tab and NOVUS Quick Release
- Range: MY arm 415 mm / Attenzia complete 726 mm
- Mounting standard 75/100 mm
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Carrying capacity: monitor weight 5 kg, infinitely variable height
- Height of the column: 350 mm
- Extremely high-performance LED luminaire with a luminous flux of max. 1708 lm

Colours	Art.No.	EAN Code
	220+0290+000	4009729068892



Corner Ingineering



53/100		→	Ť	T	5	1900
STANDARD	Ę.	1600 mm	250 mm		Years Guarantee	180

NOVUS Office Toolbar Duo

- 1-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- Range: Clu I SW 314 mm / Attenzia complete 726 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Carrying capacity: Monitor weight 2 x 27 kg, height-adjustable with gas spring technology
- Height of the column: 250 mm
- Extremely high-performance LED luminaire with a luminous flux of max. 1708 lm
- Size MY Toolbar over the desk: 1600 x 250 mm

Colours	Art.No.	EAN Code
	220+0280+000	4009729068885



Individually combined in every situation.



Flat screen holder

Perfect support available everywhere for cutting-edge flat-screen monitors, laptops and tablet PCs – a customised and ergonomic solution.

DUL


Jetzt bring

Nachhaltige Bundechnik Bungerähr, Subehit & Senica für der moderne in




Novus MY: solutions for more style and efficiency at the workplace


Novus MY combines form, function and elegance in attractive product solutions with a stylish look. The series includes perfect support arm solutions and holders for monitors, notebooks and tablet PCs. Their flexibility and manoeuvrability mean every workstation can be optimally organised.



Suitably secured



Cleverly combined



Support carriage / 2-part articulated arm / notebook holder: allows the desired position of the monitor or notebook to be precisely adjusted to the individual user.

Adapter plate allows the monitor to be easily replaced.



Tablet holder for tablets sized 7" to 10".



Two monitors can be seen as easily as one.



Connection to an organisation wall possible.



<image>

NOVUS MY point

- Mobile tablet holder as the practical and modern basis for presentation and communication
- Universal stand for Tablets PC´s with a size from 7" to 10" (clamping length 160-300 mm)
- Tablets can be used in portrait or landscape format
- Anodised aluminium column with solid metal base
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Infinitely height adjustable
- Height of the column: 250 mm
- Includes two cable clips

Colours	Art.No.	EAN Code
	910+3099+000	4009729053874

NOVUS MY one C, with system clamp

- Elegant monitor holder with infinitely height adjustable support carriage
- Combination of MY base and MY fix simple, efficient and elegant
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Includes two cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
150 mm	910+1019+000	4009729052099

NOVUS MY one D, with drilling screw fitting

- Elegant monitor holder with infinitely height adjustable support carriage
- Combination of MY base and MY fix simple, efficient and elegant
- Table mount with drilling screw fitting for a table thickness of 5-70 mm
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm

Product expires

on 31.12.2020!

2 Years Guarantee

- Height of the column: 350 mm
- Includes two cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
350 mm	910+1049+000	4009729052105

STANDARD Skg + 50 mm



NOVUS MY one G, with cable port attachment

- Elegant monitor holder with infinitely height adjustable support carriage
- Combination of MY base and MY fix simple, efficient and elegant
- Table mount with drilling screw fitting for a table thickness of 5-70 mm
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Includes two cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
150 mm	910+1059+000	4009729052112

NOVUS MY one S, with system rail mount

- Elegant monitor holder with infinitely height adjustable support carriage
- Combination of MY base and MY fix simple, efficient and elegant
- System rail mount for use in various system rails of the office furniture industry
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm

Product expires on 31.<u>12.2020!</u>

- Height of the column: 350 mm
- Includes two cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
↓ 350 mm	910+1069+000	4009729052129

NOVUS MY one SW, with organisation wall mount

- Elegant monitor holder with infinitely height adjustable support carriage
- Combination of MY base and MY fix simple, efficient and elegant
- Adaption to the organisation wall via slot nuts
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
350 mm	910+1079+000	4009729053454





2 Years

	Litte	
	PIPE	
	THE T	
	141121	Product e on 31.12.2
~ ~		



NOVUS MY one W, with wall mount

- Elegant monitor holder with infinitely height adjustable support carriage
- Combination of MY base and MY fix simple, efficient and elegant
- Wall mounting with screws
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm

xpires 2020!

- Height of the column: 350 mm
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
150 mm	910+1089+000	4009729053461



NOVUS MY one plus C, with system clamp

- Elegant monitor holder with infinitely height adjustable folding arm
- Combination of MY base and MY arm for more design, flexibility and dynamics at the workplace
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Mounting standard 75/100 mm
- Carrying capacity: Monitor weight up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release







NOVUS MY one plus D, with drilling screw fitting

- Elegant monitor holder with infinitely height adjustable folding arm
- Combination of MY base and MY arm for more design, flexibility and • dynamics at the workplace
- Table mount with drilling screw fitting for a table thickness of 5-70 mm •
- Mounting standard 75/100 mm •
- Mounting of flat screens up to 5 kg
- Range: 415 mm •
- Monitor arm infinitely adjustable in height, tilt and rotation •
- Height of the column: 350 mm
- Supplied with cable clips •
- Combinable with NOVUS MY tab and NOVUS Quick Release .

Colours	Art.No.	EAN Code
150 mm	910+2049+000	4009729052068



NOVUS MY one plus G, with cable port attachment

- Elegant monitor holder with infinitely height adjustable folding arm •
- Combination of MY base and MY arm for more design, flexibility and dynamics at the workplace
- Table mount with cable port attachment for a table thickness of 5-70 • mm
- Mounting standard 75/100 mm •
- Mounting of flat screens up to 5 kg •
- Range: 415 mm •
- Monitor arm infinitely adjustable in height, tilt and rotation •
- Height of the column: 350 mm
- Supplied with cable clips •
- Combinable with NOVUS MY tab and NOVUS Quick Release •

Colours	Art.No.	EAN Code
1 350 mm	910+2059+000	4009729052075







NOVUS MY one plus S, with system rail mount

- Elegant monitor holder with infinitely height adjustable folding arm
- Combination of MY base and MY arm for more design, flexibility and dynamics at the workplace
- System rail mount for use in various system rails from the office furniture industry
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
350 mm	910+2069+000	4009729052082



NOVUS MY one plus SW, with organisation wall mount

- Elegant monitor holder with infinitely height adjustable folding arm
- Combination of MY base and MY arm for more design, flexibility and dynamics at the workplace
- · Adaption to the organisation wall via slot nuts
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Delivery without SlatWall
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
150 mm	910+2079+000	4009729053478



NOVUS MY one plus W, with wall mount

- Elegant monitor holder with infinitely height adjustable folding arm
- Combination of MY base and MY arm for more design, flexibility and dynamics at the workplace
- Wall mounting with screws
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
350 mm	910+2089+000	4009729053485



NOVUS MY twin fix C, with system clamp

- Elegant monitor holder with two support carriages infinitely adjustable in height
- Combination of MY base and MY fix functional and well designed for the attachment of two opposite monitors
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release







NOVUS MY twin fix D, with drilling screw fitting

- Elegant monitor holder with two support carriages infinitely adjustable in height
- Combination of MY base and MY fix functional and well designed for the attachment of two opposite monitors
- Table mount with drilling screw fitting for a table thickness of 5-70 mm
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
150 mm	910+1149+000	4009729052181



NOVUS MY twin fix G, with cable port attachment

- Elegant monitor holder with two support carriages infinitely adjustable in height
- Combination of MY base and MY fix functional and well designed for the attachment of two opposite monitors
- Table mount with cable port attachment for a table thickness of 5-70 mm
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
↓ 350 mm	910+1159+000	4009729052198



NOVUS MY twin fix S, with system rail mount

- Elegant monitor holder with two support carriages infinitely adjustable in height
- Combination of MY base and MY fix functional and well designed for the attachment of two opposite monitors
- System rail mount for use in various system rails from the office furniture industry
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code	
350 m	910+1169+000	4009729052204	



NOVUS MY twin arm C, with system clamp

- Elegant monitor holder with two infinitely height adjustable folding arms
- Combination of MY base and two MY arm attractive appearance with maximum flexibility in the positioning of two monitors
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
350 mm	910+2219+000	4009729052136





NOVUS MY twin arm D, with drilling screw fitting

- Elegant monitor holder with two infinitely height adjustable folding arms
- Combination of MY base and two MY arm attractive appearance with maximum flexibility in the positioning of two monitors
- Table mount with drilling screw fitting for a table thickness of 5-70 mm
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
150 mm	910+2249+000	4009729052143



NOVUS MY twin arm G, with cable port attachment

- Elegant monitor holder with two infinitely height adjustable folding arms
- Combination of MY base and two MY arm attractive appearance with maximum flexibility in the positioning of two monitors
- Table mount with cable port attachment for a table thickness of 5-70 mm
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
↓ 	910+2259+000	4009729052150



NOVUS MY twin arm S, with system rail mount

- Elegant monitor holder with two infinitely height adjustable folding arms
- Combination of MY base and two MY arm attractive appearance with maximum flexibility in the positioning of two monitors
- System rail mount for use in various system rails of the office furniture industry
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release








NOVUS MY base W, with wall rail

- Wall mounting with screws
- Flat distance to the wall of about 20 mm
- Available in lengths: 350 mm, 450 mm and 890 mm
- Covered screw holes
- Customised lengths on request

Colours	Art.No.	EAN Code
↓ 350 mm	911+0089+000	4009729052952
450 mm	911+0189+000	4009729053355
1 890 mm	911+0289+000	4009729053362







Skg



- Aluminium profile for mounting on an organisation wall
- Adaption to the organisation wall via slot nuts
- Flat distance to the wall of about 20 mm
- Height of the column: 350 mm
- Covered screw holes
- Fastening material included

Colours	Art.No.	EAN Code
150 mm	911+0079+000	4009729052945

NOVUS MY fix

- Infinitely height adjustable support carriage with VESA standard 75/100
- Mounting of flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm

oires 20!

- Balance mechanism at the front joint for optimum monitor positioning
- MY base as a mandatory extension

				Product exp
				on 31.12.20
71/100	2	- 65	Carman Engineering	

Colours	Art.No.	EAN Code
	911+1009+000	4009729052013

Flat screen holder Novus MY



NOVUS MY arm

- Infinitely height adjustable 2-part articulated arm with standard VESA
- Mounting of flat screens up to 5 kg
- Rotatable and swivelling
- Balance mechanism at the front joint for optimum monitor positioning
- Enables horizontal positioning of the screen
- Includes two cable clips
- MY base as a mandatory extension

Colours	Art.No.	EAN Code
1	911+2009+000	4009729052037

NOVUS MY notebookarm

- High quality notebook holder with 2-part aluminium arm, infintely
- Support platform (404 x 288 mm) for regular and large notebooks
- Carrying capacity 5 kg
- Turn- and tiltable up to 45°
- Grommet in the support plate
- MY base as a mandatory extension

Colours	A	rt.No.	EAN Code
	91	1+4009+000	4009729055359





NOVUS MY arm clip

- Transparent cable clip for optimal cable management at the arm
- Supplied in a set of 2

Colours	Art.No.	EAN Code
	911+0100+000	4009729053492

NOVUS MY base clip

- Transparent cable clip for optimal cable management at the column
- Supplied in a set of 2

Colours	Art.No.	EAN Code
	911+0010+000	4009729053508



2 Years Guarantee













NOVUS MY tab

- Unique tablet holder that makes it very easy to insert and remove a variety of tablets
- Tablet mount for tablets with a size of 7" to 10" (clamping length 160-300 mm)
- Tablets can be used in portrait or landscape format
- For attachment to NOVUS MY fix, NOVUS MY arm and NOVUS TSS support elements

Colours	Art.No.	EAN Code
	911+3005+000	4009729052525

NOVUS QuickRelease

- Quick release system for NOVUS MY fix and NOVUS MY arm and other NOVUS support elements
- Enables quick and easy monitor change without tools

Colours	Art.No.	EAN Code
	795+9095+000	4009729052860

NOVUS MY toolbar

- SlatWall element with two slots for attaching accessories and monitor arms
- Desktop mount with system clamp 1 (MY Clamp 14-40 mm)
- Available in lenght: 1200mm, 1600mm

Colours		Art.No.	EAN Code
/	← 1200 mm	915+1209+000	4009729062234
	←──→ 1600 mm	915+1609+000	4009729062241



Novus Tetra Support System: reliable solutions to meet the highest demands


The cutting-edge flat screen monitor holders of the Novus Tetra Support System provide monitors with new-found mobility. Whether in the office or in the control centre, the Tetra Support System has a secure and flexible monitor mount to suit every workstation. With a range of combination options to choose from, flexibility takes on a whole new meaning.

A product range that responds to individual customer requirements.

Sophisticated functionality: Novus TSS monitor support arms



Mounts for every workstation




Flexible combination of all components



Simply select a column with a mount and a support arm to assemble the perfect solution of your choice.



Ball-and-socket joint for flexible and precise positioning of the monitor.



NOVUS QuickRelease makes it quick and easy to change the monitor without any tools.



The cable holder in the folding arm ensures secure and orderly cable routing.



Featuring a multi-part articulated arm, the TSS folding arms can be pivoted horizontally to the extent that an optimum view of the monitor is available from every angle around the column.



Compared to the Novus TSS support arm system, the Novus TSS telescopic system allows space-saving positioning of monitors in front of partition walls, organisation panels and in blocks.



The TSS telescopic arms mean the monitors' position can be significantly flatter in all aspects of the best ergonomic placement for the user.





NOVUS TSS column with support foot

- Aluminium column with four slots and base
- Solid base weighing 4 kg with rubber pads to protect the desk surface and for stability
- Available in length: 445 mm
- Includes two cable clips
- For TSS support carriage

Colours	Art.No.	EAN Code
445 mm	961+0309+000	4009729030585

NOVUS TSS column with system clamp 1 (14-40mm)

- Aluminium column with four slots and system clamp 1
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Available in length: 445 mm and 545 mm
- Includes two cable clips
- Suitable for all TSS support elements

Colours	Art.No.	EAN Code
445 mm	961+0609+000	4009729033661
545 mm	961+0639+000	4009729042151

Flat screen supports Novus Tetra-Support-System



NOVUS TSS column with system clamp 1 (13-25 mm)

- Aluminium column with four slots and system clamp 1
- Table mounting with system clamp 1 for a desktop thickness of 13-25 mm, ideal for mounting on sliding tabletops
- Available in length: 445 mm
- Includes two cable clips
- Suitable for all TSS support elements



NOVUS TSS column with system clamp 2 (5-70 mm)

- Aluminium column with four slots and system clamp 2
- Table mounting with system clamp 2 for a desktop thickness of 5-70 mm
- Available in length: 445 mm and 545 mm
- Includes two cable clips
- Suitable for all TSS support elements

Colours	Art.No.	EAN Code
445 mm	961+0209+000	4009729027974
545 mm	961+0239+000	4009729042168





- 5 Years Guarantee

NOVUS TSS column with drilling screw fitting

- Aluminium column with four slots and drilling screw fitting
- Table mount with drilling screw fitting for a table thickness of 5-70 mm
- Available in length: 445 mm, 545 mm and 845 mm
- Includes two cable clips
- Suitable for all TSS support elements

Colours	Art.No.	EAN Code
445 mm	961+0109+000	4009729027950
545 mm	961+0139+000	4009729042182
	961+0119+000	4009729027967

NOVUS TSS column with drilling screw fitting HD

- Aluminium column with four slots and heavy duty drilling screw mounting
- Drilling screw fitting HD, for desktop thickness 15-70 mm
- Available in length: 445 mm and 845 mm
- Includes two cable clips
- Suitable for all TSS support elements

Colours	Art.No.	EAN Code
445 mm	961+1809+000	4009729050408
45 mm	961+1819+000	4009729050422



NOVUS TSS column with cable port fitting

- · Aluminium column with four slots and cable port attachment
- Table mount with cable port attachment for a table thickness of 5-70 mm
- Available in length: 445 mm, 545 mm and 845 mm
- Includes two cable clips
- Suitable for all TSS support elements

Colours	Art.No.	EAN Code
445 mm	961+0409+000	4009729033333
545 mm	961+0439+000	4009729042175
₹ 845 mm	961+0419+000	4009729033456

NOVUS TSS column with location pin adaption

- Aluminium column with four slots and pin adapter
- Table mount with pin adapter (diameter 16 mm) for use in various table adapters of the office furniture industry
- Height of the column: 445 mm
- Includes two cable clips
- Suitable for all TSS support elements

Colours	Art.No.	EAN Code
445 mm	961+2509+000	400972904

29045008





Vers Guarantee





NOVUS TSS column with system rail mounting


- Aluminium column with four slots and system rail attachment
- System rail mount for use in various system rails of the office furniture industry
- Available in length: 445 mm
- Includes two slot nuts and two cable clips
- Suitable for all TSS support elements

Colo	urs	Art.No.	EAN Code
	445 mm	961+2309+000	4009729044995

NOVUS TSS wall rail

- Aluminium column (depth of 38,5 mm) with three slots for wall
- Wall mounting with screws
- Available in length: 445 mm and 890 mm
- Width of the column: 51 mm
- Includes two cable clips
- Can be combined with SlatWall elements
- Suitable for all TSS support elements

Colours	Art.No.	EAN Code
445 mm	961+0509+000	4009729033463
190 mm	961+0519+000	4009729033470











NOVUS TSS support carriage 32

- High quality infinitely height adjustable support carriage
- Suitable for mounting standards: 100x100 and 200x100
- Mounting of flat screens up to 20 kg
- Restrict movement by tightening the joints
- Rotatable for movement on limited space
- Range: 64 mm
- In high-quality aluminium and metal
- Supplied with fixing screws M5 and M6
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
	963+0029+001	4009729044230

NOVUS TSS supporting arm 32

- High quality infinitely height adjustable support arm
- Suitable for mounting standards: 100x100 and 200x100
- Mounting of flat screens up to 20 kg
- Restrict movement by tightening the joints
- Rotatable and swivelling
- Range: 187 mm
- In high-quality aluminium and metal
- Supplied with fixing screws M5 and M6
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
	962+0029+000	4009729044223







NOVUS TSS support carriage

- High quality infinitely height adjustable support carriage
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 15 kg
- · Restrict movement by tightening the joints
- Swivelling and tiltable
- Range: 105 mm
- In high-quality aluminium and metal
- Removable clamping grips for protection from theft
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
	963+0119+000	4009729047002

NOVUS TSS support arm

- High quality infinitely height adjustable 1-part monitor support arm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 15 kg
- Restrict movement by tightening the joints
- Easy monitor adjustment by different joints
- Range: 250 mm
- Perfect cable management by cable clips
- In high-quality aluminium and metal
- Removable clamping grips for protection from theft
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
	962+0119+000	4009729046999







NOVUS TSS support arm XL 325

• High quality infinitely height adjustable 1-part monitor support arm

- In a double solution, the extra-long arm can also be used for attaching large monitors side by side
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 15 kg
- Restrict movement by tightening the joints
- Easy monitor adjustment by different joints
- Range: 325 mm
- Perfect cable management by cable clips
- In high-quality aluminium and metal
- Removable clamping grips for protection from theft
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
	962+0119+001	4009729051528



NOVUS TSS folding arm II

- High quality infinitely height adjustable 2-part monitor support arm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 10 kg
- Restrict movement by tightening the joints
- Ergonomic monitor setting by various joints
- Range: 450 mm
- Perfect cable management by cable clips
- In high-quality aluminium and metal
- Removable clamping grips for protection from theft
- Obligatory supplement is a TSS column

	Colours	Art.No.	EAN Code
_		964+0119+000	4009729046982







NOVUS TSS folding arm III

- High quality 2-part articulated arm, infinitely height adjustable
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 15 kg
- Restrict movement by tightening the joints
- Ergonomic monitor setting by various joints
- Range: 505 mm
- Perfect cable management by cable clips
- Removable clamping grips for protection from theft
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
	965+0119+000	4009729046975



NOVUS TSS 1	folding arm	III XL	(700)
-------------	-------------	--------	-------

- High quality 2-part articulated arm, infinitely height adjustable
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 10 kg
- Restrict movement by tightening the joints
- Ergonomic monitor setting by various joints
- Range: 700 mm
- Perfect cable management by cable clips
- Removable clamping grips for protection from theft
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
	965+0119+001	4009729047514







NOVUS TSS folding arm III XL (800)

- High quality 2-part articulated arm, infinitely height adjustable
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 10 kg
- Restrict movement by tightening the joints
- Ergonomic monitor setting by various joints
- Range: 800 mm
- Perfect cable management by cable clips
- Removable clamping grips for protection from theft
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
	965+0119+003	4009729047521



- High quality 2-part articulated arm, infinitely height adjustable
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 10 kg
- Restrict movement by tightening the joints
- Ergonomic monitor setting by various joints
- Range: 900 mm
- Perfect cable management by cable clips
- Removable clamping grips for protection from theft
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
	965+0119+004	4009729047538





NOVUS TSS telescope arm III

- Telescopic monitor arm, infinitely adjustable in height and length
- Classy aluminium finish with anodised surfaces
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 10 kg
- Easy monitor adjustment by different joints and teleskopic sliding mechanism
- Range: 314 400 mm
- Perfect cable management by cable clips
- Removable clamping grips for protection from theft
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
	968+0119+000	4009729061992

NOVUS telescope arm III XL 700

- Telescopic monitor arm, infinitely adjustable in height and length
- Classy aluminium finish with anodised surfaces
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 8 kg
- Easy monitor adjustment by different joints and teleskopic sliding mechanism
- Range: 476-724 mm
- Perfect cable management by cable clips
- Removable clamping grips for protection from theft
- Obligatory supplement is a TSS column



Colours	Art.No.	EAN Code
	968+0119+001	4009729063866







NOVUS TSS notebook holder

- High quality notebook holder with 2-part aluminium arm, infintely adjustable
- Support platform (404 x 288 mm) for regular and large notebooks
- Carrying capacity up to 10 kg
- Turn- and tiltable up to 25°
- Range: 589 mm
- Grommet in the support plate
- Removable clamping grips for protection from theft and cable holder
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
	966+0119+000	4009729047156

NOVUS TSS keyboard holder

- High quality keyboard holder with 2-part aluminium arm, infintely adjustable
- Support platform for computer keyboard and mouse (640 x 172 mm)
- Restrict movement by tightening the joints
- Turn- and tiltable up to 25°
- Range: 528 mm
- Removable clamping grips for protection from theft and cable holder
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
	967+0119+000	4009729047163





NOVUS TSS-keyboard arm XL 700

- High-quality, infinitely adjustable keyboard holder with extra-long, two-piece articulated arm
- Support platform for computer keyboard and mouse (640 x 172 mm)
- Restrict movement by tightening the joints
- Removable clamping grips for protection from theft and cable holder
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
1	967+0119+001	4009729051757

NOVUS TSS keyboard adapter

- Practical keyboard adapter for mounting between support element
- Support platform for computer keyboard and mouse (640 x 172 mm)
- Practical cable clips route the cables for keyboard and mouse along the
- incl. two cable clips for an optimal cable management
- Obligatory supplement is a NOVUS support arm for monitors

Colours	Art.No.	EAN Code
1	795+9159+000	4009729054345





NOVUS Thin Client holder

- Holder for Thin Clients of 35 to 53 mm in width
- The holder can be infinitely adjusted to the width of the Thin Client
- Suitable for attachment to a column, to an organisation wall or directly between a support element and a monitor
- Mounting standard 100x100
- Carrying capacity: Thin Client weight 7,5 kg

Colours	Art.No.	EAN Code
	795+9085+000	4009729058381



NOVUS drop guard

- Prevents monitor arms from slipping off
- Can also be used as anti-theft device

Colours	Art.No.	EAN Code
	795+9100+000	4009729033012



5 Years



NOVUS TSS cable clips (set of 2)

- Cable support for optimal cable routing directly to the TSS monitor supports
- Available as pack of two

Colours	Art.No.	EAN Code
	961+0105+000	4009729047286





NOVUS TSS cable clip set

- Clips for cable management directly at the column
- Available as pack of two

Colours	Art.No.	EAN Code
	961+0005+000	4009729031391















NOVUS SlatWall

- Organisation wall for a perfectly organised workspace
- Consisting of: four SlatWall elements, two TSS-445 columns with system clamp 1
- The individual elements can be mounted in various numbers and positions
- Available in the lengths: 800 mm, 1000 mm and 1200 mm (measurement includes NOVUS TSS columns)
- Can be combined with monitor support elements, SlatWall boards and storage accessories

Colours	Art.No.	EAN Code
←→ 800 mm	974+0805+000	4009729035795
← → 1000 mm	974+1005+000	4009729035504
← → 1200 mm	974+1205+000	4009729035771

NOVUS SlatWall element

- Element can be combined with an TSS column for a perfectly organized workspace
- Available in the lengths: 800 mm, 1000 mm, 1200 mm and 1600 mm (measurement includes NOVUS TSS column)
- Can be combined with monitor support elements, SlatWall boards and storage accessories

Colours	Art.No.	EAN Code
←→ 800 mm	973+0805+000	4009729034941
← 1000 mm	973+1005+000	4009729034958
← 1200 mm	973+1205+000	4009729035764
← → 1600 mm	973+1605+000	4009729052518

NOVUS TSS Toolbar

- SlatWall element with two slots for attaching accessories and monitor arms
- Table mounting with system clamp 1
- Available in lenght: 1200mm, 1400mm & 1600mm

Colours	Art.No.	EAN Code
← → 1200 mm	975+1209+000	4009729052877
← → 1400 mm	975+1409+000	4009729052884
←) 1600 mm	975+1609+000	4009729052891





STANDARD Make



NOVUS SlatWall-support carriage

- High-quality monitor support carriage for mounting a monitor directly to an organisational wall
- For mounting in a single slot
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 10 kg
- High mobility in confined space by ball joint
- Range: 110 mm
- 60° swivelling range for any chosen viewing angle
- Obligatory supplement is a SlatWall element

Colours	Art.No.	EAN Code
	963+0119+013	4009729068137

NOVUS SlatWall support arm

- High-quality monitor support arm for mounting on an organisation wall
- For mounting in a single slot
- Classy aluminium finish with anodised surfaces
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 10 kg
- High mobility in confined space by ball joint
- Range: 300 mm
- Perfect cable management by cable clips
- Obligatory supplement is a SlatWall element



Colours	Art.No.	EAN Code
	962+0119+004	4009729070062



- High-quality 2-part monitor arm for mounting a monitor directly to an organisational wall
- For mounting in a single slot
- Classy aluminium finish with anodised surfaces
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 10 kg
- Restrict movement by tightening the joints
- Range: 445 mm

Colours

- Perfect cable management by cable clips
- Obligatory supplement is a SlatWall element

Art.No.

	Nhr I	→ 445 mm	5 Years Guarantee	German Inglowing Ity house
STANDARD	iv kg	mm.cee	Guarancee	

964+0119+014

4009729068144

EAN Code







NOVUS SlatWall Cable clip

- Cable clip for optimal cable management at SlatWall
- Available as pack of three

Colours	Art.No.	EAN Code
1	796+0005+000	4009729041543



NOVUS Penda tray B4 portrait format

- High-quality tray for documents in formats up to DIN B4 portrait
- Dimensions: W 248 mm, H 35 mm, D 297 mm
- In high-quality metal with powder-coated finish
- Obligatory supplement is a SlatWall element

Colours	Art.No.	EAN Code
←→ _248 mm	725+0019+000	4009729069219



2 kg 5 2 kg Guarantee

2 Years Guarantee



NOVUS Penda tray B4 landscape format

- High-quality tray for documents in formats up to DIN B4 landscape
- dimensions: W 327 mm, H 35 mm, D 210 mm
- In high-quality metal with powder-coated finish
- Obligatory supplement is a SlatWall element

Colours	Art.No.	EAN Code
←) 327 mm	725+0029+000	4009729069226









2 Years Guarantee

Corman Engineering By Nova







NOVUS Penda headset holder

- High-quality headset holder
- Dimensions: W 112 mm, H 43 mm, D 48 mm
- Made of high-quality metal with resilient powder coating and foam rubber anti-slip finish
- Obligatory supplement is a SlatWall element

Colours	Art.No.	EAN Code
←+ 112 mm	725+0119+000	4009729069318

NOVUS Penda magnetic strip

- High-quality magnetic strip for fastening to an organisation wall
- dimensions: W 300 mm, H 62 mm, D 4 mm
- In high-quality metal with powder-coated finish
- 4 black Dahle magnets Ø 32mm included
- Obligatory supplement is a SlatWall element

Colours	Art.No.	EAN Code
← → 300 mm	725+0109+000	4009729069301





NOVUS Penda multi-storage board

- Practical multi-storage board with tube vase and pencil cup
- Dimensions: W 330 mm, H 149 mm, D 160 mm
- In high-quality metal with powder-coated finish
- Obligatory supplement is a SlatWall element

Colours	Art.No.	EAN Code
← → 330 mm	725+0099+000	4009729069295





1kg 2 Vears Guarantee NOVUS Penda phone holder

- High-quality holder for mobile phones
- dimensions: W 80 mm, H 100 mm, D 62 mm
- Made of high-quality metal with resilient powder coating and foam rubber anti-slip finish
- Obligatory supplement is a SlatWall element

Colours	Art.No.	EAN Code
←→ 80 mm	725+0079+000	4009729069271








NOVUS Penda file holder

- File holder
- Dimensions: W 93 mm, H 250 mm, D 180 mm
- In high-quality metal with powder-coated finish
- Obligatory supplement is a SlatWall element

Colours	Art.No.	EAN Code
← → 93 mm	725+0129+000	4009729069325



- Taking up very little space on the SlatWall, the pencil cup keeps everything neat and tidy
- Dimensions: W 102 mm, H 93 mm, D 110 mm
- Made of high-quality metal with powder coating pencil cup in plastic
- Obligatory supplement is a SlatWall element

Colours	Art.No.	EAN Code
←→ 102 mm	725+0069+000	4009729069264





3 kg 2 Cuarantee



NOVUS Penda tablet holder

- High-quality holder for tablets
- dimensions: W160 mm, H 94,3 mm, D 62 mm
- Made of high-quality metal with resilient powder coating and foam rubber anti-slip finish
- Obligatory supplement is a SlatWall element

_	Colours	Art.No.	EAN Code
	←→ 160 mm	725+0089+000	4009729069288

NOVUS Penda large multi-purpose box

- Large, high-quality multi-purpose box for attachment to office-organisation walls
- Dimensions: W 327 mm, H 22 mm, D 120 mm
- In high-quality metal with powder-coated finish
- Obligatory supplement is a SlatWall element


Colours	Art.No.	EAN Code
← 327 mm	725+0059+000	4009729069257











- Small, high-quality multi-purpose box for attachment to office-organisation walls
- dimensions: W163 mm, H 22 mm, D 120 mm
- In high-quality metal with powder-coated finish
- Obligatory supplement is a SlatWall element

Colours	i	Art.No.	EAN Code
/	←──→ 163 mm	725+0049+000	4009729069240





NOVUS Penda memo box

- High-quality memo box for handy notes at eye level
- Dimensions: W 100 mm, H 73 mm, D 100 mm
- In high-quality metal with powder-coated finish
- Obligatory supplement is a SlatWall element

Colours	Art.No.	EAN Code
←→ 100 mm	725+0039+000	4009729069233









2 Years Guarantee

NOVUS SlatWall-board

- Elegant filing board for files, books and other office utensils with a large surface thanks depth of 302 mm
- Practical, infinitely adjustable side supports
- Available in length: 600 mm, 800 mm and 1000 mm
- Obligatory supplement is a SlatWall element

Colours		Art.No.	EAN Code
-	500 mm	760+0605+000	4009729040300
-	100 mm	760+0805+000	4009729029466
+	000 mm	760+1005+000	4009729029473

NOVUS FileMaster 34


- Shelf for mounting on top of extensible more space system products
- High quality, ribbed aluminium surface with back edge
- Ideal for opposite arranged working surfaces
- Rotating around 360°
- Shelf depth: 304 mm
- Width: 340 mm
- · Can also be hooked into SlatWall elements

Colours	Art.No.	EAN Code
	762+0345+000	4009729029442



Novus Clu – perfect for you!

The Novus Clu series of monitor arms gives monitors almost unlimited freedom of movement. The monitor can be turned from landscape to portrait format and moved in any direction, even completely flat up against an organisation wall or acoustic panel. The powerful, adjustable gas spring technology balances the monitor's weight up to a maximum of 7 kg and therefore ensures extremely easy handling at any time.



Flat screen holder Novus Clu



QuickRelease

Monitors can be attached and adjusted **easily by hand** by a single person without any tools. The holder fits all conventional monitors with the mounting standard 75 x 75 and 100 x 100.




Stable joints

The high-quality pivot joint is significantly flatter than a conventional ball-and-socket joint and therefore offers practically unlimited freedom of movement **in every turning and tilting direction**. Even large monitors are easy to handle and will stay securely in the required position.



Clever cable routing

All connection cables are organised and protected under the discreet cover. This also contains the powerful **gas spring** for first-class ease of use.



NOVUS SlatWall

The Clu I SW is ideal for attachment to **organisation walls** and **acoustic panels**, such as the Novus MY toolbar or the Novus SlatWall.



Special project solutions

Various mounting solutions are available to allow you to benefit from the full performance of the new monitor arms even when used in **combination with rail systems**. As well as these, we also develop special solutions for system rails, office partition walls, desks with free-form panels and clamps with different clamping heights and depths on request.




3-in-1 table mount

The standard mount component can easily be attached from above and covers three types of mounts in one: **clamp, cable port or drilling screw**. It is suitable for desktop thicknesses of 10–50 mm and offers optimum flexibility should a different mount from the standard one be required.

3-in-1: in just a few simple steps, the clamp can be turned into a drilling-screw or cable port mount.

61







360

NOVUS Clu I SW, with organisation wall mount

- Elegant 1-part monitor support arm with gas spring technology for a comfortable, ergonomic adjustment of the monitor
- Integrated SlatWall universal adapter for easy mounting with a central screw fitting for mounting in a single or double slot
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Carrying capacity: Monitor weight 2-7 kg
- Range: 314 mm
- Enables horizontal positioning of the screen
- Perfect cable management
- Obligatory supplement is a SlatWall element

Colours	Art.No.	EAN Code
	990+1071+000	4009729067949
	990+1079+000	4009729066126

NOVUS Clu I c, with table mount

- Elegant 1-part monitor support arm with gas spring technology for a comfortable, ergonomic adjustment of the monitor
- Flexible 3-in-1 table mount for clamp, cable port or drilling screw, for a tabletop thickness of 10-50 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Carrying capacity: Monitor weight 2-7 kg
- Adjustable inhibition
- 360° rotatable with adjustable stop to 180°
- Range: 283 mm

NEW

- Enables horizontal positioning of the screen
- Perfect cable management by cable clips
- Quick and easy mounting

ŝ	Colours	Art.No.	EAN Code
		990+1011+000	4009729068281
		990+1018+000	4009729070796
		990+1019+000	4009729068304



Corman Engineering



NOVUS Clu II c, with table mount

- Elegant 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic monitor adjustment
- Flexible 3-in-1 table mount for clamp, cable port or drilling screw, for a tabletop thickness of 10-50 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Carrying capacity: Monitor weight 2-7 kg
- Adjustable inhibition
- + 360° rotatable with adjustable stop to 180° $\,$
- Range: 433 mm
- Enables horizontal positioning of the screen
- Perfect cable management by cable clips
- Quick and easy mounting

Colours	Art.No.	EAN Code
	990+2011+000	4009729068366
	990+2018+000	4009729070833
1	990+2019+000	4009729068380







NOVUS Clu III C, with table mount

- Elegant 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic monitor adjustment
- Particularly suitable for varifocal wearers and touch displays, as the horizontal arm element allows the monitor to be positioned at a particularly low height
- Flexible 3-in-1 table mount for clamp, cable port or drilling screw, for a tabletop thickness of 10-50 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Carrying capacity: Monitor weight 2-7 kg
- Adjustable inhibition
- 360° rotatable with adjustable stop to 180°
- Range: 457 mm
- Perfect cable management by cable clips
- Quick and easy mounting

Colours	Art.No.	EAN Code
	990+3011+000	4009729068441
	990+3018+000	4009729070871
	990+3019+000	4009729068465





NOVUS Clu Duo C, with table mount

- The dual-monitor solution with gas spring for easy, ergonomic monitor adjustment
- For monitors up to approx. 27 inch
- Flexible 3-in-1 table mount for clamp, cable port or drilling screw, for a tabletop thickness of 10-50 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- For mounting two flat screens of 2 kg to 7 kg each and a max. monitor width of 656 mm
- Adjustable inhibition
- 360° rotatable with adjustable stop to 180°
- Range: 333 mm
- Enables horizontal positioning of the screen
- Perfect cable management by cable clips
- Quick and easy mounting

Colours	Art.No.	EAN Code
	990+4011+000	4009729068489
	990+4018+000	4009729070895
	990+4019+000	4009729068502







NOVUS Clu I, without mount

- Elegant 1-part monitor support arm with gas spring technology for a comfortable, ergonomic adjustment of the monitor
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Carrying capacity: Monitor weight 2-7 kg
- Adjustable inhibition
- * 360° rotatable with adjustable stop to 180° $\,$
- Range: 283 mm
- Enables horizontal positioning of the screen
- Perfect cable management
- Obligatory supplement is a Clu mounting
- Quick and easy mounting

Colours	Art.No.	EAN Code
	990+1001+000	4009729068243
	990+1008+000	4009729070772
1	990+1009+000	4009729068267





NOVUS Clu II, without mount

- 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Carrying capacity: Monitor weight 2-7 kg
- Adjustable inhibition
- 360° rotatable with adjustable stop to 180°
- Range: 433 mm
- Enables horizontal positioning of the screen
- Perfect cable management by cable clips
- Obligatory supplement is a Clu mounting
- Quick and easy mounting

Colours	Art.No.	EAN Code
	990+2001+000	4009729068328
	990+2008+000	4009729070819
1	990+2009+000	4009729068342



NOVUS Clu III, without mount

- 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- Particularly suitable for varifocal wearers and touch displays, as the horizontal arm element allows the monitor to be positioned at a particularly low height
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Carrying capacity: Monitor weight 2-7 kg
- Adjustable inhibition of the joins
- 360° retatable with adjustable stop to 180°
- Range: 457 mm
- Perfect cable management by cable clips
- Obligatory supplement is a Clu mounting
 - Quick and easy mounting

Colours	Art.No.	EAN Code
	990+3001+000	4009729068403
	990+3008+000	4009729070857
	990+3009+000	4009729068427

NOVUS Clu column adapter

- Adapter for MY, TSS and Retail columns
- In high-quality aluminium
- Quick and easy mounting

NEW

Colours	Art.No.	EAN Code
	898+0091+000	4009729068601
	898+0098+000	4009729070956
1	898+0099+000	4009729068625









Novus Clu clamp (25 mm)

- Clamp for mounting on desktops
- Clamping length: 13-25 mm
- Clamping depth: 25 mm
- Cable clip included for optimum cable routing
- Steel clamp with aluminium casing

Colours	Art.No.	EAN Code
	898+0021+001	4009729071977
	898+0028+001	4009729071984
	898+0029+001	4009729071991



- Clamp for mounting on desktops
- Clamping length: 13-25 mm
- Clamping depth: 65 mm
- Cable clip included for optimum cable routing
- Steel clamp with aluminium casing



Colours	Art.No.	EAN Code
	898+0021+002	4009729072004
	898+0028+002	4009729072011
1	898+0029+002	4009729072028





Novus Clu system rail mount


- System rail mount for use in various system rails from the office furniture industry
- Cable clip included for optimum cable routing
- Steel plate with aluminium casing

Colours	Art.No.	EAN Code
	898+0061+000	4009729071953
	898+0068+000	4009729071946
	898+0069+000	4009729071960



Novus LiftTEC[®]: everything perfectly in control

The NOVUS LiftTEC[®] series enables monitors weighing 3-15 kg to be conveniently and safely secured. Height adjustments are child's play. The gas pressure technology and the ball-and-socket joint make it particularly easy to position the monitor in an ergonomic way. The monitor can therefore be moved quickly to various individual positions.



Mounts for every workstation



Sophisticated functions for an ergonomic workstation



Easy monitor attachment thanks to QuickRelease. Ball-and-socket joint for setting the optimum viewing angle and for using the pivot function of the monitors to full capacity.



The simple QuickRelease enables the monitor to be effortlessly secured and released via a single-lever operation.




Precise confi guration of the LiftTEC[®] arm in line with the monitor weight using the adjustable gas pressure spring.



The ease of movement can be individually adjusted for the rotating joints.



Perfect cable routing on and in the support arm via the cable clips.



Corresponding to the application: mounting options on table, wall, TSS column or SlatWall.





NOVUS LiftTEC-Arm I, with table mount

- 1-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- Flexible 3-in-1 table mount for clamp, cable port or drilling screw
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens of 3-8 kg or 7-15 kg
- Range: 365 mm
- Perfect cable management by cable clips

Colours	Art.No.	EAN Code
3-8 kg	930+1089+000	4009729044551
7-15 kg	930+1159+000	4009729044568

2 Years

NOVUS LiftTEC Arm I, with wall mount

- 1-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment of the monitor for mounting directly on the wall
- With wall bracket
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens of 3-8 kg depending on wall texture
- Range: 400 mm
- Perfect cable management by cable clips

Colours	Art.No.	EAN Code
3-8 kg	931+1089+000	4009729044599



Corman Engineering



Corner Ingineering

NOVUS LiftTEC-Arm I Dual, with table mount

- Double monitor arm with gas spring for easy, ergonomic monitor adjustment to suit individual requirements
- Flexible 3-in-1 table mount for clamp, cable port or drilling screw
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- For mounting two flat screens of up to 7 kg each, arranged either horizontally or vertically, and a max. monitor width of 656 mm
- Range: 415 mm
- Perfect cable management by cable clips

Colours	Art.No.	EAN Code
2x7kg	930+1279+000	4009729046456



NOVUS SlatWall LiftTEC Arm I, with organisation wall mount

- 1-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- With SlatWall adapter
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens of 3-8 kg
- Range: 400 mm
- Perfect cable management by cable clips
- Obligatory supplement is a SlatWall element

Colours	Art.No.	EAN Code
3-8 kg	981+1089+000	4009729044643











2 Years

Te

180°)



- 1-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- With TSS column adapter
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens of 3-8 kg or 7-15 kg
- Range: 397 mm
- Perfect cable management by cable clips
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
3-8 kg	980+1089+000	4009729044612
7-15 kg	980+1159+000	4009729044629

NOVUS TSS-LiftTEC-Arm I Dual, with column mount

- Double monitor arm with gas spring for easy, ergonomic monitor adjustment to suit individual requirements
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of two flat screens up to 7 kg alongside or above one another
- For mounting flat screens up to maximum monitor width of 27" (656 mm)
- Range: 447 mm
- Perfect cable management by cable clips
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
2x7kg	980+1279+000	4009729046463





LIRTEC*

2 Years

180°

STANDARD S30 mm

Corman Inginaering

NOVUS LiftTEC-Arm II, with table mount

- 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- Flexible 3-in-1 table mount for clamp, cable port or drilling screw
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens of 3-8 kg or 7-15 kg
- Range: 515 mm
- Perfect cable management by cable clips

Colours	Art.No.	EAN Code
3-8 kg	930+2089+000	4009729043868
7-15 kg	930+2159+000	4009729043875

NOVUS LiftTEC Arm II, with wall mount

- 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment of the monitor for mounting directly on the wall
- With wall bracket
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens of 3-8 kg depending on wall texture
- Range: 550 mm
- Perfect cable management by cable clips









NOVUS TSS-LiftTEC-Arm II, with column mount

- 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- With TSS column adapter
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens of 3-8 kg or 7-15 kg
- Range: 547 mm
- Perfect cable management by cable clips
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
3-8 kg	980+2089+000	4009729043882
7-15 kg	980+2159+000	4009729043899

NOVUS SlatWall LiftTEC Arm II, with organisation wall mount

- 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- With SlatWall adapter
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens of 3-8 kg
- Range: 550 mm
- Perfect cable management by cable clips
- Obligatory supplement is a SlatWall element

Colours	Art.No.	EAN Code
3-8 kg	981+2089+000	4009729044636



Flat screen holder Novus LiftTEC[®]







Corner Ingineering



2 Years

180°



- 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- With straight front arm section for a very low screen positioning
- Flexible 3-in-1 table mount for clamp, cable port or drilling screw
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens of 3-8 kg or 7-15 kg
- Range: 515 mm
- Perfect cable management by cable clips

Colours	Art.No.	EAN Code
3-8 kg	930+3089+000	4009729045398
7-15 kg	930+3159+000	4009729045404

NOVUS LiftTEC Arm III, with wall mount

- 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment of the monitor for mounting directly on the wall
- With straight front arm section for a very low screen positioning
- With wall bracket
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens of 3-8 kg depending on wall texture
- Range: 550 mm
- Perfect cable management by cable clips











NOVUS TSS-LiftTEC-Arm III, with column mount

- 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- With straight front arm section for a very low screen positioning
- With TSS column adapter
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens of 3-8 kg or 7-15 kg
- Range: 547 mm
- Perfect cable management by cable clips
- Obligatory supplement is a TSS column

Colours		Art.No.	EAN Code
	3-8 kg	980+3089+000	4009729045435
	7-15 kg	980+3159+000	4009729045442

NOVUS SlatWall LiftTEC Arm III, with organisation wall mount

- 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- With straight front arm section for a very low screen positioning
- With SlatWall adapter
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 10 kg
- Range: 550 mm
- Perfect cable management by cable clips
- delivery without SlatWall
- · Obligatory supplement is a SlatWall element















NOVUS LiftTEC Arm IV with column adapter

- 1-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- usable for very low position of the screen
- With TSS column adapter
- Flat monitor mounting with cross joint and QuickRelease, suitable for mounting standard 75/100
- Mounting of flat screens of 3-6 kg
- Range: 355 mm
- Perfect cable management by cable clips
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
1	980+4069+000	4009729063316

NOVUS SlatWall LiftTEC Arm IV, with organisation wall mount

- 1-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- usable for very low position of the screen
- With SlatWall adapter
- Flat monitor mounting with cross joint and QuickRelease, suitable for mounting standard 75/100
- Mounting of flat screens of 3-6 kg
- Range: 355 mm
- delivery without SlatWall
- Perfect cable management by cable clips
- · Obligatory supplement is a SlatWall element



 Colours
 Art.No.
 EAN Code

 981+4069+000
 4009729063323





NOVUS TSS-LM-Arm 0-0-1, with column mount

- High quality infinitely height adjustable support carriage
- With TSS column adapter
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 15 kg
- Various joints for high mobility in limited space
- Range: 122 mm
- Obligatory supplement is a TSS column

Colours	Art.No.	EAN Code
15 kg	980+0159+000	4009729045756

NOVUS SlatWall LM-Arm 0-0-1, with SlatWall mount

- High quality support carriage
- With SlatWall adapter
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 8 kg
- High mobility in confined space by ball joint
- Range: 125 mm
- Obligatory supplement is a SlatWall element

Colours	Art.No.	EAN Code
a kg	981+0089+000	4009729045824









2

Corman Engineering

180°


NOVUS LM-Arm 0-0-1, with wall mount

- High quality support carriage for mounting a monitor directly to the wall
- With wall bracket
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 8 kg
- High mobility in confined space by ball joint
- Wall distance: 125 mm

Colours	Art.No.	EAN Code
alg.	931+0089+000	4009729045688

NOVUS TSS-LM-Arm 0-2-1, with column mount


- High quality infinitely height adjustable 2-part monitor support arm
- With TSS column adapter
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 15 kg
- Ergonomic monitor setting to the personal needs by various joints
- Range: 272 mm
- Perfect cable management by cable clips
- Obligatory supplement is a TSS column











- High quality monitor support for attaching a monitor directly to the wall
- With wall bracket
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 8 kg
- Various joints for high mobility
- Range: 275 mm
- Perfect cable management by cable clips

Colours	Art.No.	EAN Code
a kg	931+4089+000	4009729045695

NOVUS SlatWall LM-Arm 0-2-1, with organisation wall mount

- High quality monitor support arm
- With straight front arm section for a very low screen positioning
- With SlatWall adapter
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 8 kg
- Various joints for high mobility
- Range: 275 mm
- Perfect cable management by cable clips
- Obligatory supplement is a SlatWall element



Colours	Art.No.	EAN Code
	981+4089+000	4009729045831

Flat screen holder Novus LiftTEC[®]





2 Years Guarantee Cerman Ingineering By Novon





NOVUS Balance 30

- Height adjustment to compensate different heights of parallel arranged monitors
- Compensation range: + 30 mm
- For monitors suitable for mounting standard 75/100
- Necessary when using the SlatWall LM arm 0-0-1 and SlatWall LM arm 0-2-1 in combination next to each other

Colours	Art.No.	EAN Code
	795+9075+000	4009729047170

NOVUS TSS-LM-Arm 0-0-4 Dual, with column mount

- High quality infinitely height adjustable double monitor support arm
- With TSS column adapter
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of two flat screens up to 7 kg alongside or above one another
- Range: 172 mm
- Perfect cable management by cable clips
- Obligatory supplement is a TSS column



4009729046517

EAN Code




Novus Screen Mount: prodigious performance for assured attention

The Novus ScreenMount series is specially designed for mounting heavy (30–100 kg) and particularly large (up to 70 inches) monitors.









- Sturdy wall mount for mounting large screens particularly close to the wall
- Suitable for mounting standards: 100x100, 200x100, 200x200, 300x300, 400x200, 400x300
- Mounting of flat screens up to 35 kg
- Wall distance: 35 mm
- In high-quality metal with powder-coated finish
- · Integrated spirit level for ease of installation

Colours	Art.No.	EAN Code
	940+0405+000	4009729055465

NOVUS ScreenMount Fix 700, wall mount

- Sturdy wall mount for mounting very large flat screens particularly close to the wall
- Suitable for mounting standards: 100x100, 200x100, 200x200, 300x300, 400x200, 400x400, 600x200, 600x400
- Mounting of flat screens up to 45 kg
- Wall distance: 35 mm
- In high-quality metal with powder-coated finish
- Integrated spirit level for ease of installation

Colours	Art.No.	EAN Code
	940+0705+000	4009729055472



100 x 400 45 kg H 2 Vears Guarantee







NOVUS SKY WallMount

- Wall bracket for attachment to the wall, depending on the wall texture
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Mounting of flat screens up to 10 kg
- Swivelling and tiltable
- Wall distance: 125 mm

Colours	Art.No.	EAN Code
	950+0019+100	4009729053348

Flat screen holder Novus ScreenMount



國 •



NOVUS QuickMount

- For the particularly flat mounting of monitors on the wall
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- For mounting flat screens weighing up to 25 kg
- Wall distance: 20 mm

Colours	Art.No.	EAN Code
	931+0255+000	4009729046043

NOVUS ScreenMaster Frame 200x200

- Slim-line wall mount with locking catch for large screens
- Quick fastening system for easy screen attachment
- For mounting flat screens weighing up to 30 kg
- Distance from wall: from just 30 mm to 50 mm (in 5 stages)
- In high-quality metal with powder-coated finish

Colours	Art.No.	EAN Code
	940+2205+000	4009729058152













NOVUS ScreenMaster Frame 300x300

- Slim-line wall mount with locking catch for large screens
- Quick fastening system for easy screen attachment
- For mounting flat screens weighing up to 30 kg
- Distance from wall: from just 30 mm to 50 mm (in 5 stages)
- In high-quality metal with powder-coated finish

Colours	Art.No.	EAN Code
	940+3305+000	4009729061640

NOVUS ScreenMaster Frame 400x400

- Slim-line wall mount with locking catch for large screens
- Quick fastening system for easy screen attachment
- Mounting of flat screens up to 35 kg
- Distance from wall: from just 30 mm to 50 mm (in 5 stages)
- In high-quality metal with powder-coated finish

Colours	Art.No.	EAN Code
	940+4405+000	4009729058176

Flat screen holder Novus ScreenMount









NOVUS ScreenMaster Frame 600x400

- Slim-line wall mount with locking catch for large screens
- Quick fastening system for easy screen attachment
- Mounting of flat screens up to 35 kg
- Distance from wall: from just 30 mm to 50 mm (in 5 stages)
- In high-quality metal with powder-coated finish


Colours	Art.No.	EAN Code
	940+6405+000	4009729058190

NOVUS ScreenMaster 100

- Very slim wall mount for flat screens
- Quick fastening system for easy screen attachment
- Flat distance to the wall of about 20 mm
- For mounting flat screens weighing up to 25 kg
- In high-quality metal with powder-coated finish

Colours	Art.No.	EAN Code
	940+1009+000	4009729061749







- Adapter plate set for connecting large monitors to attachment standard 200/100 or 200/200
- Suitable for the following mounting standards: 400x400, 300x300

Colours	Art.No.	EAN Code
	795+9105+000	4009729059333




NOVUS spacer set

- Accessories for monitors with deeper standard mount
- Makes easy work of fitting all NOVUS support elements
- Comprising: four spacer rollers and four screws

Colours	Art.No.	EAN Code
	796+0905+000	4009729047606










- Dummy monitor for use in showrooms or at trade fairs
- Illustrates how flat screen holders work
- Mounting standard 100x100
- Dimensions: W 430 mm, H 310 mm, D 20 mm
- Transparent acrylic glass with printed NOVUS logo

Colours	Art.No.	EAN Code
	795+9000+000	4009729058787





STANDARD

NOVUS adapter plate 200 x 100

- Adapter plate for connection medium size monitors to the mounting standard 75/100
- Suitable for the following mounting standards: 200x100

Colours	Art.No.	EAN Code
	795+9055+000	4009729044513
	795+9052+000	4009729044506

NOVUS adapter plate 200 x 200

- Adapter plate for connection of large monitors to the mounting standard VESA 75/100
- Suitable for the following mounting standards: 200x100, 200x200

Colours	Art.No.	EAN Code
	795+9065+000	4009729046814









NOVUS TabletCase iPad mini 7,9"

- Premium tablet holder with minimalist design
- Slim tablet frame for iPad Mini 7.9"
- Tablet inserted in seconds
- Camera accessible thanks to aperture for camera hole
- Mounting standard 100x100
- The integrated lock provides secure protection against theft
- Cleverly designed cable routing allows the tablet to be used all the time with the charging cable connected (we recommend using the original cable)
- Classy aluminium finish with anodised surfaces
- High-quality on/off switch with locking function
- Exposed home button for full functionality

Colours	Art.No.	EAN Code
	883+1018+000	4009729067017
/	883+1019+000	4009729067024

NOVUS TabletCase iPad 9,7"

- Premium tablet holder with minimalist design
- Slim tablet frame for iPad 9.7"
- Tablet inserted in seconds
- Camera accessible thanks to aperture for camera hole
- Mounting standard 100x100
- The integrated lock provides secure protection against theft
- Cleverly designed cable routing allows the tablet to be used all the time with the charging cable connected (we recommend using the original cable)
- Classy aluminium finish with anodised surfaces
- High-quality on/off switch with locking function
- Exposed home button for full functionality

Colours	Art.No.	EAN Code
	883+1028+000	4009729067031
1	883+1029+000	4009729067048







NOVUS TabletCase iPad Pro 12,9"

- Premium tablet holder with minimalist design
- Slim tablet frame for iPad Pro 12.9"
- Tablet inserted in seconds
- Camera accessible thanks to aperture for camera hole
- Mounting standard 100x100
- The integrated lock provides secure protection against theft
- Cleverly designed cable routing allows the tablet to be used all the time with the charging cable connected (we recommend using the original cable)
- Classy aluminium finish with anodised surfaces
- High-quality on/off switch with locking function
- Exposed home button for full functionality

Colours	Art.No.	EAN Code
	883+1038+000	4009729067055
	883+1039+000	4009729067062

NOVUS TabletCase Microsoft Surface Pro 4

- Premium tablet holder with minimalist design
- Slim tablet frame for Microsoft Surface Pro 4
- Tablet inserted in seconds
- Camera accessible thanks to aperture for camera hole
- Mounting standard 100x100
- The integrated lock provides secure protection against theft
- Cleverly designed cable routing allows the tablet to be used all the time with the charging cable connected (we recommend using the original cable)
- Classy aluminium finish with anodised surfaces
- High-quality on/off switch with locking function
- Exposed home button for full functionality

Colours	Art.No.	EAN Code
	883+0018+000	4009729066997
1	883+0019+000	4009729067000







NOVUS TabletSafe Android

- Mobile tablet holder as the practical and modern basis for presentation and communication
- Universal tablet frame for 10-inch Android tablets
- High-quality metal frame with velour chrome surface and lacquered display bezel
- In the anthracite-coloured version, metal frame and display bezel are finished in matching lacquer
- The integrated lock provides secure protection against theft
- Metal clips in the enclosure permit exact positioning of different tablets in the frame
- Cleverly designed cable routing allows the tablet to be used all the time with the charging cable connected (we recommend using the original cable)
- Dimensions: W 301.5 x H 231.5 x D 20 mm
- Control functions remain accessible by the practical apertures at the backside. They can be closed off with the delivered cover caps.
- Can be combined with TabletSafe stands and wall mounts as well as with all connect columns and connect support arms

Colours	Art.No.	EAN Code
	881+0318+000	4009729057124
	881+0308+000	4009729057131
	881+0301+000	4009729057148



Tablet holder and accessories





NOVUS TabletSafe iPad

- Mobile tablet holder as the practical and modern basis for presentation and communication
- Universal tablet frame for 9-10-inch Apple iPads 9,7 inch (new versions 10,2 & 10,5 inch on request available)
- High-quality metal frame with velour chrome surface and lacquered display bezel
- In the anthracite-coloured version, metal frame and display bezel are finished in matching lacquer
- The integrated lock provides secure protection against theft
- Metal clips in the enclosure permit exact positioning of different tablets in the frame
- Cleverly designed cable routing allows the tablet to be used all the time with the charging cable connected (we recommend using the original cable)
- Dimensions: W 301.5 x H 231.5 x D 20 mm
- Control functions remain accessible by the practical apertures at the backside. They can be closed off with the delivered cover caps.
- Can be combined with TabletSafe stands and wall mounts as well as with all connect columns and connect support arms

Colours	Art.No.	EAN Code
	881+1318+000	4009729057155
	881+1308+000	4009729057162
	881+1301+000	4009729057179











German Engineering

NOVUS DeskStand 200

- Desktop stand for NOVUS TabletSafe
- High-quality, anodised aluminium column with internal cable guide and brushes to allow cables to protrude flexibly at any height
- Stylish metal base provides firm standing
- Ideal for using the TabletSafe on the desk, table or counter
- Moveable connect joint for holding the TabletSafe
- The connect joint provides a swivelling range of 360 degrees with concealed cable routing, the tablet can be turned through +/- 45 degrees
- Angle of inclination at the connect joint can be adjusted to any position for an optimum viewing angle
- Height of the column: 200mm

Colours	Art.No.	EAN Code
200 mm	882+0205+000	4009729061053
200 mm	882+0209+000	4009729057186

NOVUS FloorStand 1000

- Floor stand for NOVUS TabletSafe
- High-quality, anodised aluminium column with internal cable guide and brushes to allow cables to protrude flexibly at any height
- · Stylish metal base provides firm standing
- Ideal for using the TabletSafe in the showroom or shop window • Moveable connect joint for holding the TabletSafe
- The connect joint provides a swivelling range of 360 degrees with
- concealed cable routing, the tablet can be turned through +/- 45 degrees
- Angle of inclination at the connect joint can be adjusted to any position for an optimum viewing angle
- Height of the column: 1000 mm

Colours	Art.No.	EAN Code
1000 mm	882+1005+000	4009729061060
1000 mm	882+1009+000	4009729057193

Tablet holder and accessories





- Simple desktop stand for NOVUS TabletSafe
- Ideal for using the TabletSafe on the desk, table or counter
- With fixed angle of inclination of 55 degrees
- · In high-quality metal with powder-coated finish

Colours	Art.No.	EAN Code
	882+0025+000	4009729057209



100 x 100 Years Guarantee Corman Engloaering By Nova

Years 100 x 100 Guarantee







NOVUS WallMount

- Wall mount for attachment of the TabletCase and TabletSafe to the wall
- With fixed tilting angle of 33 degrees
- In high-quality metal with powder-coated finish

Colours	Art.No.	EAN Code
	882+0035+000	4009729057216

NOVUS TabletFix

- Universal, simple tablet holder
- For the use of different tablets of approx. 10 inches
- Mounting standard 100 x 100 and connect joint
- In high-quality metal with powder-coated finish

Colours	Art.No.	EAN Code
	881+3115+000	4009729066577





The right light in the right place.

Optimum lighting at every workstation – dimmable, and always exactly where the light is needed, thanks to the flexible, articulated arm.

Attenzia




The Red Dot Award 2018 in the product design category went to the NOVUS Attenzia space active HCL and the NOVUS Attenzia task. red<mark>dot</mark> design award winner 2018



Novus luminaires: ensuring your workstation is uniformly lit.

Novus luminaires provide optimum workstation lighting, creating the perfect conditions for more comfortable working.





NOVUS Attenzia task: As flexible as office requirements are variable. The Attenzia task's infinitely adjustable joints mean lighting can always be positioned perfectly.



NOVUS Attenzia task with base: Light where it's needed. With the elegant, bright Attenzia task, your desk is always fully illuminated.

Attenzia luminaires

Alternative mounting systems.



Secure table mount with Attenzia clamp (available in two clamp lengths).





Attenzia rail system mount for use in various system rails offered by the office furniture industry.





Attenzia base plate: elegant and stable base for desks. Weight: 4 kg.





For use with MY columns (Ø 13 mm).





For use with TSS columns (Ø 16 mm).





Attenzia SlatWall-Adapter for mounting the luminaires on organisation walls.



Attenzia bushing: elegant insert sleeve for invisible cable management.



Attenzia cable port plastic: plastic cable guide for Ø 80 mm grommets with push-in adaptor for Ø 16-mm push-in studs (Attenzia TSS Version).



TSS push-in pin for Attenzia: pin adaptor for the Attenzia task and complete for mounting on TSS columns





NOVUS Attenzia task, without mount

- Smart LED desktop luminaire with slim-line 2-part aluminium support arm and internal cable routing
- The luminaire can be dimmed to any level and switches off automatically.
- Very high luminaire luminous flux of max. 742 Im for perfect illumination
- Extremely energy efficient at lluminaire luminaire efficiency with 82,7 lm/W
- Excellent colour recognition with a high colour rendering index of 86 (>80)
- Large operating range: 1015 mm
- Cable length: approx. 2 m
- High-quality aluminium finish with anodised and galvanised surfaces (silver) and premium-quality painted surfaces in black and white
- This luminaire contains built-in LED lamps
- Luminaire suitable for light sources of energy classes A, A+ and A++
- Lamps cannot be replaced within the light

Colours	Art.No.	EAN Code
- фр- 3000 к	730+1201+000	4009729070659
- Эооо к	730+1208+000	4009729070666
- ф 3000 к	730+1209+000	4009729070673
- ф- 4000 к	740+1201+000	4009729062661
- ф- 4000 к	740+1208+000	4009729062685
- Цу- 4000 К	740+1209+000	4009729061725

NOVUS Attenzia task, with TSS adaption

- Smart designed LED desk light with slim, 2-piece aluminium support arm to be mounted onto Novus TSS columns, equipped with Ø 16mm bolt

Consisting of:

- NOVUS Attenzia task
- NOVUS Attenzia TSS adaption pin

Colours		Art.No.	EAN Code
	- Э000 К	730+1209+001	4009729070680
/	- ф. 4000 к	740+1209+001	4009729063835







NOVUS Attenzia task, with base

- Smart LED desktop luminaire with slim-line 2-part aluminium support arm and internal cable routing
- Elegant desktop feet for placement on the desk
- Scale W 175 mm x H 19 mm x D 200 mm

Colours	Art.No.	EAN Code
- 	730+1291+000	4009729070727
	730+1298+000	4009729070734
	730+1299+000	4009729070741
- ф- 4000 к	740+1291+000	4009729067574
- ф- 4000 к	740+1298+000	4009729067598
	740+1299+000	4009729067611



NOVUS Attenzia task, with clamp 1

• Smart LED desktop luminaire with slim-line 2-part aluminium support arm and internal cable routing

Colours	Art.No.	EAN Code
- ф 3000 к	730+1211+000	4009729070697
- ф зооо к	730+1218+000	4009729070703
- ф 3000 к	730+1219+000	4009729070710
- ф- 4000 к	740+1211+000	4009729062678
-" ф- 4000 К	740+1218+000	4009729062692
- ф 4000 К	740+1219+000	4009729061732





Novus Attenzia complete, with Ø 13 mm bolt

- Smart designed LED desk-top luminaire with slim aluminium support arm and internal cable routing for illuminating the entire work space
- The luminaire can be dimmed to any level and switches off automatically.
- Extremely high luminaire light efficiency of max. 1708 lm for perfect lighting conditions
- + Extremely energy efficient at lluminaire luminaire efficiency with 83,3 $\,$ lm/W
- Excellent colour recognition with a high colour rendering index of 86 (>80)
- Action radius: 726mm
- Cable length: approx. 2 m
- Classy aluminium finish with anodised and galvanised surfaces
- For fitting to a NOVUS MY column, supplied without mount
- This luminaire contains built-in LED lamps
- Luminaire suitable for light sources of energy classes A, A+ and A++
- Lamps cannot be replaced within the light
- Average illuminance E = 1714 LUX

Colours	Art.No.	EAN Code
- Эооо к	730+2109+000	4009729070567
- ф- 4000 к	740+2109+000	4009729061961



NOVUS MY base C, column

The obligatory column mounting for Attenzia complete

Caluma	Aut Nu	FAN N.
Column	ArtNr.	EAN-Nr.
MY base C		
MY column 350 mm, clamp 14-40	911+0019+000	4009729052907
mm		
MY base C1		
MY column 350 mm, clamp 13-25	911+0029+000	4009729053867
mm		
MY base D		
MY column 350 mm, Bohrschraub-	911+0049+000	4009729052914
befestigung		
MY base G		
MY column 350 mm, Kabelloch-	911+0059+000	4009729052921
befestigung		
MY base S		
MY column 350 mm,	911+0069+000	4009729052938
Systemschienenbefestigung		





NOVUS Attenzia complete, with organisation wall mount

- Smart designed LED desk-top luminaire with slim aluminium support arm and internal cable routing for illuminating the entire work space
- The luminaire can be dimmed to any level and switches off automatically.
- Equipped with SlatWall adapter for organisation walls

Consisting of:

- NOVUS Attenzia complete
- NOVUS Attenzia SlatWall adapter

Colours	Art.No.	EAN Code
- Эооо к	730+2171+000	4009729070581
	730+2178+000	4009729070598
- - - - - - - - - - - - - - - - - - 	730+2179+000	4009729070604
- ф- 4000 к	740+2171+000	4009729068649
- ф- 4000 к	740+2178+000	4009729068656
	740+2179+000	4009729068663

Novus Attenzia complete, with TSS adaption

• Smart designed LED desk-top luminaire with slim aluminium support arm and internal cable routing for illuminating the entire work space

Consisting of:

- NOVUS Attenzia complete
- NOVUS Attenzia TSS adaption pin

Colours	Art.No.	EAN Code
- Эооо к	730+2109+001	4009729070574
-" 4000 K	740+2109+001	4009729063842





NOVUS Attenzia clamp 1 (1050 mm)

- Clamp for mounting on desktops
- Clamping length: 10-50 mm
- Suitable for NOVUS Attenzia task

Colours	Art.No.	EAN Code
	798+0011+000	4009729062708
	798+0018+000	4009729062715
1	798+0019+000	4009729061695

NOVUS Attenzia clamp 2 (4585 mm)

- Clamp, especially for mounting on big desktops
- Clamping length: 45-85 mm
- Suitable for NOVUS Attenzia task

Colours	Art.No.	EAN Code
	798+0021+000	4009729062722
	798+0028+000	4009729062739
1	798+0029+000	4009729061701









NOVUS Attenzia base

- Stable, elegant base for the desk
- Stable steel stand weighing 4kg
- Internal cable routing
- Dimensions: W 175 mm, H 19 mm, D 200 mm
- Suitable for NOVUS Attenzia task

Colours	Art.No.	EAN Code
	798+0031+000	4009729062746
	798+0038+000	4009729062753
1	798+0039+000	4009729061718











NOVUS Attenzia system rail mounting

- System rail mount for use in various system rails from the office furniture industry
- Steel plate with aluminium casing

Colours	Art.No.	EAN Code
	798+0006+000	4009729063989

NOVUS Attenzia SlatWall adapter

- SlatWall adapter to mount various products on organisation rails
- Suitable for organisation walls with 1 or 2 slots
- Compatible with Attenzia task and complete, and products with Ø 13 mm insertion pins

Colours	Art.No.	EAN Code
	798+0071+000	4009729064283
	798+0078+000	4009729064290
1	798+0079+000	4009729064306

NOVUS Attenzia bushing

- Metal insert sleeve for mounting the Attenzia task to the table
- For desktop thicknesses from 5 to 45 mm
- For bolts of Ø 13 mm
- Visible outer diameter of Ø 35 mm

Colours	Art.No.	EAN Code
	798+0008+000	4009729063422



5 Years Guarantee



NOVUS Attenzia Wall Mount Adapter

- Adapter for wall mounting
- Compatible with Attenzia task and complete, and products with Ø 13 mm insertion pins

Colours	Art.No.	EAN Code
	798+0081+000	4009729067536
	798+0088+000	4009729067543
/	798+0089+000	4009729067550

NOVUS Attenzia TSS adaption pin

- Interchangeable pin adapter for the Attenzia task and complete for mounting on TSS columns
- Ø 16 mm bolt to be used with TSS columns
- Including TSS cover cap

Colours	Art.No.	EAN Code
	795+6061+000	4009729063859





5 Years Guarantee



NOVUS Attenzia cable port plastic

- Plastic cable port for Ø 80 mm grommets with adapter for Ø 16 mm bolts
- For desktop thicknesses from 17 to 25 mm
- Suitable for the Attenzia task as well as for products with Ø 13 mm bolt

Colours	Art.No.	EAN Code
	796+0428+002	4009729065860
	796+0421+002	4009729065884





5 Years



Comun Engineering Ity Novus



System for greater individuality and more free space.











- Compact design offering a high carrying capacity making it particularly suitable for lager and heavier-type telephones
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- Swivelling around 360° for ease of movement
- Platform can be mounted crossways or lengthways
- Dimensions base plate: 258 x 172 mm

Colours	Art.No.	EAN Code
	713+0005+000	4009729019405
	713+0002+000	4009729019399



NOVUS ScopeMaster

- Smoothly telescoping swivel arm for positioning of devices in the third level
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- Rotating support platform, inclined towards the user
- Swivelling around 360° for ease of movement
- Platform can be mounted crossways or lengthways
- Internal cable routing for optimum cable management
- Dimensions base plate: 258 x 172 mm

Colours	Art.No.	EAN Code
	714+0002+000	4009729019511
	714+0009+000	4009729042465

Office organisation universal support arms





NOVUS TalkMaster

- Telephone swivel arm with 2-part articulated arm for filing the phone in the third level
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- 3-stage adjustment for flexible positioning
- Swivelling around 360° for ease of movement
- Platform can be mounted crossways or lengthways
- Dimensions base plate: 258 x 172 mm

Colours	Art.No.	EAN Code
	710+0005+000	4009729019160
	710+0002+000	4009729019153



2 Years Guarantee

NOVUS extension platforms

- Set of two extension plates to enlarge the support plate of universal support arms
- Increase the size of supporting platform from 258 x 172 mm to 258 x 258 mm or 258 x 344 mm
- Supplied with four clip connectors for easy assembling

Colours	Art.No.	EAN Code
	795+0905+000	4009729019627
	795+0902+000	4009729019610









NOVUS CopySwinger I

- Single tray for storage
- Plastic tray with practical recessed grip for ergonomic handling
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- Swivelling around 360° for ease of movement
- Supplied with transparent label holder
- Expandable with other more space system products with universal clamp 1

Colours	Art.No.	EAN Code
	720+1005+000	4009729035412
	720+1002+000	4009729035429

NOVUS CopySwinger II

- Two trays among each other for a clearly arranged office organisation
- Plastic tray with practical recessed grip for ergonomic handling
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- Swivelling around 360° for ease of movement
- Supplied with transparent label holder
- Expandable with other more space system products with universal clamp 1

Colours	Art.No.	EAN Code
	720+2005+000	4009729018545
	720+2002+000	4009729018538

Corress Ingineering







Corress Ingineering



NOVUS CopySwinger III

- Three trays among each other for the classic storage
- Plastic tray with practical recessed grip for ergonomic handling
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- Swivelling around 360° for ease of movement
- Supplied with transparent label holder
- Expandable with other more space system products with universal clamp 1

Colours	Art.No.	EAN Code
	720+3005+000	4009729018583
	720+3002+000	4009729018576

NOVUS CopySwinger IV

- Four trays among each other offer lots of space
- Plastic tray with practical recessed grip for ergonomic handling
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- Swivelling around 360° for ease of movement
- Supplied with transparent label holder
- Expandable with other more space system products with universal clamp 1

Colours	Art.No.	EAN Code
	720+4005+000	4009729018620
	720+4002+000	4009729018613





NOVUS CopySwinger V

- Five trays among each other offer much storage space
- Plastic trays with practical recessed grip for ergonomic handling
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- Swivelling around 360° for ease of movement
- Supplied with transparent label holder

Colours	Art.No.	EAN Code
	720+5005+000	4009729018644
	720+5002+000	4009729018637




NOVUS CopySwinger Duo II

- Two sets of two trays about each other
- Plastic tray with practical recessed grip for ergonomic handling
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- Swivelling around 360° for ease of movement
- Expandable with other more space system products with universal clamp 1

Colours	Art.No.	EAN Code
	721+4005+000	4009729018675
	721+4002+000	4009729018668

Corner Ingineering



NOVUS CopySwinger Duo III

- Three sets of two trays about each other
- Plastic tray with practical recessed grip for ergonomic handling
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- Swivelling around 360° for ease of movement
- Supplied with transparent label holder
- Expandable with other more space system products with universal clamp 1

Colours	Art.No.	EAN Code
	721+6005+000	4009729018712
	721+6002+000	4009729018705



NOVUS CopyTray, single tray

- Stackable and removable B4-single tray
- Plastic tray with practical recessed grip for ergonomic handling
- Supplied with transparent label holder

Colours	Art.No.	EAN Code
	720+0000+000	4009729018651



NOVUS label holder with paper for copy tray

• Plastic label holder with blank paper inserts for CopyTray storage tray

Colours	Art.No.	EAN Code
	420+2200+000	4009729027578







Corman Engineering In Noos



NOVUS BoardMaster base with supporting feet

- Practical shelves for perfect organisation of the workplace with desktop feet
- Elegant desktop feet for placement on the desk
- Shelf depth: 195mm
- Available in lenght: 1000mm & 1200mm
- Expandable with other more space system products with universal clamp 1

Colours		Art.No.	EAN Code
	← 1000 mm	750+0555+000	4009729018774
	←──→ 1000 mm	750+0552+000	4009729018767
	← 1200 mm	750+0655+000	4009729018811
	←──→ 1200 mm	750+0652+000	4009729018804





NOVUS BoardMaster with universal clamp 1

- Practical shelves for perfect organisation of the workplace for mounting at the desktop
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- Shelf depth: 195mm
- Available in lenght: 1000mm & 1200mm
- Expandable with other more space system products with universal clamp 1

Colours	Art.No.	EAN Code
←→→ 1000 mm	750+0505+000	4009729018750
←→ 1000 mm	750+0502+000	4009729018743
←→ 1200 mm	750+0605+000	4009729018798
← → 1200 mm	750+0602+000	4009729018781
	750+0605+000	4009729018798





NOVUS ViewMaster-Fix

- Display pocket holders with 2-piece plastic joints in three automatic locking positions
- For 12 DIN A4 display pockets
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- Range: 225 514 mm
- Rotating around 360°
- Display pockets can be fitted with indicator tabs to make information easier to find
- Display pockets are not included

Colours	Art.No.	EAN Code
	748+0005+000	4009729017869
	748+0002+000	4009729017852





NOVUS ViewMaster-Ergo II

- Display pocket holders with 2-part aluminium arm, adjustable plastic joints and spring balancing mechanism
- The infinitely adjustment ensures a comfortable presentation of information
- For 12 DIN A4 display pockets
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- Range: 744 mm
- Swivelling around 360°
- NOVUS ScreenMount stand, base
- Display pockets are not included
- Display pockets can be fitted with indicator tabs to make information easier to find

Colours	Art.No.	EAN Code
	748+2002+000	4009729017838
	748+2009+000	4009729042441

Office organisation display pocket holders



2 Years Guarantee

2 Years Guarantee NOVUS display pockets

- Display pockets with swivel pins and plastic frame for DIN A4
- Open on one long side
- Delivery: individually packaged

Colours	Art.No.	EAN Code
	795+4811+000	4009729018279
	795+4804+000	4009729018248
	795+4801+000	4009729018224
	795+4808+000	4009729018262
	795+4806+000	4009729018255
	795+4812+000	4009729018286
	795+4802+000	4009729018231



NOVUS indicator tabs

- Indicator tabs set
- Indicator tabs with printed paper inserts from A to Z
- Pluggable with transparent display
- Size: 25x20mm
- Including: 12 pieces

Colours	Art.No.	EAN Code
	795+4850+000	4009729018361



NOVUS offers a solution for every workspace situation. A big variaty of mounting options for the more space range, eben for the lights.







NOVUS universal clamp 1, (1874 mm)

- Clamp for mounting on desktops
- Clamping length: 18-74mm
- Suitable for products with universal clamp 1

Colours	Art.No.	EAN Code
	795+0105+000	4009729019665
	795+0102+000	4009729019658

NOVUS universal clamp 1, (864 mm)

- Clamp, especially for attachment to glass tables
- Clamping length: 8-64mm
- Suitable for products with universal clamp 1

Colours	Art.No.	EAN Code
	795+0155+000	4009729023402
	795+0152+000	4009729023396



Office organisation additional fixations



- Plastic screw-on plate for fixing in the table
- Fixing section: 51 mm
- Suitable for products with universal clamp 1

Colours	Art.No.	EAN Code
	795+1505+000	4009729019788
	795+1502+000	4009729019771



- Robust metal screw-on plate for mounting in the desktop
- Fixing section: 51 mm
- Comes with metal screw sleeve
- Suitable for products with universal clamp 1

Colours	Art.No.	EAN Code
	795+1605+002	4009729029985
	795+1602+002	4009729032411

- NOVUS drilling screw fitting • Drilling screw attachment for mounting on the table
- Drilling diameter: 14mm
- Suitable for products with universal clamp 1

Colours	Art.No.	EAN Code
	796+0345+000	4009729030394
	796+0342+000	4009729026441





+14







2 Vears Guarantee









NOVUS wall mount metall standard

- Wall bracket for attachment to the wall, depending on the wall texture
- Suitable for products with universal clamp 1 or 2

Colours	Art.No.	EAN Code
	796+0849+000	4009729044704



NOVUS SlatWall adapter

- SlatWall adapter to mount various products on organisation rails
- Carrying capacity 8 Kg
- suitable for products, which are mounted with the universal clamp 1 or 2 and the LiftTEC monitor arms as well

Colours	Art.No.	EAN Code
	796+0839+001	4009729052549

NOVUS TSS column adapter

- Adapter for attaching various products to the TSS-column
- suitable for products, which are mounted with the universal clamp 1 or 2 and the LiftTEC monitor arms as well

Colours	Art.No.	EAN Code
	796+0829+000	4009729043851



Office organisation additional fixations







NOVUS plastic wall bracket

- Wall mount in plastic for attachment to the wall, depending on the wall texture
- Suitable for products with universal clamp 1

Colours	Art.No.	EAN Code
	795+2002+000	4009729019795
	795+2005+000	4009729019801

NOVUS height increase set

- Adapter for all office organisation products mounted with universal clamp 1
- Provides a greater distance between the work surface and a telephone support arm, a pen tray or a light
- Height increase by 124 mm
- suitable for products with universal clamp 1

Colours	Art.No.	EAN Code
	795+2125+000	4009729027158
	795+2122+000	4009729027141






NOVUS Pila: Novus seating balls make a stylish and ergonomic seat.

Movement keeps you fit! Thanks to the centre of gravity inside the Pila, the ball does not roll away and so always provides a clean, dust-free seat.




Balance Ball The weight reinforcement inside means the ball is self-levelling.




Dust-repellent seat

With the internal Balance Ball, you avoid getting your clothes dusty.



Functional label Makes it easy to lift, carry and reposition the ball.



Clear design language

The ball's minimalist design means it fits right into modern open-space offices, too.



Ergonomic sitting

The ball's shape keeps you constantly moving.



High-quality materials A precisely constructed

cover of imitation leather.






NOVUS Pila Brown Leather

- The shape of the NOVUS Pila seating ball makes it ideal for ergonomic sitting and it perfectly balances your movements. Dynamic sitting keeps you constantly moving and gives you strengthened and healthy back muscles.
- The internal weight reinforcement in the ball creates a centre of gravity, so that the NOVUS Pila seating ball is self-levelling. As a result, the ball does not roll away, and the seat remains dust and dirt free.
- The handy label makes it easy to lift, carry and reposition the NOVUS Pila seating ball.
- Thanks to its elegant, timeless and clear design, the NOVUS Pila seating ball fits into any furnishing style, whether in the office or in your own home office.

• The NOVUS Pila seating ball has a precisely constructed cover of high-quality imitation leather that is easy to remove and clean.

• Delivery includes a cover, a PVC inner ball, a manual air pump, 2 self-closing valves and a pump adapter for commercial air pumps.

Colours	Item no.	EAN
65 cm	749+0656+000	4009729070758
70 cm	749+0706+000	4009729070765



NEW



Mounting options



System clamp

Desktop mount with system clamp to mount the product without the need to drill holes in the desktop.



Attenzia clamp

Desktop mount for Attenzia lights to mount the product without the need to drill holes in the desktop.



Drilling screw fitting

Drilling screw fitting to mount the product by drilling a hole in the desktop.



Cable port mount

Cable port mount ensures secure attachment on existing cable ports.



Pin adapter

Desktop mounting with pin adapter (16 mm in diameter) is used in various desk adapters by the office furniture industry.



System rail mount

System rail mount for use in various system rails from the office furniture industry.



Desk stand

Elegant stand for positioning on the desk.



Attenzia base plate

Elegant base for positioning on the desk.



3-in-1 table mount

This table mount can be used as a clamp, grommet and drilling mount.



Ceiling mount

Ceiling mount lets you attach the product to the ceiling.



Ceiling/floor mount

Ceiling/floor mount lets you mount a column between ceiling and floor.



Wall mount

Wall mount lets you attach the product to the wall.



Floor stand

Sturdy stand for positioning on the floor.



Universal clamp

Desktop mount with universal clamp 1 for desktops in a thickness of 18-74 mm.



Luma clamp

Desktop mount with luma clamp to mount the product without the need to drill holes in the desktop.



Combinability

All items with universal clamp 1 can be fitted to the product.



Organisation wall mount

Organisation wall mount to attach the products to an organisational wall by using slot nuts.

Technical specifications



Standard monitor mount

The standard mount to use with any monitor compatible with 75 x 75 mm or 100 x 100 mm attachment standard.



Monitor mount

This mount is to attach monitors compatible with the attachment standard given in mm. (The maximum possible standard is indicated.)



Monitor weight

This value indicates the maximum load-bearing capacity of the supporting element or the maximum weight of a monitor in kg.



Carrying capacity

The weight shows the maximum weight in kg that the product is allowed to carry.



Dimensions of support platform

The value indicates the size of the platform in mm.



Adjustability

The device is easily and infinitely adjustable, thanks to its patented spring balancing mechanism.



Adjustability The device can be clicked into three fixed

positions.



Colour temperature

kelvins.

The value indicates the colour temperature in



German Engineering

The "German Engineering" quality mark guarantees that the product has been developed by our engineers in line with German quality standards. Production takes place in our own factories across the world, managed from Germany.



Column length

The value indicates the height of the column above the desk in mm.



Height above desk

The value indicates the minimum and maximum distance between the product and desk surface.



Width



The value indicates the width of the product in mm.

Range



The value indicates the product's range in mm.



Swivelling range

The value indicates the product's possible swivelling range in °.



Power consumption

The value indicates the lamp used and the power consumption in watts.



Diameter

The value indicates the diameter of the Pila seating ball in cm.



ENEC certified

This product meets the requirements of the EU General Product Safety Directive



GS certified

TÜV Nord tested in accordance with the German Product Safety Act.



Novus & Dahle:

quality, functionality & design **under one roof.**

For over seventy years, the emco Group in Lingen has stood for high-quality "German Engineering" and innovative product development. Today, with its four strong brands, emco, Novus, Dahle and emco e-scooter international, it operates successfully and internationally in a wide range of industries.

The Dahle and Novus brands are the experts for everything to do with office technology. Created to meet a wide variety of different workplace requirements, their diverse product ranges offer innovative details to make your daily working life that bit easier and more efficient – and all in an attractive design.

Novus is an expert in the business area of fastening technology, too. Here, the company supplies a reliable range of universal tackers and riveting tools for the home, hobby and professional sectors for a vast range of applications.





Living and working with Novus Dahle.

Novus Dahle does everything it can to make work as pleasant and relaxed as possible for people in offices. That's why we don't limit ourselves to developing and producing state-of-the-art office technology but go above and beyond this.

In our social magazine, WorklifeExperts, you can find out more about the most important topics affecting office work: www.novus-dahle.com



Novus Dahle GmbH Breslauer Straße 34-38 49808 Lingen GERMANY Tel. +49 (0) 591/9140-0 Fax +49 (0) 591/9140-841 info@novus-dahle.com

www.novus-dahle.com

