

WE MAKE **WORK** EASIER

For almost a century, the two strong brands Novus and DAHLE have stood for products that help people work more comfortably and more efficiently. As an internationally oriented and owner-managed company, we focus on traditional German standards of quality combined with state-of-the-art technologies: innovative when it serves the user, traditional when it comes to proven functionality and durability.

As WorklifeExperts, we offer an extensive selection of high-quality products to assist you in your everyday professional or recreational activities such as crafting, cutting, stapling, perforating or shredding.

Our mission: We make work easier!

Our Work Life Essentials show only a part of the total assortment. Learn more at: **www.novus-dahle.com**











THE RIGHT WASTE COLLECTION **VOLUME** It comes down to

your usage!

Users

1-3 people






4 - 7

people



8 - 12



Location

Right at your desk, in your home office or for personal use

In the office for small teams or occasional use

For entire departments or frequent use

For large teams or very frequent use

Recommended waste collection volume

Up to 40 litres

25 - 100 litres

40 - 160 litres

Up to 190 litres







THE It comes down to your data! RIGHT **SECURITY LEVEL**



Data you want to destroy

For general data that contain no personal information, e.g. catalogues or brochures	For internal data, e.g. general instructions or forms	For sensitive and confidential data, e.g. quotations or orders containing address data	For highly sensitive as confidentia data, e.g. employme contracts o accounts
Cut type			
that contain no personal information, e.g. catalogues or brochures	security level		
P-1	P-2	P-3	P-4

See our TOP SECRET document shredders with security levels P-6 and P-7 at www.dahle-office.com/shredders You can find more information on the security levels at www.novus-dahle.com/en/7-security-levels

S

Not sure what security level is appropriate for destroying your data? DIN 66399 (ISO/IEC 21964) defines seven security levels for destroying data using document shredders.

the higher the recommended security level.

For highly For strictly For highly confidential confidential confidential and tial data with data, e.g. data, e.g. data medical reports high security from secret requirements, ent or strategy service agencies e.g. research and or papers development documents P-5 P-6 P-7





DAHLE PaperSAFE[®] 60

- Small document shredder for office and home use with
 Convenient feeding and reversing function for manual strip cut P-2
- Oil- and maintenance-free operation
- Practical automatic start-stop function for rapid availa Removable top part bility and safe use
- control
- Overheating protection

Product name	DAHLE PaperSAFE® 60
Sheet capacity (80 g/sqm)*	1 - 6 sheets
Entry width in mm	220
Particle size (in mm)	6,0
Security levels	P-2/T-2/E-2
Cards	\checkmark
Waste collection volume (in l)	11
Noise level when idle (db(A))	70
Output (in W)	130
Net weight (kg)	1,65
Speed (m/min)	6
Dimensions H x W x D (in mm)	320 x 315 x 161



DAHLE PaperSAFE® 100, 120, 140

- Small document shredder for office and home use with • Convenient feeding and reversing function for manual particle cut P-4 control
- Oil- and maintenance-free operation
- Extra-small particles allow for less frequent emptying
- Integrated light barrier for automatic start and stop

٠	F

Product name	DAHLE PaperSAFE [®] 100	DAHLE PaperSAFE® 120	DAHLE PaperSAFE® 140
Sheet capacity (80 g/sqm)*	1 - 5 sheets	1 - 8 sheets	1 - 10 sheets
Entry width in mm	220	220	220
Particle size (in mm)	5,0 x 18,0	5,0 x 18,0	5,0 x 18,0
Security levels	P-4/F-1/T-4/E-3	P-4/F-1/T-4/E-3	P-4/F-1/T-4/E-3
Cards	\checkmark	\checkmark	\checkmark
Paper clips	-	\checkmark	\checkmark
Waste collection volume (in I)	12	12	12
Noise level when idle (db(A))	70	65	65
Output (in W)	150	205	220
Net weight (kg)	4	4,5	4,8
Speed (m/min)	3	3,5	3,5
Dimensions H x W x D (in mm)	366 x 347 x 217	366 x 347 x 217	366 x 347 x 217



* Maximum number of DIN A4 sheets that can be shredded in a single load under the following conditions: new cutting rollers (oiled if necessary), cold motor, power supply with rated voltage and rated frequency (230V/50Hz; 120V/60Hz). Sheet capacity may be lower and operating noise higher under different conditions. Sheet capacity may also vary due to sheet characteristics and paper feed.



- Automatic safety shut-off
- Inspection window as optical waste level indicator
- Overheating protection with optical indicator
- Removable top part



DAHLE PaperSAFE[®] 240, 260, 380

- Universal document shredder for use at your desk with particle cut P-4
- Sheet remnant shredding with full waste container for safe destruction of sensitive data
- Oil- and maintenance-free operation
- Extra-small particles allow for less frequent emptying
- Separate drive for the reliable shredding of CDs and DVDs into four strips 3.0 cm in width
- Pull-out waste container

- Energy-saving standby mode
- Integrated photoelectric sensor for automatic start-stop function enables fast availability and safe use
- Automatic paper reverse function clears excess paper
- Convenient feeding and reversing function for manual control
- Automatic safety shut-off
- · Optical waste level indicator
- Overheating protection with optical indicator

Product name	DAHLE PaperSAFE [®] 240	DAHLE PaperSAFE [®] 260	DAHLE PaperSAFE [®] 380
Sheet capacity (80 g/sqm)*	1 - 10 sheets	1 - 12 sheets	1 - 15 sheets
Entry width in mm	224	224	224
Particle size (in mm)	4,0 x 12,0	4,0 x 12,0	4,0 x 12,0
Security levels	P-4/F-1/O-1/T-4/E-3	P-4/F-1/O-1/T-4/E-3	P-4/F-1/O-1/T-4/E-3
CDs/DVDs	\checkmark	\checkmark	\checkmark
Cards	\checkmark	\checkmark	\checkmark
Paper clips	\checkmark	\checkmark	\checkmark
Waste collection volume (in I)	25	25	25
Noise level when idle (db(A))	65	60	60
Output (in W)	260	320	350
Net weight (kg)	9	10,5	13
Speed (m/min)	3	3	2,8
Dimensions H x W x D (in mm)	545 x 443 x 273	545 x 443 x 273	545 x 443 x 273



DAHLE PaperSAFE® 420

- High-security document shredder for use at your desk with particle cut P-5
- Sheet remnant shredding with full waste container for safe destruction of sensitive data
- Extra-small particles allow for less frequent emptying
- Separate drive for the reliable shredding of CDs and DVDs into four strips 3.0 cm in width
- Pull-out waste container
- Energy-saving standby mode

Product name

Product name	DAHLE PaperSAFE® 420
Sheet capacity (80 g/sqm)*	1 - 10 sheets
Entry width in mm	224
Particle size (in mm)	2,0 x 15,0
Security levels	P-5/F-2/O-1/T-5/E-4
CDs/DVDs	\checkmark
Cards	\checkmark
Paper clips	\checkmark
Waste collection volume (in I)	25
Noise level when idle (db(A))	60
Output (in W)	350
Net weight (kg)	13
Speed (m/min)	2,5
Dimensions H x W x D (in mm)	545 x 443 x 273





• Integrated photoelectric sensor for automatic start-stop function enables fast availability and safe use • Automatic paper reverse function clears excess paper • Convenient feeding and reversing function for manual control

- Automatic safety shut-off
- Optical waste level indicator
- Overheating protection with optical indicator



DAHLE ShredMATIC[®] 90

- Powerful document shredder with automatic paper feeder and particle cut P-4
- Autofeed function shreds up to 90 sheets (80 g/sqm) in a single load
- Oil- and maintenance-free operation
- Extra-small particles allow for less frequent emptying
- Pull-out waste container
- Integrated photoelectric sensor for automatic start-stop function enables fast availability and safe use
- Automatic paper reverse function clears excess paperConvenient feeding and reversing function for manual
- controlAutomatic safety shut-off when the waste container is full or the door is open
- Optical waste level indicator
- Overheating protection with optical indicator

Product name	DAHLE ShredMATIC [®] 90
Sheet capacity (80 g/sqm)*	1 - 90 sheets
Entry width in mm	222
Particle size (in mm)	4,0 x 12,0
Security levels	P-4/F-1/T-4/E-3
Cards	\checkmark
Paper clips	\checkmark
Waste collection volume (in I)	23
Noise level when idle (db(A))	62
Output (in W)	240
Net weight (kg)	9
Speed (m/min)	1,8
Dimensions H x W x D (in mm)	506 x 367 x 263



DAHLE ShredMATIC[®] 150

- Universal document shredder with automatic paper feeder and particle cut P-4
- Autofeed function shreds up to 150 sheets (80 g/sqm) in a single load
- Oil- and maintenance-free operation
- Extra-small particles allow for less frequent emptying
- Pull-out waste container
- Integrated photoelectric sensor for automatic start-stop function enables fast availability and safe use

Product name

Sheet capacity (80 g/sqm)*	1 - 150 sheets	
Entry width in mm	220	
Particle size (in mm)	4,0 x 12,0	
Security levels	P-4/F-1/T-4/E-3	
Cards	\checkmark	
Paper clips	\checkmark	
Waste collection volume (in I)	25	
Noise level when idle (db(A))	60	
Output (in W)	180	
Net weight (kg)	9,5	
Speed (m/min)	1,8	

Dimensions H x W x D (in mm)





- Automatic paper reverse function clears excess paper
 Convenient feeding and reversing function for manual control
- Automatic safety shut-off when the waste container is full or the door is open
- Inspection window as optical waste level indicatorOverheating protection with optical indicator

DAHLE ShredMATIC[®] 150

537 x 354 x 298

DAHLE ShredMATIC[®] 300

- Powerful document shredder with automatic paper feeder and particle cut P-4
- Autofeed function shreds up to 300 sheets (80 g/sqm) in a single load, with lockable paper feeder
- Oil- and maintenance-free operation
- Pull-out waste container
- With automatic motor cut-out after 10 minutes without use
- Integrated photoelectric sensor for automatic start-stop function enables fast availability and safe use
 Automatic paper reverse function clears excess paper
- Convenient feeding and reversing function for manual
- control
- Automatic safety shut-off when the waste container is full or the door is open
- Inspection window as optical waste level indicator
- Overheating protection with optical indicator

Product name	DAHLE ShredMATIC [®] 300
Sheet capacity (80 g/sqm)*	14 - 300 sheets
Entry width in mm	220
Particle size (in mm)	4,0 x 15,0
Security levels	P-4/F-1/O-3/T-4/E-3
CDs/DVDs	\checkmark
Cards	\checkmark
Paper clips	\checkmark
Waste collection volume (in l)	40
Noise level when idle (db(A))	60
Output (in W)	650
Net weight (kg)	18,5
Speed (m/min)	2,5
Dimensions H x W x D (in mm)	696 x 425 x 351



DAHLE ShredMATIC[®] 300 P-5

- Professional document shredder with automatic paper feeder and P-5 particle cut
- Autofeed function shreds up to 300 sheets (80 g/sqm) in a single load, with lockable paper feeder
- Pull-out waste container
- With automatic motor cut-out after 10 minutes without use
 Inspection window as optical waste level indicator
 Overheating protection with optical indicator
- Integrated photoelectric sensor for automatic start-stop function enables fast availability and safe use

Product name

Sheet capacity (80 g/sqm)*	11 - 300 sheets	
Sheet capacity in manual mode (80 g/sqm)	9-11 sheets	
Sheet capacity in batch mode (80 g/sqm)	up to 300 sheets	
Entry width in mm	220	
Particle size (in mm)	2,0 x 15,0	
Security levels	P-5/F-2/T-5/E-4	
Cards	\checkmark	
Paper clips	\checkmark	
Waste collection volume (in l)	40	
Noise level when idle (db(A))	60	
Output (in W)	650	
Net weight (kg)	19,5	
Speed (m/min)	2,5	
Dimensions H x W x D (in mm)	696 x 425 x 351	





- Automatic paper reverse function clears excess paper
 Convenient feeding and reversing function for manual control
- Automatic safety shut-off when the waste container is full or the door is open

DAHLE ShredMATIC[®] 300 P5



DAHLE Deskside 204P

- High-performance document shredder with 40 l waste
 Automatic paper reverse function clears excess paper collection volume and security level P-2
- Oil- and maintenance-free operation
- Pull-out waste container
- With automatic motor cut-out after 10 minutes without
 Inspection window as optical waste level indicator use
- Integrated light barrier for automatic start and stop
- Convenient reversing function for manual control • Automatic safety shut-off when the waste container is
- full or open
- Overheating protection with optical indicator

Product name	DAHLE Deskside 204P
Sheet capacity (80 g/sqm)*	25 - 29 sheets
Entry width in mm	240
Particle size (in mm)	4,0
Security levels	P-2/O-2/T-2/E-2
CDs/DVDs	\checkmark
Cards	\checkmark
Paper clips	\checkmark
Waste collection volume (in l)	40
Noise level when idle (db(A))	60
Output (in W)	690
Net weight (kg)	20,6
Speed (m/min)	2
Dimensions H x W x D (in mm)	696 x 425 x 351



DAHLE Deskside 404P

- High-performance document shredder with 40 l waste collection volume and security level P-4
- Oil- and maintenance-free operation
- Pull-out waste container
- With automatic motor cut-out after 10 minutes without • Inspection window as optical waste level indicator use • Overheating protection with optical indicator
- Integrated light barrier for automatic start and stop

Product name	DAHLE Deskside 404P	
Sheet capacity (80 g/sqm)*	19 - 21 sheets	
Entry width in mm	240	
Particle size (in mm)	4,0 x 35,0	
Security levels	P-4/F-1/O-3/T-4/E-3	
CDs/DVDs	\checkmark	
Cards	\checkmark	
Paper clips	\checkmark	
Waste collection volume (in l)	40	
Noise level when idle (db(A))	60	
Output (in W)	500	
Net weight (kg)	23,3	
Speed (m/min)	2,1	
	COC 425 251	

Dimensions H x W x D (in mm)





• Automatic paper reverse function clears excess paper Convenient reversing function for manual control • Automatic safety shut-off when the waste container is full or open

DAHLE Deskside 404P

696 x 425 x 351



DAHLE Deskside 504P

- High-performance document shredder with 40 l waste Automatic paper reverse function clears excess paper collection volume and security level P-5
- Pull-out waste container
- With automatic motor cut-out after 10 minutes without use
- Integrated light barrier for automatic start and stop
- Convenient reversing function for manual control
- Automatic safety shut-off when the waste container is full or open
- Inspection window as optical waste level indicator
- Overheating protection with optical indicator

Product name	DAHLE Deskside 504P	
Sheet capacity (80 g/sqm)*	13 - 15 sheets	
Entry width in mm	240	
Particle size (in mm)	2,0 x 15,0	
Security levels	P-5/F-2/T-5/E-4	
Cards	\checkmark	
Paper clips	\checkmark	
Waste collection volume (in l)	40	
Noise level when idle (db(A))	60	
Output (in W)	570	
Net weight (kg)	23,2	
Speed (m/min)	2,1	
Dimensions H x W x D (in mm)	696 x 425 x 351	



DAHLE 306, 310

 Professional document shredder with r feeder and P3 particle cut Oil- and maintenance-free operation Separate CD feed opening and waste co ble, environmentally-friendly shredding Pull-out waste container Intuitive, user-friendly illuminated com audio signals Device shuts down automatically after without use 	tronics for au and safe use • Automatic pa • Convenient for control • Automatic sa full or the do	e level indicator
Product name	DAHLE 306	DAHLE 310
Sheet capacity (80 g/sqm)*	18 - 20 sheets	18 - 20 sheets
Entry width in mm	260	260
Particle size (in mm)	5,0 x 50,0	5,0 x 50,0
Security levels	P-3/O-3/T-3/E-2	P-3/O-3/T-3/E-2
CDs/DVDs	\checkmark	\checkmark
Cards	\checkmark	\checkmark
Paper clips	\checkmark	\checkmark
Waste collection volume (in I)	60	100
Noise level when idle (db(A))	46	52
Output (in W)	650	650
Net weight (kg)	39	41
Speed (m/min)	4,5	4,5
Dimensions H x W x D (in mm)	865 x 545 x 435	944 x 545 x 435
Model with fine dust filter	DAHLE 306air - 51310	DAHLE 310air - 51410







DAHLE 406, 410, 414, 416

- Professional document shredder with manual paper feeder and P4 particle cut
- Oil- and maintenance-free operation
- ble, environmentally-friendly shredding
- Pull-out waste container
- Intuitive, user-friendly illuminated control panel with audio signals
- Device shuts down automatically after 30 minutes without use
- Integrated photoelectric sensor for automatic start-stop function enables fast availability and safe use • Automatic paper reverse function clears excess paper
- Separate CD feed opening and waste container for relia- Convenient feeding and reversing function for manual control
 - Automatic safety shut-off when the waste container is full or the door is open
 - · Optical waste level indicator
 - Extremely quiet operation

Product name	DAHLE 406	DAHLE 410	DAHLE 414	DAHLE 416
Sheet capacity (80 g/sqm)*	15 - 17 sheets	15 - 17 sheets	24 - 26 sheets	18 - 20 sheets
Entry width in mm	260	260	310	400
Particle size (in mm)	4,0 x 40,0	4,0 x 40,0	4,0 x 40,0	4,0 x 40,0
Security levels	P-4/F-1/O-3/T-4/E-3	P-4/F-1/O-3/T-4/E-3	P-4/F-1/O-3/T-4/E-3	P-4/F-1/O-3/T-4/E-3
CDs/DVDs	\checkmark	\checkmark	\checkmark	\checkmark
Cards	\checkmark	\checkmark	\checkmark	\checkmark
Paper clips	\checkmark	\checkmark	\checkmark	\checkmark
Waste collection volume (in l)	60	100	140	160
Noise level when idle (db(A))	46	52	52	52
Output (in W)	650	650	900	900
Net weight (kg)	43	45	64	68,5
Speed (m/min)	4,5	4,5	4,7	5,7
Dimensions H x W x D (in mm)	865 x 545 x 435	944 x 545 x 435	890 x 734 x 511	960 x 734 x 511
Model with fine dust filter	DAHLE 406air - 51314	DAHLE 410air - 51414	DAHLE 414air - 51514	DAHLE 416air - 51564



DAHLE 506, 510, 514, 516

- Professional document shredder with manual paper feeder and P5 particle cut
- Pull-out waste container
- Intuitive, user-friendly illuminated control panel with audio signals
- Device shuts down automatically after 30 minutes without use
- Electronic start and stop function controlled by integra-• Separate CD feed opening and waste container for reliated light barrier ble, environmentally-friendly shredding

Product name	DAHLE 506	DAHLE 510	DAHLE 514	DAHLE 516
Sheet capacity (80 g/sqm)*	11 - 13 sheets	11 - 13 sheets	17 - 19 sheets	13 - 15 sheets
Entry width in mm	260	260	310	400
Particle size (in mm)	2,0 x 15,0	2,0 x 15,0	2,0 x 15,0	2,0 x 15,0
Security levels	P-5/F-2/T-5/E-4	P-5/F-2/T-5/E-4	P-5/F-2/O-4/T-5/E-4	P-5/F-2/O-4/T-5/E-4
Oil incl. in ml		50	50	50
CDs/DVDs	-	-	\checkmark	\checkmark
Cards	\checkmark	\checkmark	\checkmark	\checkmark
Paper clips	\checkmark	\checkmark	\checkmark	\checkmark
Waste collection volume (in l)	60	100	140	160
Noise level when idle (db(A))	46	53	53	53
Output (in W)	650	650	900	900
Net weight (kg)	44	46	68,5	75
Speed (m/min)	4,4	4,4	4,8	5,6
Dimensions H x W x D (in mm)	865 x 545 x 435	944 x 545 x 435	890 x 734 x 511	960 x 734 x 511
Model with fine dust				

Model with fine dust

DAHLE 506air - 51322 DAHLE 510air - 51422 DAHLE 514air - 51522 DAHLE 516air - 51572 filter and automatic oiler





- Automatic paper reverse function clears excess paper • Convenient feeding and reversing function for manual control
- Automatic safety shut-off when the waste container is full or the door is open
- Optical waste level indicator
- Extremely quiet operation

DAHLE 20790

• Document shredder oil, 250 ml

Product name

Article number

DAHLE 20790

20790-21583



Oil Paper 20795

- DAHLE 20795 oil paper for all non-oil-free DAHLE particle Preserves the cutting capacity of your document shred-der
- Plant-based lubricant, free from pollutants and hazardous substances
- Compatible with all particle cut shredders from other manufacturers

Product name

Article number

- Prevents paper jams • Extends your document shredder's service life
- Reduces operating noise
- Protects the shredding mechanism from corrosion

oil paper 20795

20795-16973





Guillotines and trimmers

It comes down to your paper volume! THE RIGHT **CUTTING MACHINE**

Guillotines

- **Rotary trimmers**
- Cut small amounts of paper precisely and without burrs • Especially safe thanks to closed cutting head

- Get creative: enhance our devices for hobbyists by adding the optional Creative Set for folding, perforating and deckle cutting

Ideal for photographi And the second state of the P and include the building

AHILE SSD

• Cut entire stacks of paper • Up to 800 sheets per cut • Ideal for commercial use, for example in copy shops



• Precisely cut large volumes of paper with little physical effort Also suited to cutting a wide variety of other materials • With unique DAHLE automatic safety guard









DAHLE 507, 508 (3rd generation)

- Compact entry-level rotary trimmer for hobby use
- Stable metal base with non-slip rubber feet to keep the rotary trimmer securely in place
- Helpful format lines on the base with mm division along $\,$ Two scale bars with mm scale for an exact 90° cut the cutting edge make aligning the material to be cut even easier • Self-sharpening steel rotary blade enclosed in safety
- Lower steel blade
- Automatic clamping on the cutting line to quickly fix in place the material to be cut

 - Cutting head easy to change
 - Creative Set with three cutting heads for perforation, folding and deckle cut also available

Product name	507	508
Format (DIN)	Α4	A3
Cutting capacity (mm)	0,8	0,6
Shred performance (A4 80 g/sqm sheets)*	8	6
Table size (overall dimensions) (mm)	449 x 209	589 x 209
Weight (kg)	1	1,3
Optional Creative Set	DAHLE 980	DAHLE 981



cutting head, ground

DAHLE 550, 552, 554, 556, 558 (3rd generation)

- Convenient rotary trimmer for professional use
- Stable metal base with non-slip rubber feet to keep the rotary trimmer securely in place
- Helpful format lines on the base with mm division along • Automatic clamping on the cutting line to quickly fix in the cutting edge make aligning the material to be cut place the material to be cut even easier • Two scale bars
- Double guide bar for absolutely accurate cutting

٠	I

Product name	550	552	554	556	558
Format (DIN)	A4	A3	A2	A1	AO
Cutting capacity (mm)	2	2	2	1	0,7
Shred performance (A4 80 g/sqm sheets)*	20	20	20	10	7
Table size (overall dimensions) (mm)	580 x 395	730 x 395	940 x 395	1.180 x 395	1.520 x 395
Weight (kg)	3,4	4,1	5,2	6,4	8



* The indicated sheet capacity for cutting machines is due to standard paper weight of 80 g/sqm but is still subject to texture, quality and state of paper. All of such information is based on the general formula 10 sheets = 1 mm stack height and may only be used as an aid to orientation for the selection of the cutting machine.



- Self-sharpening steel rotary blade enclosed in safety cutting head, ground and hardened
- Ground lower blade of hardened steel
- Adjustable backstop for quickly finding the right format Rear feet for space-saving upright storage

A CUT **ABOVE**

The new range of DAHLE guillotines:



The new EASY models from Dahle: Easy to use, powerful results. For household, hobby and DIY use.

PRO

The new PRO models from Dahle: Robustly made, precise and safe cuts. For businesses, schools, workshops and studios.





The new EXPERT models from Dahle: The high-performance cutting experts. For trade and industrial

DAHLE 502

- Compact, entry-level guillotine for hobby use
- Sturdy solid metal table with rounded edges and nonslip rubber feet for firm standing
- Practical recessed grips
- Helpful format lines on the base with mm division along the cutting edge make aligning the material to be cut even easier

Product name	502	
Format (DIN)	Α4	
Cutting capacity (mm)	0,8	
Shred performance (A4 80 g/sqm sheets)*	8	
Table size (overall dimensions) (mm)	420 x 175	
Weight (kg)	1,5	



DAHLE 533, 534

• Compact, entry-level guillotine for hobby use • Ground upper blade made of hardened Solingen steel bolted to the solid steel blade holder • Sturdy solid metal table with rounded edges and nonslip rubber feet for firm standing • Lower blade of ground and hardened Solingen steel • Manual clamping with integrated finger guard for relia-• Practical recessed grips bly holding the item being cut • Helpful format lines on the base with mm division along the cutting edge make aligning the material to be cut • Two scale bars with mm scale for an exact 90° cut even easier • Adjustable backstop for quickly finding the right format • Ergonomically shaped handle - can be used on both scale bars Product name 533 A4 Format (DIN) Cutting capacity (mm) 1,5 Shred performance 15 (A4 80 g/sqm sheets)* Table size (overall dimensions) (mm) 443 x 285 Weight (kg) 3,9 4,9



- Ergonomically shaped handle
- Hardened steel upper blade
- Lower steel blade
- Manual clamping for holding down the material being cut
- Two scale bars with mm scale for an exact 90° cut



534	
A3	
1,5	
15	
569 x 285	
4.0	





DAHLE 561

- User-friendly guillotine for professional use
- Sturdy solid metal table with rounded edges and nonslip rubber feet for firm standing
- Practical recessed grips
- Helpful format lines on the base with mm division along the cutting edge make aligning the material to be cut even easier
- Ergonomically shaped handle
- Ground upper blade made of hardened, re-sharpenable Solingen steel bolted to the solid steel blade holder
- Bolted lower blade of ground and hardened Solingen steel
- Unique automatic safety feature for a clear view of the cutting edge
- Automatic clamping for optimum operating convenience
- Two scale bars with mm scale for an exact 90° cut
- Adjustable backstop for quickly finding the right format - can be used on both scale bars

Product name	561	
Format (DIN)	Α4	
Cutting capacity (mm)	3,5	
Shred performance (A4 80 g/sqm sheets)*	35	
Table size (overall dimensions) (mm)	440 x 265	
Weight (kg)	6,1	



DAHLE 868

- User-friendly guillotine for professional use
- Sturdy solid metal table with rounded edges and nonslip rubber feet for firm standing
- Practical recessed grips
- Helpful format lines on the base with mm division along the cutting edge make aligning the material to be cut
 even easier
- Ergonomically shaped handle
- Ground upper blade made of hardened, re-sharpenable Solingen steel bolted to the solid steel blade holder
- Bolted lower blade of ground and hardened Solingen steel

Product name

Format (DIN)

Cutting capacity (mm)

Shred performance

(A4 80 g/sqm sheets)*

Table size (overall dimensions) (mm)

Weight (kg)





- Unique automatic safety feature for a clear view of the cutting edge
- Automatic, de-selectable clamping for added convenience cutting pressure-sensitive materials
- Two scale bars with mm scale for an exact 90 $^{\circ}$ cut
- Adjustable metal backstop in guide channels for quickly finding the right format – can be used on both scale bars and the front table
- Front table with magnetic connector for more working space
- Precision narrow-strip cutting device for cutting extremely thin strips
- Precision laser beam line indicator for professional cutting results

868	
A3	
3,5	
35	
513 x 565	
14,5	



DAHLE 567, 597

- High-quality guillotines for commercial use
- Stable metal base with non-slip rubber feet to keep the rotary trimmer securely in place
- Practical format lines on the table facilitate exact alignment of the item being cut
- Sturdy handle with generous hand protection guard
- Ground upper blade made of hardened, re-sharpenable Solingen steel bolted to the solid steel blade holder
- Bolted lower blade of ground and hardened Solingen steel
- Unique automatic safety feature for a clear view of the cutting edge
- Stay-down D-bar clamp holds item being cut perfectly in place
- Two scale bars with mm scale for an exact 90° cut
- Adjustable, screw-fastening backstop in metal for quickly finding the right format – can be used on both scale bars
- Pull-out front stop, up to 210 mm for cutting strips of equal width

Product name	567	597
Format (DIN)	A3	A3
Cutting capacity (mm)	3,5	3,5
Shred performance (A4 80 g/sqm sheets)*	35	
Table size (overall dimensions) (mm)	600 x 365	600 x 365
Weight (kg)	14,7	14,7
Features	Paper blade	Material blade

DAHLE 580, 581, 585, 586

Features	Material blade	Paper blade	Material blade	Paper blade	
Weight (kg)	60	60	84	84	
Table size (overall dimensions) with sup- porting table (mm)	865 x 960	865 x 960	1.165 x 1.135	1.165 x 1.135	
Table size (overall dimensions) (mm)	865 x 580	865 x 580	1.165 x 760	1.165 x 760	
Shred performance (A4 80 g/sqm sheets)*		20		20	
Cutting capacity (mm)	4	4	4	4	
Format (DIN)	A2	A2	A1	A1	
structed view of the iter Convenient foot clampin mat items Product name	n being cut	• Firmly a	ittached stand with base to f 74 cm		
 Practical format lines on the table facilitate exact alignment of the item being cut Ergonomically shaped handle Ground upper blade made of hardened, re-sharpenable Solingen steel bolted to the solid steel blade holder Bolted lower blade of ground and hardened Solingen steel Transparent blade guard for cutting safety and unob- 		bars an Can be rpenable older lingen Precisio v recisio	 finding the right format – can be used on both scale bars and the front table Can be locked to prevent unauthorised use 		
Sturdy solid metal table	for commercial use		ble metal backstop in gui		

Product name	580	581	585	586
Format (DIN)	A2	A2	A1	A1
Cutting capacity (mm)	4	4	4	4
Shred performance (A4 80 g/sqm sheets)*		20		20
Table size (overall dimensions) (mm)	865 x 580	865 x 580	1.165 x 760	1.165 x 760
Table size (overall dimensions) with sup- porting table (mm)	865 x 960	865 x 960	1.165 x 1.135	1.165 x 1.135
Weight (kg)	60	60	84	84
Features	Material blade	Paper blade	Material blade	Paper blade








DAHLE 846

- High-quality heavy duty cutter for commercial use
- Sturdy metal table provides a stable base when cutting
- Robust grip for easy cutting
- Ground upper blade made of hardened Solingen steel resharpenable
- Easily interchangeable cutting stick can be used in eight different ways
- Quick press lever for efficient work processes
- Precision scale bars with mm scale for an exact 90° cut Spindle-guided, self-arresting metal backstop to help you quickly find the right format
- Minimum cut 40 mm
- Visual cutting indicator for professional cutting results Convenient stand with storage tray and an optimal working height of 74 cm available optionally (712)

Product name	846	
Format (DIN)	A3	
Cutting capacity (mm)	60	
Shred performance (A4 80 gsm sheets)*	600	
Table size (overall dimensions) (mm)	760 x 650	
Off-cut side area (mm)	430 x 430	
Cutting side area (mm)	430 x 215	
Weight (kg)	42	
Optional stand	DAHLE 712	





Cutting instruments

DAHLE Cutting mats


- Cutting mat with sturdy 5-layer design with cut-resis tant core and self-healing cutting surface
- Clearly arranged guide lines for optimum positioning of the material being cut

Product name	10690	10691	10692	10693
Туре	A4 size cutting mat	A3 size cutting mat	A2 size cutting mat	A1 size cutting mat
Dimensions (H x W):	22 x 30 cm	30 x 45 cm	45 x 60 cm	60 x 90 cm
Format lines for photographs	up to 9x13 cm / 3 1/2"x5"	up to 9x13 cm / 3 1/2"x5"	up to 13x18 cm / 5"x7"	up to 24x30 cm / 9 1/2"x12"
Format lines for busi- ness cards (mm)			85x55 90x50	85x55 90x50 3 1/2"x2"
Format lines DIN formats	Α4	A3 A4	A2 A3 A4	A1 A2 A3 A4

DAHLE Cutting ruler

 High-quality cutting ruler made of black anodised alu- minium for long life 	• Ta in
• Easy-to-read centimetre graduation for maximum precision while cutting	• A • N
 The 4 mm high cutting edge ensures accurate cutting and a long service life of the ruler 	W
Droduct name	:00

Product name	10683
Length (cm)	30



• The DAHLE cutting mats are printed on both sides – that way both sides can be used, and a long service life is guaranteed



Tall cutting guard (12.5 mm) which effectively prevents injuries to fingers and thumbs

A raised ridge stops ink from smudging

No slipping when drawing or cutting thanks to 15 mm wide anti-slip strip underneath

10684

45

DAHLE BASIC Cutters

- Well-designed cutters for clean cutting surfaces and smooth edges
- The versatile tool for universal use
- The standard stainless-steel snap-off blade can be extended with automatic grid pattern
- Metal blade casing ensures safe handling and guarantees precise cuts
- A blade-snap feature is integrated into the handle of the ABS plastic housing
- The ergonomically shaped handle guarantees a firm and secure grip

Product name	10860	10865
Blade width (in mm)	9	18
Blades	1	1
Features	2 replacement blades	2 replacement blades



DAHLE ALLROUND Cutters

- Well-designed cutters for clean cutting surfaces and smooth edges
- The versatile tool for hobby use
- The standard stainless-steel snap-off blade can be extended with automatic grid pattern
- Metal blade casing ensures safe handling and guarantees precise cuts
- A blade-snap feature is integrated into the handle of the ABS plastic housing
- Cutter fits perfectly and securely in the hand thanks to its ergonomically shaped rubber handle

Product name	10870	10875
Blade width (in mm)	9	18
Blades	1	1
Features	2 replacement blades	2 replacement blades

DAHLE PROFESSIONAL Cutters

- Well-designed cutters for clean cutting surfaces and smooth edges
- The versatile tool for professionals
- The standard stainless-steel snap-off blade can be
 extended with automatic grid pattern

Product name	10880	10885
Blade width (in mm)	9	18
Blades	1	1



DAHLE HEAVY DUTY Cutter

- Full metal utility knife with package tape cutter and magazine for trapeze blades
- The versatile tool for professionals
- Easily interchangeable trapeze blades of SK5 carbon steel

Product name

Blades

Features





 Metal blade casing ensures safe handling and guarantees precise cuts

 A blade-snap feature is integrated in the locking mechanism of the rear blade guide

• Ergonomically shaped metal handle with ribbed surface for secure grip



The sturdy metal casing guarantees steady and precise guidance of the trapeze blade
Ergonomic handle with rubber grips

10890

1

3 replacement blades



DAHLE PROFESSIONAL HEAVY DUTY Cutter

- Full metal utility knife with magazine for trapeze blades The sturdy metal casing guarantees steady and precise and automatic blade feed (auto-load)
- The versatile tool for professionals
- Easily interchangeable trapeze blades of SK5 carbon steel
- guidance of the trapeze blade
- Ergonomically shaped metal handle with ribbed surface for secure grip

Product name	10891	
Blades		
Features	4 replacement blades	



Product name

کوی

Blades



DAHLE SAFETY HEAVY DUTY Cutter

- Full metal utility knife with automatic trapeze blade retraction (auto-pullback system) and integrated foil cutter
- The versatile tool for professionals
- Easily interchangeable trapeze blades of SK5 carbon steel

Find suitable replacement blades at: www.novus-dahle.com/cutters

• Ergonomically shaped metal handle with ribbed surface for secure grip

guidance of the trapeze blade

10892

1

• The sturdy metal casing guarantees steady and precise



DAHLE Professional scissors

- High-quality, hardened, stainless steel (54 Rockwell) meeting the most exacting demands on quality and durability
- Precision-ground blades "made in Solingen" for precise cutting

Product name	50045	50046	50008	50010
Туре	Household scissors	Household scissors	Paper scissors	Paper scissors
Inch	5	6	8	10
Size cm	13	16	21	26
Right-hand	\checkmark	\checkmark	\checkmark	\checkmark



• Resharpenable scissor blades for perfect, constant cutting results

 High-quality scissor handles in highly impact-resistant ABS plastic for cutting comfort

• Stainless, dishwasher-safe and colour-fast materials for long life

DAHLE Professional all-round scissors

- High-quality, hardened, stainless steel (54 Rockwell) meeting the most exacting demands on quality and durability
- Precision-ground blades "made in Solingen" for precise cutting
- Resharpenable scissor blades for perfect, constant cutting results
- High-quality scissor handles in highly impact-resistant ABS plastic for cutting comfort
- Stainless, dishwasher-safe and colour-fast materials for long life
- Practical added value from jar opener integrated in the handles

Product name50038TypePROFESSIONAL multipurpose scissorsInch8Size cm21

Right-hand



DAHLE Office titanium scissors

- Non-rusting, special hardened steel for long life
- Titanium-coated ground scissor blades for long-lasting sharpness
- High-quality scissors with non-stick titanium nitride coating
- Non-stick finish prevents adhesive residues sticking to the blades.
- High-quality polypropylene handles fit the hand perfectly

 \checkmark

• Rubber-line soft-touch handles for comfort while cutting

Product name	54305	54307	54308
Туре	Household scissors	Household scissors	Paper scissors
Inch	5	7	8
Size cm	13	18	20
Right-hand	\checkmark	\checkmark	\checkmark

DAHLE Office comfort grip scissors

- Non-rusting, special hardened scissor steel for long life
- Ground scissor blades for long-lasting sharpness

Product name	54405	54415	54407	54408	54418	54410
Туре	Household scissors	Household scissors	Household scissors	Paper scissors	Paper scissors	Paper scissors
Inch	5,5	5,5	7	8	8	10
Size cm	14	14	18	20	20	25
Left-hand	-	\checkmark	-	-	\checkmark	-
Right-hand	\checkmark	-	\checkmark	\checkmark	-	\checkmark

DAHLE Home scissor set

- Practical scissors for use in the office or home office
- Non-rusting, special hardened scissor steel for exact cutting results
- Ground scissor blades for long-lasting sharpness

Product name

Туре

Right-hand

See more scissors at: www.novus-dahle.com/scissors



• High-quality polypropylene handles fit the hand perfectly

• Rubber-line soft-touch handles for comfort while cutting



High-quality scissor handles in non-breakable ABS plastic for cutting comfort
Practical set of three scissors for different types of cut-

ting work (5, 6, 8 Inch)





DAHLE Children's scissors, pointed

- Safety scissors with motif on the blades that will appeal to children
- Non-rusting, special hardened steel

Product name	54665	54667	54668	54672
Туре	Children's scissors	Children's scissors	Children's scissors	Children's scissors
Inch	5,5	5,5	5,5	5,5
Size cm	14	14	14	14
Scissor blade	pointed	pointed	pointed	pointed
Left-hand	-	-	-	\checkmark
Right-hand	\checkmark	\checkmark	\checkmark	-
Colours				
Motive	abc	confetti	prisma	letter



blob

DAHLE Children's scissors, rounded

 Safety scissors with motif on the blades that will appeal to children
 Printed, rounded scissor blades with appealing motifs
 Rubber-lined soft-touch handles for continued comfort • Non-rusting, special hardened steel

lolly

• Rubber-lined soft-touch handles for continued comfort while cutting

sweets

Product name	54661	54662	54663	54671	
Туре	Children's scissors	Children's scissors	Children's scissors	Children's scissors	
Inch	5	5	5	5	
Size cm	13	13	13	13	
Scissor blade	round	round	round	round	
Left-hand	-	-	-	\checkmark	
Right-hand	\checkmark	\checkmark	\checkmark	-	
Colours					

cars

DAHLE Plastic scissors

• Safety scissors with motif on the blades that will appeal • Printed, rounded plastic scissor blades to children

Product name	54675	54676	54677	54678	54679
Туре	Children's scissors				
Inch	5	5	5	5	5
Size cm	12	12	12	12	12
Scissor blade	round	round	round	round	round
Right-hand	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Colours					
Motive	Horse	Owl	Rocket	Dinosaur	

Motive



SCISSORS

• Printed, pointed scissor blades with appealing motifs Rubber-lined soft-touch handles for continued comfort while cutting



Plastic

Conference and office



6407

DAHLE TEAM flipchart easel

- Spring-loaded support column with quick-action fastener for infinitely variable height adjustment to optimum writing height (top edge of board 220 cm max.)
- White-coated, magnetic, metallic whiteboard for use
 with dry-wipe whiteboard markers
- Universal flipchart pad holder with adjustable pins securely keeps all commonly used pads securely in place

Product name

Writing surface in cm

Overall height (cm)

Weight (kg)

DAHLE CONFERENCE flipchart easel

- Sturdy tripod easel with three fixing screws for firm standing
- Infinitely variable height adjustment to optimum writing height (up to a total height of 180 cm)
- White-coated, magnetic, metallic whiteboard for use with dry-wipe whiteboard markers

Product name

Writing surface in cm

Overall height (cm)

Weight (kg)



Two magnetic metal picture holders that swivel out to the sides for an extended presentation surface
Clamping bar for holding flipchart pads
Practical tray for whiteboard markers and accessories
Star base on five casters with brake for maximum mobility and firm standing at the point of use

96003	
98 x 66	
220	
15	

Universal flipchart pad holder with adjustable pins securely keeps all commonly used pads securely in place
Two side extension bars to extend the presentation surface

• Clamping bar for holding flipchart pads

Practical tray for whiteboard markers and accessories

96005	
98 x 66	
180	
11	



DAHLE PROFESSIONAL flipchart easel

- Easily height-adjustable flipchart that can even be adjusted for children to use
- White-coated, magnetic, metallic whiteboard in a stable, aluminium frame; for use with dry-wipe whiteboard • Can be folded up and easily stowed away when not in markers
- Two picture holders that can be pulled out from the side to enlarge the presentation area

The flipchart is ready assembled; no tools needed to pu	t
it together	

- Practical tray for whiteboard markers and accessories
- use
- Product name 96011 Writing surface in cm 95 x 67 Overall height (cm) 195 9 Weight (kg)



DAHLE Glass flip chart

- The star base is equipped with five braked castors for maximum manoeuvrability and stability
- Glass flipchart height adjustable from 160 to 190 cm • The front is made of tempered glass; a galvanised sheet steel provides stability at the back.
- Delivery includes two flipchart block holders, which can be simply attached to the top
- The flipchart is magnetic and easy to clean when dry-wipe whiteboard marker are used

Product name	96012
Writing surface in cm	100 x 70
Overall height (cm)	190
Weight (kg)	17



DAHLE Basic Board

unit

- Basic board with white, lacquer-coated writing surface • High-quality extruded aluminium frame with plastic corners for maximum stability • For use with drywipe whiteboard markers • With handy storage tray for accessories Magnetic writing surface
- Product 96156 96150 96154 96 96151 96152 name Writing 100 100 x surface 30 x 45 45 x 60 60 x 90 120 x 90 150 20 in cm Packing



• Complete with mounting set for portrait or landscape mounting

96156	96150	96151	96152	96154	96155	96158	96256	96250	96251	96252
30 x 45	45 x 60	60 x 90	120 x 90	100 x 150	100 x 200	120 x 180	30 x 45	45 x 60	60 x 90	90 x 120
1 piece	1 piece	1 piece	1 piece	1 piece	1 piece	1 piece	3 piece	3 piece	3 piece	3 piece

Also available as a Professional board with enamelled surface: www.novus-dahle.com/whiteboards



DAHLE Cork board

- Cork board with high-quality, natural cork pinning surface for use with map or chart pins Complete with mounting set for portrait or landscape mounting
- High-quality extruded aluminium frame with plastic corners for maximum stability

Product name	96270	96271	96272
Writing surface in cm	45 x 60	60 x 90	90 x 120



DAHLE Basic mobile whiteboard

- Basic mobile whiteboard, white coated writing surface on both sides
- For use with drywipe whiteboard markers
- Magnetic writing surface

- High-quality extruded aluminium frame with plastic corners for maximum stability
- Convenient lever for flexible adjustment of the board to any desired position
- Four easy-action castors for maximum mobility, with brakes for firm standing

Writing surface in cm

100 x 150

120 x 180

DAHLE Office magnet

• For quick and practical fastening

Product name	95413	95513	95424
Content	8	10	6
Size mm	13 Ø	13 Ø	24 Ø
Height in mm	7	7	7
Holding power	1	1	3

Colours







95524	95432	95532
10	4	10
24 Ø	32 Ø	32 Ø
7	7	7
3	8	8










DAHLE Office magnet

Strong magnet with protective cap to preserve magnetic surface

95438	95538
2	10
38 Ø	38 Ø
13,5	13,5
25	25
	2 38 Ø 13,5



20	lours	







DAHLE Megadym Magnet

• Megadym magnets feature very high holding power and • Suitable for all metal surfaces and magnetic glass are suitable for use with magnetic glass boards boards

• Holds up to 8 sheets of DIN A4 paper (80 g/sqm) on magnetic glass boards

Product name	95900	95901
Content	4	4
Size (mm)	10 x 10 mm	10 Ø
Height in mm	10	10
Holding power (N)	50	50
Colours	silver	silver

DAHLE Mega Magnet Cross XL

- For storing objects such as keys
- Maximum adhesion of approx. 3.4 kg (approx. 34 N) to magnetic surfaces with four neodymium magnets

Product name

Content			
Size (mm)			
Holding power (N)			

Colours



• For universal use and positioning



DAHLE Mega Magnet Circle XL

• For holding objects with rounded shapes, such as markers, pens or test tubes

Maximum adhesion of approx. 2.6 kg (approx. 26 N) to magnetic surfaces with four neodymium magnets
For universal use and positioning

Product name	95551
Content	1
Size (mm)	80
Holding power (N)	26
Colours	



DAHLE Mega Magnet Delta XL

- For keeping to hand different devices such as glasses or smartphones
- Maximum adhesion of approx. 4 kg (approx. 40 N) to magnetic surfaces with four neodymium magnets
 For universal use and positioning

Product name	95552
Content	1
Size (mm)	90
Holding power (N)	40
Colours	

DAHLE Mega Magnet Square XL

- For easy storage of pictures, pictograms or notes
- Maximum adhesion of approx. 4 kg (approx. 40 N) to magnetic surfaces with four neodymium magnets

Product name
Content
Size (mm)
Holding power (N)
Colours

DAHLE Mega Magnet Set Mini

- Geometric holding magnets with neodymium power
- Maximum adhesion of approx. 1.6–2.6 kg (approx. 16–26 N depending on the model) to magnetic surfaces with up to four neodymium magnets


Product name	
Contont	

Content			
Size (mm)			


Colours



• For universal use and positioning



• For universal use and positioning





DAHLE Laser presenter

- USB receiver compatible with USB 1.1/2.0/3.0
- Charged via USB (charging cable included)
- Pen-shaped presenter 12.8 cm long, red laser, 50 m range
- Laser class 2 (range of 200 m)
- Lithium-ion battery
- 2.4 GHz wireless presenter remote control for controlling PowerPoint, Keynote, Prezi, OpenOffice
- Low battery display
- Compatible with Windows XP/7/8/10, Mac OS, Linux, Android

Product name	95100
Dimensions W x H x D in mm	128 x 20 x 10
Colours	



DAHLE Whiteboard marker set

• for planning boards – dry-wipeable

Product name	95050
Content	4
Line width	up to 2 mm
Tip shape	rounded
Colours	

See more accessories at: www.novus-dahle.com/presentation-accessories



DAHLE Wiper

magnetic

• Handy magnetic eraser for whiteboards

Product name	95097	95097
Colours		

DAHLE manual pencil sharpener 133

- Large waste container allows for less frequent emptying
- High-quality steel cutting head for professional results
- Sturdy desk clamp for secure attachment to the desk
- Automatic sharpening cut-out for a perfect tip

Product name	133	133	133
Pencils, dia. mm	11,5	11,5	11,5
material of case	Plastic	Plastic	Plastic
Tip shape	adjustable	adjustable	adjustable
Colours			



DAHLE BASIC starter set:

- 1 magnetic wiper
- 2 whiteboard markers (red / black)
- 4 magnets (30 mm Ø)

Product name

95140

DAHLE manual pencil sharpener 144

- Transparent shavings compartment
- High-quality steel cutting head for professional results

Product name

Pencils, dia. mm

material of case

Colours



 Self-locking pencil retainer with automatic release for handling convenience

Soft clamping jaws to protect high-quality pencils and crayons



Automatic pencil feed and outputSturdy plastic enclosure





DAHLE manual pencil sharpener 155

- Large waste container allows for less frequent emptying Sturdy desk clamp for secure attachment to the desk
- High-quality steel cutting head for professional results Automatic sharpening cut-out for a perfect tip

Product name	155
Pencils, dia. mm	12,0
material of case	Plastic
Tip shape	adjustable
Colours	



DAHLE manual pencil sharpener 77

- High-quality steel cutting head for professional results Automatic sharpening cut-out for a perfect tip

Large waste container allows for less frequent emptying
 Sturdy desk clamp for secure attachment to the desk

Product name	77
Pencils, dia. mm	12,0
material of case	Metal
Tip shape	adjustable
Colours	

DAHLE electric pencil sharpener 250

- Transparent, high-volume shavings compartment
- Two sharp opposing blades increase sharpening speed

Product name	250
Pencils, dia. mm	8,0
material of case	Plastic
Motor	Battery-opera
Colours	

DAHLE electric pencil sharpener 210

- Transparent, high-volume shavings compartment
- High-quality steel cutting head for professional results
- Suction pads on the underside for secure positioning • Adjustable tip shape
- Product name 210 Pencils, dia. mm 8 - 11 material of case Plastic Motor 230 V connecti Colours



See more sharpeners at: www.novus-dahle.com/sharpeners



• Battery operated (batteries not included)





• Sturdy plastic enclosure

• Machine can be removed from the docking station for

easy emptying

• Changing the sharpening head - no tools required

	210	
	8 - 11	
	Plastic	
tion	230 V connection	





DAHLE Laminator

- Reliable lamination for permanent protection from dirt Laminating in photo quality and moisture • Laminating speed 250 mm/minute • Two heated silicone rollers
- Cold laminating possible

- Maximum thickness of item being laminated 0,5 mm • Anti-lock system to safely remove laminated sheets
- Product name 70104 70103 325 Max. working width in mm 230 Max. foil thickness in microns 2 x 125 2 x 125 DIN Α4 A3 Power consumption in W 265 365 Dimensions W x H x D in mm 360 x 78 x 150 454 x 78 x 150

1,25



Weight (kg)



1,7

DAHLE Laminator

- Reliable lamination for permanent protection from dirt
 Laminating in photo quality and moisture
- Two heated silicone rollers
- Device shuts down automatically after 30 minutes without use
- Laminating speed 500 mm/minute
- Maximum thickness of item being laminated 0,5 mm Anti-lock system to safely remove laminated sheets

Product name	70204	70203
Max. working width in mm	230	325
Max. foil thickness in microns	2 x 125	2 x 125
DIN	Α4	A3
Power consumption in W	575	575
Dimensions W x H x D in mm	360 x 78 x 150	454 x 78 x 150
Weight (kg)	1,5	2

DAHLE Laminator

• Reliable lamination for permanent protection from dirt and moisture • Four silicone rollers, two of which are heated • Device shuts down automatically after 30 minutes without use

Product name	70304	70303
Max. working width in mm	230	325
Max. foil thickness in microns	2 x 125	2 x 125
DIN	Α4	A3
Power consumption in W	575	575
Dimensions W x H x D in mm	360 x 78 x 150	454 x 78 x 150
Weight (kg)	2	2,6







• Laminating in photo quality • Laminating speed 500 mm / minute • Maximum thickness of item being laminated 0,5 mm

• Anti-lock system to safely remove laminated sheets



YOUR WORK & LIFE

The Novus and Dahle brands are part of the internationally operating emco Group. With its strong brands under one umbrella, the corporation offers a broad and versatile range of products to serve the architecture and worklife markets worldwide, presenting itself as a leading provider of tailor-made technology and design solutions.

Buildings such as this hotel are made up of several areas: the lobby, guest rooms, wellness oasis, technical and office spaces. Each area has different requirements regarding hygiene, comfort, design and functionality. emco Group offers beautiful and well thought-out products to improve your home, your life and your work.

Bathroom accessories, on-wall and in-wall modules

Wash basins and illuminated mirrors

Swimming pool

gratings

Presentation systems

Electric staple guns

Logo mats for outdoor and indoor use

MIK HERAN

BOCE

Hygiene mats

OFFICE

Tablet holder

ean-off covering

Entry mat systems

Cutting machine









The right product for any requirement!

Applications

For school, home office or right at your desk

In the office for small teams and occasional use





Sheet capacity*

Up to 25 sheets

Up to 40 sheets





The right stapler category

Smart

Comfort







FIND THE RIGHT **STAPLER**

STAPLERS

For entire departments and frequent use



For professional paper processing (copy stations, print shops etc.) and very frequent use



Up to 50 sheets







Power

Heavy Duty







It comes down to your application!

Permanent stapling: Standard stapling of the highest quality – for securely attached documents.







Tacking: Quickly attach notes, photos or similar to a corkboard in a way that is simple, neat and robust.





The patented flat-clinch stapling process saves more than 30% space in folders by flattening the staple ends.





THE PERFECT **STAPLING RESULT**



Temporary stapling: Ideal for short-term attachment: staples can be removed quickly and easily.





The Novus anti-blocking system (ABS): Our spring-mounted staple magazine releases staples automatically – without jamming or malfunction.



STAPLERS



NOVUS MINI

- Compact stapler for school and travel
- Metal device with plastic upper and lower parts
- Permanent stapling and nailing Integrated metal staple remover

Article number	020-1908	020-1907	020-1909	020-1910
Colour	light blue shiny	black shiny	green shiny	pink shiny
Number of sheets	12	12	12	12
Stapling depth (mm)	20	20	20	20
Load capacity	40 x 24/6	40 x 24/6	40 x 24/6	40 x 24/6
Included staples	Delivery includes 320 staples 24/6			





NOVUS E 15 fresh

• Practical desktop stapler for use while travelling • Integrated metal staple remover

• Metal device with plastic top

Article number	020-1895	020-1894	020-1896	
Colour	pink shiny	green shiny	petrol blue shiny	
Number of sheets	15	15	15	
Stapling depth (mm)	37	37	37	
Load capacity	100 x No.10	100 x No.10	100 x No.10	
Included staples	Includes 200 No.10 staples	Includes 200 No.10 staples	Includes 200 No.10 staples	



NOVUS B 2

- Practical stapler for domestic and home-office use
- Metal device with plastic top

Article number	020-1259	020-1255	020-1260
Colour	grey shiny	black shiny	blue shiny
Number of sheets	25	25	25
Stapling depth (mm)	65	65	65
Load capacity	100 x 24/6 150 x 26/6	100 x 24/6 150 x 26/6	100 x 24/6 150 x 26/6
Included staples	Includes 200 staples of type 24/6 DIN SUPER	Includes 200 staples of type 24/6 DIN SUPER	Includes 200 staples of type 24/6 DIN SUPER



NOVUS B 2 Color ID 2.0

• Practical stapler for domestic and home-office use • Metal device with plastic top

Article number	020-1951	020-1952	020-1953	020-1956
Colour	pretty lilac	mellow mint	bright petrol	smart grey
Number of sheets	25	25	25	25
Stapling depth (mm)	65	65	65	65
Load capacity	100 x 24/6 150 x 26/6			
Included staples	Includes 200 staples of type 24/6 DIN SUPER			



Find out more at www.novus-dahle.com/en/color-id





• Movable anvil for temporary and permanent stapling as well as for nailing



• Movable anvil for temporary and permanent stapling as well as for nailing



NOVUS B 2 re+new

- Sustainable stapler for domestic and home-office use
- Metal device with plastic top made of sustainable recyclat
- Movable anvil for temporary and permanent stapling as well as for nailing

Article number	020-1931 black shiny		
Colour			
Number of sheets	25		
Stapling depth (mm)	65		
Load capacity	100 x 24/6 150 x 26/6		
Included atomics	Includes 200 stanles of time 24/C DIN CLIPER		

Included staples

Includes 200 staples of type 24/6 DIN SUPER

• Firmly standing, non-slip base

well as for nailing



ind out more at **www.novus-dahle.com/en/renew**



• Movable anvil for temporary and permanent stapling as

NOVUS E 25 fresh

- Useful stapler for any desk
- Metal device with high-quality two-component plastic top
- Integrated plastic staple remover
- Article number 020-1861 020-1787 020-1786 020-1862 020-1788 1 1 1 1 Colour pink shiny green shiny light blue shiny petrol blue shiny violet shiny Number of sheets 25 25 25 25 25 Stapling depth 53 53 53 53 53 (mm) 100 x 24/6 Load capacity 150 x 26/6 Includes 200 sta-Includes 200 sta-Includes 200 sta- Includes 200 sta- Includes 200 sta-Included staples ples of type 24/6 DIN SUPER DIN SUPER DIN SUPER DIN SUPER DIN SUPER



- NOVUS B 10FC Professional
- Small flat-clinch stapler for use while travelling
- Full-metal device in plastic casing

Article number	020-2202	020-2203	020-2201
Colour	blue	grey	black
Number of sheets	20	20	20
Stapling depth (mm)	38	38	38
Load capacity	100 x No.10	100 x No.10	100 x No.10
Included staples	Includes 200 No.10 staples	Includes 200 No.10 staples	Includes 200 No.10 staples





• Permanent flat-clinch stapling and nailing • Integrated metal staple remover



- Practical stapling pliers for professional use
- Full-metal device

Article number

Colour

Number of sheets

Stapling depth (mm)

Load capacity





NOVUS B 32

Practical stapling pliers for professional use

Full-metal device

Article number	021-0095
Colour	black/grey
Number of sheets	15
Stapling depth (mm)	40
Load capacity	150 x No.10

Permanent stapling



NOVUS B 34

Practical stapling pliers for professional use

Full-metal device

Article number

Colour

Number of sheets

Stapling depth (mm)

Load capacity





Permanent stapling

021-0093	
black/grey	
15	
40	
150 x 8/4	



Permanent stapling





- Attractively priced office stapler for any desk
- Full-metal device in plastic casing
- Movable anvil for temporary and permanent stapling as well as for nailing

Article number	020-1261	020-1266	020-1265
Colour	black shiny	blue shiny	grey shiny
Number of sheets	30	30	30
Stapling depth (mm)	65	65	65
Load capacity	100 x 24/6 150 x 26/6	100 x 24/6 150 x 26/6	100 x 24/6 150 x 26/6

Included staples

Includes 200 staples of typeIncludes 200 staples of typeIncludes 200 staples of type24/6 DIN SUPER24/6 DIN SUPER24/6 DIN SUPER





NOVUS B 4

- Well-established office stapler for everyday professional use
 Movable anvil for temporary and permanent stapling as well as for nailing
- Full-metal device with shiny plastic casing

Article number	020-1267	020-1272	020-1271
Colour	black shiny	blue shiny	grey shiny
Number of sheets	40	40	40
Stapling depth (mm)	65	65	65
Load capacity	100 x 24/6 - 24/8 150 x 26/6-26/8	100 x 24/6 - 24/8 150 x 26/6-26/8	100 x 24/6 - 24/8 150 x 26/6-26/8
Included staples	Includes 200 staples of type 24/6 DIN SUPER	Includes 200 staples of type 24/6 DIN SUPER	Includes 200 staples of type 24/6 DIN SUPER



NOVUS B 4 re+new

- Sustainable office stapler for everyday professional use
- Full-metal device with shiny plastic casing made of sustainable recyclat

Article number	
Colour	
Number of sheets	
Stapling depth (mm)	
Load capacity	
Included staples	Includes



Find out more at **www.novus-dahle.com/en/renew**

NOVUS B 5

- Professional office stapler for continuous use
 Full-metal device with shiny plastic casing
- High load canacity for time-saving stanling work
- High load capacity for time-saving stapling work

Article number	020-1273
Colour	black shiny
Number of sheets	40
Stapling depth (mm)	105
Load capacity	150 x 24/6 - 24/8 200 x 26/6-26/8
Included staples	Includes 200 staples of type Inc 24/6 DIN SUPER







• Movable anvil for temporary and permanent stapling as well as for nailing



s 200 staples of type 24/6 DIN SUPER



Huge throat depth (105 mm)
Movable anvil for temporary and permanent stapling as well as for nailing

020-1278 020-1277 10 blue shiny grey shiny 40 40 105 105 150 x 24/6 - 24/8 150 x 24/6 - 24/8 200 x 26/6-26/8 200 x 26/6-26/8 ludes 200 staples of type Includes 200 staples of type 24/6 DIN SUPER 24/6 DIN SUPER



- The elegantly designed classic among Novus staplers
- Full-metal device

- Anti-blocking system (ABS) for convenient, trouble-free stapling
- Movable anvil for temporary and permanent stapling as well as for nailing

Article number	020-0252	020-1147	020-0913
Colour	black	blue	grey
Number of sheets	30	30	30
Stapling depth (mm)	85	85	85
Load capacity	100 x 24/6 150 x 26/6	100 x 24/6 150 x 26/6	100 x 24/6 150 x 26/6





NOVUS B 7A

- Deluxe stapler with patented automatic system techno- Anti-blocking system (ABS) for convenient, trouble-free logy
- Automatic function for effortlessly stapling up to eight sheets of paper at the press of a finger
- Full-metal device with shiny plastic casing
- stapling
- Huge throat depth (105 mm)
- Movable anvil for temporary and permanent stapling as well as for nailing

Article number	020-1056	020-1656	020-1655
Colour	black shiny	blue shiny	grey shiny
Number of sheets	30	30	30
Stapling depth (mm)	105	105	105
Load capacity	150 x 24/6 200 x 26/6	150 x 24/6 200 x 26/6	150 x 24/6 200 x 26/6
Included staples	Includes 200 staples of type 24/6 DIN SUPER	Includes 200 staples of type 24/6 DIN SUPER	Includes 200 staples of type 24/6 DIN SUPER



NOVUS B 17

- Professional and elegant brochure stapler with extradeep throat
- Full-metal device with mirror-finish plastic cased top
- Stapling convenience for brochures in A6 to A2 size

Article number	
Colour	
Number of sheets	
Stapling depth (mm)	
Load capacity	



NOVUS B 90EL

• The firmly standing electric stapler for home-office or professional office use

Article number

Colour


Number of sheets	
Stapling depth (mm)	
Load capacity	
Mains neuronal energian	

Mains powered operation





• Non-slip, silver anodised aluminium base for firm standing · Movable anvil for temporary and permanent stapling





• Anti-blocking system (ABS) for convenient, trouble-free stapling

024-0087	
grey	
20	
10	
210 x NE 6	
230 V / 50 Hz	



NOVUS B 4FC

- High-quality flat-clinch stapler for everyday professional Proven system in flat-clinch staplers for permanent and non-permanent stapling and pinning use
- Full-metal device with shiny plastic casing

Article number	020-1423	020-1468	020-1467
Colour	black shiny	blue shiny	grey shiny
Number of sheets	50	50	50
Stapling depth (mm)	60	60	60
Load capacity	100 x 24/6 - 24/8 150 x 26/6-26/8	100 x 24/6 - 24/8 150 x 26/6-26/8	100 x 24/6 - 24/8 150 x 26/6-26/8
Included staples	Includes 200 staples of type 24/6 DIN SUPER	Includes 200 staples of type 24/6 DIN SUPER	Includes 200 staples of type 24/6 DIN SUPER





NOVUS B 4FC re+new

- Sustainable flat-clinch stapler for everyday professional use
- Proven system in flat-clinch staplers for permanent and non-permanent stapling and pinning
- Full-metal device with shiny plastic casing made of sustainable recyclat
 - 020-1933 2

Colour	black shiny
Number of sheets	50
Stapling depth (mm)	60
Load capacity	100 x 24/6 - 24/8 150 x 26/6-26/8
Included staples	Includes 200 staples of type 24/6 DIN SUPER

Included staples

Article number



Find out more at www.novus-dahle.com/en/renew

NOVUS B 8FC Power on Demand

- Power on Demand system requiring over 70 % less force • Fold-down lever saves space when not in use • Top-class professional flat-clinch stapler with the per-• High load capacity for time-saving stapling work formance of a heavy-duty stapler • Proven system in flat-clinch staplers for permanent and • Full-metal device with shiny plastic casing
- non-permanent stapling
- Bypass system for conveniently stapling 2 to 50 sheets • Bypass stapling leaves staple ends side by side, allowing of paper without changing staples using the 24/8 SUPER you to use the same staple type to staple stacks of paper with different thicknesses.

		V

Article number	020-1673
Colour	black shiny
Number of sheets	50
Stapling depth (mm)	65
Load capacity	150 x 24/8
Included staples	Includes 1,000 staples of 1 SUPER



NOVUS B 39

- Powerful stapling pliers with ergonomic handle
- Chrome-plated, all-metal stapling pliers

Article number

Colour


Number of sheets

Stapling depth (mm)

Load capacity







type 24/8 DIN Includes 1,000 staples of type 24/8 DIN SUPER



• Movable anvil for temporary and permanent stapling

021-0094	
chrome	
50	
55	
150 x 24/6 - 24/8 210 x 26/6 - 26/8	



NOVUS B 100EL

- Professional electric stapler for exacting demands in everyday office use
- All-metal stapler inside

- Manual adjustment of impact force depending on quantity of paper
- Choice of temporary or permanent stapling
- Variable throat depth (5-50 mm)

Article number	024-0085	
Colour	black/grey	
Number of sheets	40	
Stapling depth (mm)	5–50	
Load capacity	210 x NE 6 210 x NE 8	
Mains powered operation	230 V / 50 Hz	



NOVUS B 40

- The inexpensive heavy-duty stapler for all large stapling ipobs involving up to 100 sheets of paper
- Plastic base and metal top in plastic casing
- Anti-blocking system (ABS) for convenient, trouble-free stapling

Article number
Colour
Number of sheets
Stapling depth (mm)

Load capacity



NOVUS B 50

- The well-priced heavy-duty stapler for all large stapling tasks involving up to 140 sheets of paper
 Full-metal device in plastic casing
- Anti-blocking system (ABS) for convenient, trouble-free stapling
- Variable throat depth (up to 75 mm)

Article number

Colour

Number of sheets

Stapling depth (mm)

Load capacity





Variable throat depth (up to 55 mm)
Bypass stapling leaves staple ends side by side, allowing you to use the same staple type to staple stacks of paper with different thicknesses.

023-0056	
grey	
100	
55	

100 x 23/6-23/13 SUPER



• Express fault-clearance for blank stapling shot when required

Movable anvil for quickly changing between parallel and bypass stapling

• Bypass stapling leaves staple ends side by side, allowing you to use the same staple type to staple stacks of paper with different thicknesses.

023-0060	
grey	
140	
75	

100 x 23/6-23/13 SUPER



NOVUS B 50 re+new

- Sustainable heavy-duty stapler for bigger jobs up to 140 Express fault-clearance for blank stapling shot when sheets
- Full-metal device in plastic casing
- Anti-blocking system (ABS) for convenient, trouble-free stapling
- Variable throat depth (up to 75 mm)

- required
- · Movable anvil for quickly changing between parallel and bypass stapling
- Bypass stapling leaves staple ends side by side, allowing you to use the same staple type to staple stacks of paper with different thicknesses

Article number	023-0065	
Colour	black	
Number of sheets	140	
Stapling depth (mm)	75	
Load capacity	100 x 23/6-23/13 SUPER	

25

Find out more at www.novus-dahle.com/en/renew



NOVUS B 56

- The heavy-duty stapler with extremely high stapling capacity of up to 200 sheets of paper
- Full-metal device in plastic casing
- Anti-blocking system (ABS) for convenient, trouble-free stapling
- Variable throat depth (up to 75 mm)
- Express fault-clearance for blank stapling shot when required
- · Movable anvil for quickly changing between parallel and bypass stapling
- Bypass stapling leaves staple ends side by side, allowing you to use the same staple type to staple stacks of paper with different thicknesses

Article number	023-0059		
Colour	grey		
Number of sheets	200		
Stapling depth (mm)	75		
Load capacity	100 x 23/8 - 23/24 SUPER		

25 🕳 ⊨

NOVUS B 56 re+new

- Sustainable heavy-duty stapler with very high stapling capacity up to 200 sheets
- Movable anvil for quickly changing between parallel and · Full metal device with plastic casing made of sustainable recycled materials bypass stapling
- Anti-blocking system (ABS) for convenient, trouble-free • Bypass stapling leaves staple ends side by side, allowing you to use the same staple stapling
- Variable throat depth (up to 75 mm)

Article number

Colour Number of sheets Stapling depth (mm) Load capacity



Find out more at www.novus-dahle.com/en/renew

NOVUS B 56XL

- The heavy-duty stapler with extremely high stapling capacity of up to 170 sheets of paper • Full-metal device in plastic casing
- · Anti-blocking system (ABS) for convenient, trouble-free stapling
- Variable throat depth (up to 250 mm)

Article number

Colour		
Number of sheets		
Stapling depth (mm)		
Load capacity		





• Express fault-clearance for blank stapling shot when required

023-0066	
black	
200	
75	

100 x 23/8 - 23/24 SUPER



- Express fault-clearance for blank stapling shot when required
- Movable anvil for quickly changing between parallel and bypass stapling
- Bypass stapling leaves staple ends side by side, allowing you to use the same staple type to staple stacks of paper with different thicknesses

023-0062	
grey	
170	
250	

Perforators

The right product for any requirement!

Applications

For school, home office or right at your desk

In the office for small teams and occasional use





Paper format

DIN formats with stop rail 2-hole punching

DIN formats with stop rail 2-hole punching

Sheet capacity*

Up to 20 sheets

Up to 30 sheets




The right perforator category

Smart

Comfort



FIND THE RIGHT PERFORATOR



PERFORATORS

For entire departments

and frequent use

DIN formats with stop rail 4-hole punching

ble, precise perforation outside the norm 4-hole punching

Up to 60 sheets



Up to 220 sheets Heavy duty block perforators



Power

Heavy Duty







High-quality office perforator for professional use
Securely engaging paper guide with easily legible format markings

Article number	025-0630	025-0631	025-0632
Colour	black shiny	grey shiny	blue shiny
Number of sheets	20	20	20
Hole spacing (mm)	80	80	80
Hole diameter (mm)	5,5	5,5	5,5



NOVUS B 220 Color ID 2.0



NOVUS E 216 fresh

- Reliable office perforator for any desk
- Securely engaging paper guide with easily legible format markings
- Non-slip base that can be opened half-way for emptying and simply closed again
- Metal base and plastic top

Article number	025-0546	025-0547	025-0584	025-0583	025-0548
Colour	Iight blue shiny	green shiny	petrol blue shiny	pink shiny	violet shiny
Number of sheets	16	16	16	16	16
Hole spacing (mm)	80	80	80	80	80
Hole diameter (mm)	5,5	5,5	5,5	5,5	5,5



High-quality office perforator for professional use
Securely engaging paper guide with easily legible format markings

Article number	025-0652	025-0653	025-0654	025-0656
Colour	pretty lilac	mellow mint	bright petrol	smart grey
Number of sheets	20	20	20	20
Hole spacing (mm)	80	80	80	80
Hole diameter (mm)	5,5	5,5	5,5	5,5



Find out more at **www.novus-dahle.com/en/color-id**



• Non-slip base that can be opened half-way for emptying and simply closed again





 Non-slip base that can be opened half-way for emptying and simply closed again



NOVUS B 220 re+new

- Sustainable office perforator for professional use
- Securely engaging paper guide with easily legible format markings
- Non-slip base that can be opened half-way for emptying and simply closed again
- Full-metal device with mirror-finish plastic cased top made of sustainable recyclat

Article number	025-0650
Colour	black shiny
Number of sheets	20
Hole spacing (mm)	80
Hole diameter (mm)	5,5



Find out more at **www.novus-dahle.com/en/renew**



NOVUS B 230

- High-quality office perforator for professional use
- Securely engaging paper guide with easily legible format markings
- Non-slip base that can be opened half-way for emptying and simply closed again
- Full-metal device with mirror-finish plastic cased top

Article number	025-0614	025-0616	025-0615
Colour	black shiny	blue shiny	grey shiny
Number of sheets	30	30	30
Hole spacing (mm)	80	80	80
Hole diameter (mm)	5,5	5,5	5,5



NOVUS B 230 re+new

- Sustainable office perforator for professional useSecurely engaging paper guide with easily legible for-
- mat markings

Artic	\sim	10.1.1.000	hor
Articl	С	num	Der

Colour

Number of sheets

Hole spacing (mm)

Hole diameter (mm)



Find out more at **www.novus-dahle.com/en/renew**



Non-slip base that can be opened half-way for emptying and simply closed again
Full-metal device with mirror-finish plastic cased top made of sustainable recyclat

025-0637	
black shiny	
30	
80	
5,5	



mat markings

- Small filing perforator for professional use involving up to 40 sheets of paper • Securely engaging paper guide with easily legible for-
- Non-slip base that can be opened half-way for emptying and simply closed again
- Full-metal device with mirror-finish plastic cased top
- Lock-down handle for space-saving storage

Article number	025-0415
Colour	black/grey shiny
Number of sheets	40
Hole spacing (mm)	80
Hole diameter (mm)	5,5



NOVUS B 265

- Sturdy filing perforator with good leverage for hole-pun-• Non-slip base that can be opened half-way for emptying ching up to 65 sheets of paper in one easy action and simply closed again
- · Securely engaging paper guide with easily legible format markings • Lever with hold-down button for space-saving storage

Article number

Colour Number of sheets Hole spacing (mm)

Hole diameter (mm)



NOVUS B 2200

• The powerful 2-in-1 block perforator for punching two • Comfort-grip handle for effortless hole-punching with and four holes in up to 200 sheets of paper perfect leverage • Sliding adjustment unit for convenient fourhole pun-• Handle guard for maximum safety ching • Toolless replacement of wearing parts • Automatically centring paper guide for precise hole • Non-slip base for firm standing punching • Full-metal device in plastic casing • A-size locking mechanism for filing flush with binder • Including six additional discs top or bottom Article number

Colour

Number of sheets

Hole spacing (mm)

Hole diameter (mm)






• Full-metal device in zinc die-cast

025-0266	
black/grey	
65	
80	
5,5	









NOVUS B 2200 re+new

- Sustainable, powerful two-in-one heavy duty block perforator for easy two- and four-hole perforation with a perforating capacity of 200 sheets
- Sliding adjustment unit for convenient fourhole punching
- Automatically centring paper guide for precise hole punching
- A-size locking mechanism for filing flush with binder top or bottom
- Comfort-grip handle for effortless hole-punching with perfect leverage
- Handle guard for maximum safety
- Toolless replacement of wearing parts
- Non-slip base for firm standing
- Full metal device with plastic casing made of sustainable recycled materials
- Including six additional discs

Article number	025-0651
Colour	black
Number of sheets	200
Hole spacing (mm)	80 3 x 80
Hole diameter (mm)	6

Find out more at www.novus-dahle.com/en/renew

DIN 10 78 %



re+new FOR MORE SUSTAINABILITY

We close the recycling loop! Novus re+new staplers and perforators consist of up to 95% recycled plastic (varies by device and amount of plastic contained). From construction to packaging, the entire Novus re+new range is designed to be environmentally friendly and recyclable. In accordance with the "design for disassembly" principle, Novus re+new staplers and perforators can simply be recycled at the end of their service life. So it almost goes without saying that their plastic-free packaging is also made of recycled materials and



can in turn be recycled immediately. Discover our environmentally friendly and durable Novus re+new products in a modern all-black design and put sustainability on your desk!



NOVUS E 15 / E 210

- Elegant, handy set consisting of stapler E 15 and perforator E 210
- Stapler with 15-sheet stapling capacity and metal staple remover
- Perforator with punching capacity of 10 sheets and DIN positioning guide

Article number	020-1829	020-1831	020-1830
Colour	black shiny	blue shiny	red shiny
Stapling depth (mm)	37	37	37
Hole spacing (mm)	80	80	80
Hole diameter (mm)	5,5	5,5	5,5
Load capacity	100 x No.10	100 x No.10	100 x No.10
Included staples	Includes 1,000 No.10 staples	Includes 1,000 No.10 staples	Includes 1,000 No.10 staples



NOVUS E 15 / E 210 fresh

rator E 210

remover

positioning guide



NOVUS C 1 / C 216

- Practical set consisting of stapler C1 and perforator C 216
- Stapler with stapling capacity of 15 sheets
- Perforator with punching capacity of 16 sheets and DIN positioning guide
- Engaging paper guide with easily legible paper-size indicator

Article number	020-1659	020-1660
Colour	black	blue
Stapling depth (mm)	65	65
Hole spacing (mm)	80	80
Hole diameter (mm)	5,5	5,5
Load capacity	100 x 24/6 150 x 26/6	100 x 24/6 150 x 26/6
Included staples	Includes 1,000 staples of type 24/6 DIN SUPER	Includes 1,000 staples of type 24/6 DIN SUPER



Article number	020-1876
Colour	petrol blue shiny
Stapling depth (mm)	37
Hole spacing (mm)	80
Hole diameter (mm)	5,5
Load capacity	100 x No.10
Included staples	Includes 1,000 No.10 staple

• Elegant, handy set consisting of stapler E 15 and perfo-

• Perforator with punching capacity of 10 sheets and DIN

• Stapler with 15-sheet stapling capacity and metal staple

🕎 🚮 🔂 🔚







• The stapler has a guarantee of 10 years and the perforator has a 5-year guarantee.

• Engaging paper guide with easily legible paper-size indicator



• The stapler has a guarantee of 10 years and the perforator has a 5-year guarantee Engaging paper guide with easily legible paper-size indicator

020-1875	020-1874
pink shiny	green shiny
37	37
80	80
5,5	5,5
100 x No.10	100 x No.10

Includes 1,000 No.10 staples Includes 1,000 No.10 staples Includes 1,000 No.10 staples

Accessories

1. minimum



NOVUS 24/6 DIN SUPER

- Standard staples with a leg length of 6 mm
- With steel wire of thick gauge, especially suitable for flat-clinch products

Article number	040-0026
Number of sheets	30
Packing unit	Box of 1,000 pieces



NOVUS 26/8 SUPER

• Staples for office staplers. Leg length of 8 mm

Article number	040-0199
Number of sheets	40
Packing unit	Box of 1,000 pieces



NOVUS NE 6 SUPER

- Staples for electric staplers. Leg length of 6 mm
 Similar to the 26 (6 staples but with a thicker gauge
- Similar to the 26/6 staples but with a thicker gauge of steel wire

Article number	042-0001
Number of sheets	25
Packing unit	Box of 5,000 pieces



NOVUS 24/8 SUPER

- Staples for office staplers. Leg length of 8 mm
- With steel wire of thick gauge, especially suitable for flat-clinch products

Article number	040-0038
Number of sheets	50
Packing unit	Box of 1,000 pieces



NOVUS No.10 SUPER

• Staples for office staplers. Leg length of 5 mm

Article number	040-0003	040-0179
Number of sheets	20	20
Packing unit	Box of 1,000 pieces	Box of 2,000 pieces



NOVUS NE 8 SUPER

- Staples for electric staplers. Leg length of 8 mm
- Similar to the 26/8 staples but with a thicker gauge of steel wire

Article number	042-0002
Number of sheets	40
Packing unit	Box of 5,000 pieces



NOVUS 23/13 SUPER

• Staples for heavy-duty staplers. Leg length of 13 mm and high-strength steel wire

Article number	042-0533
Number of sheets	100
Packing unit	Box of 1,000 pieces



NOVUS 23/20 SUPER

• Staples for heavy-duty staplers. Leg length of 20 mm and high-strength steel wire

Article number	042-0240
Number of sheets	170
Packing unit	Box of 1,000 pieces



NOVUS 23/17 SUPER

• Staples for heavy-duty staplers. Leg length of 17 mm and high-strength steel wire

Article number	042-0045
Number of sheets	140
Packing unit	Box of 1,000 pieces



NOVUS 23/24 SUPER

• Staples for heavy-duty staplers. Leg length of 24 mm and high-strength steel wire

Article number	042-0644
Number of sheets	210
Packing unit	Box of 1,000 pieces



CONFETTI CARD FOR MOTHER'S DAY

Every mother likes flowers on Mother's Day, but there are many other ways to show your mum how much she means to you. For example with a home-made Mother's Day card.

This idea is suitable even for very young crafters, and it also offers space for a few personal words. The confetti is home-made out of coloured paper and magazines using the perforator from Novus. The advantage: you can choose whatever colours you like for your Mother's Day card. The card itself is also completely home-made using the different cutting heads for the DAHLE rotary trimmer. Older children can implement this idea all on their own; smaller children can prepare the confetti while a parent or sibling helps cut out the card.

Instructions:

1. First, you'll need some confetti. Take your coloured paper and old magazines and use the perforator to cut out confetti. You'll need about

a child's handful of confetti layers of paper at once. for one card. I always punch holes along the full length of the edge of the paper, then trim that edge off and repeat the process. The B 230 by Novus also lets you perforate several

3.

98

2. Now cut a normal piece of paper into a heart.

We at Novus and Dahle see ourselves as WorklifeExperts. That means you can rely on us to make your (working) day easier with our innovative, highquality products. We like to think outside the box and support you exactly where you are, whether in the office or at home. Alongside our comprehensive range of products we also provide solutions, assistance and creative ideas.







www.novus-dahle.com