



Includes
pro tips +
DIY ideas

The tacker handbook

NOVUS®

FAST. STRONG. HOLD.

Manufacturer

Novus Dahle GmbH
Breslauer Straße 34–38
49808 Lingen (Ems)
www.novus-dahle.com



Germany sales

Steinel Vertrieb GmbH
Dieselstraße 80–84
33442 Herzebrock-Clarholz
info@steinel.de
www.steinel.de

Service and consultation

Mo – Fr 8:00 – 20:00
Sa 9:30 – 16:00

Telephone: +49 (0) 5245 448 188
WhatsApp: +49 (0) 160 939 576 71
Email: service@steinel.de

Last updated August 2020
The publishing of this product overview renders all previous editions invalid. Subject to changes in technical data, design and equipment.

Contents

Online service	4–5
Our brand. Your benefits.	6–7
OUR TACKER RANGE	
Tacker types	8–9
Staple types & colour coding system	10–11
Examples of use	12–19
Hand tackers	20–41
Hammer tackers	42–55
Electric tackers	56–69
Cordless tackers	70–73
Pneumatic tackers	74–79
FASTENER SYSTEM	
Information on staples	80
Staple types	82–87
Overview table	88–91
TIPS	
DIY workshops	92–93
A brief introduction: Novus riveting tools	94–95

Always there for you at novus-fastening.com

You can find all the latest and important information on our website. We look forward to your visit!



Tacker finder

Find the right tool for your project!

Staple finder

Which staples does my tacker use? Find the right staple for all conventional tacker brands and models.

Technical support

Do you have a question about your tacker? You can find the relevant operating manuals and notes on the corresponding product pages.

For any other questions, contact our Service team at:

Tel. +49 (0) 5245 448 188

How-to videos

Do you want to get creative or complete special building projects? On our website, you can find a selection of DIY workshops and DIY instructions for creative projects.

FAQ

The most frequently asked questions about our tools and how to use them are answered here.

Contact

Using our dealer finder, you can find all specialist dealers and DIY stores that stock our tackers in your area.

For all other queries, our head office will be happy to point you towards the right contact partner:

Tel. +49 (0) 5245 448 0





Always the right choice!

Our in-house Research and Development centre works tirelessly to improve our tools. To do so, we draw on our over 70 years of experience as part of the diverse emco Group, the parent group for Novus fastening technology which employs over 1,200 people worldwide.

Fast and simple: get the best results!

Novus is your specialist for universal fastening technology. We are committed to making it easy for people to achieve their goals – whether in their professional projects or hobby. To do this, we develop and produce high-end products that offer innovative “German Engineering” at the highest standard.



Rise to every challenge without a problem!

Electric tackers are incredibly versatile and can be used for both hobby and professional projects. These electrically and automatically fire staples after release. This makes them perfect for more time-consuming work.

Not all tackers are the same, and when it comes to DIY work some are always better for the job than others. This brief overview of the different types of tackers will help you to find the right tool for your project.

Powerful **pneumatic tackers** are better suited for professional use. Thanks to their extremely powerful staple fire, even professional upholstery and difficult panelling are no problem for these tools.

The **cordless tackers** can be used universally and in any place. What's more, cordless tackers also offer the high-performance benefits of an electric tacker.



Hammer tackers are suitable where you are looking for speed over precision. These tools impress with their ease of use and are perfect for roofing felt, sheeting and underlay.

Hand tackers can be used at home for DIY projects and handicrafts.

Decide on the application, then choose your staple and finally the tacker!

Once you have determined what material needs to be tacked, you can use the letters to find the right staple and the suitable tool. With an easy-to-understand colour coding system on the product, on the staple and on the shelf, we make it easy for you to see which tacker works with which staples. Finding the right product? It's child's play.



Classification of our tools

To make it easier to find your way through our tacker range, we have separated the tools into three categories depending on their area of use:

Profi

Professional tools with more performance and safety for the highest comfort.


Universal

Versatile standard tools for normal loads.

Hobby

Practical, easy-to-use tools for private use.

Always the right staple!




Material/fabric

A H

Fine wire staple

The low staple thickness holds the material securely in place without causing damage.




Sheeting

D G

Flat wire staple

The wide back of the staple ensures that nothing tears, and the sheeting stays securely in place.



Tongue-and-groove boards/panels

C

Narrow crown staple

Perfect for fastening tongue-and-groove boards, panels, fibreboards and wire mesh.



Decorative moulding

E

Nail


Our nails offer a simple solution for securing decorative moulding and other wood types in place. The small head is both discreet and secure.



Fine wire staples

Recommended staple length

Material	4–8 mm
Fabric	
Carpet	8–20 mm
Soft plastic boards (2–10 mm)	
Wire mesh	12–20 mm
Thin wooden posts	





Flat wire staples

Recommended staple length

Sheeting/(wax) paper/cardboard	
Leather/faux leather	6–8 mm
Insulation mats (glass wool)	
Aluminium-laminated products	
Weather strips	8–10 mm
Cork tiles (2–10 mm)	8–18 mm
Roofing felt	14–18 mm
Tongue-and-groove boards/ panelling with clips	18–30 mm





Narrow crown staples

Recommended
staple length

Hardboards (2–6 mm)	12–18 mm
Mineral fibreboards (4–10 mm)	18–30 mm
Plywood (4–10 mm)	12–30 mm
Tension wire	14–30 mm
Tongue-and-groove boards/ panelling without clips directly attached	26–30 mm





Nail

Recommended
staple length

Hardboards (2–6 mm)

12–18 mm

Decorative moulding/corner
moulding

16–30 mm


Tongue-and-groove boards/
panelling without clips
directly attached

26–30 mm



Easy shift

Slide mechanism to adjust to different staple types



Sheeting



Textiles/
material



Decorative/
corner
moulding



Quick loading

Integrated staple pusher to quickly reload staples

Comfort grip

Structured, rubber handle for ergonomic grip

Power control

Setting the correct impact force for softwood or hardwood



Precise plus

A row of staples can be stapled parallel at one height using the distance holder. The long nozzle allows for precise work, even in hard-to-reach places.



J-11 creative


Hobby



The basic hand tacker made of ABS plastic material for occasional garden or home use.

- Suitable for fine wire staples of 4 to 8 mm
- Lock Down Handle: for storage when not in use
- Staple Indicator: Easily visible staple level
- Quick loading system: Bottom-loading mechanism with safety lock release for quick reloading.


Art.No. Weight: EAN Code
030-0436 0.158 kg 4009729057285



The tacker handle can be locked down when not in use or for storage.



Integrated staple slider for quick loading of staples. All parts form a single unit with no loose parts to lose.



Quickly covered picture frame.

J-13 worker

Universal



The small hand tacker with high-quality aBs plastic housing for general-purpose use.

- Takes fine wire staples of 4 to 10 mm
- Takes hammer tacker staples H
- Lock Down Handle: for storage when not in use
- Staple Indicator: Easily visible staple level
- Quick loading system: Bottom-loading mechanism with safety lock release for quick reloading.

Art.No. Weight: EAN Code
030-0435 0.244 kg 4009729057308



Integrated staple slider for quick loading of staples. All parts form a single unit with no loose parts to lose.



The tacker handle can be locked down when not in use or for storage.



Threadbare upholstered seats can be spruced up again simply by tacking on new fabric.

J-13 pink worker

Universal



The small hand tacker with high-quality ABS plastic housing for general-purpose use.

- Takes fine wire staples of 4 to 10 mm
- Takes hammer tacker staples H
- Lock Down Handle: for storage when not in use
- Staple Indicator: Easily visible staple level
- Quick loading system: Bottom-loading mechanism with safety lock release for quick reloading.

Art.No. Weight: EAN Code
030-0442 0.244 kg 4009729069332



The tacker handle can be locked down when not in use or for storage.



Integrated staple slider for quick loading of staples. All parts form a single unit with no loose parts to lose.



Quickly covered picture frame.

J-15 dual worker

Universal



The small universal tacker for interior finishing work and decoration.

- Takes fine wire and flat wire staples of 4 to 10 mm
- Takes hammer tacker staples H and G
- Easy Shift: Sliding mechanism for easily changing between fine wire staples and flat wire staples
- Comfort Grip: Ergonomic soft-grip handle for working comfort
- Lock Down Handle: for storage when not in use
- Staple Indicator: Easily visible staple level
- Quick loading system: Bottom-loading mechanism with safety lock release for quick reloading.


Art.No. Weight: EAN Code
030-0441 0.25 kg 4009729068168



Using the slide mechanism at the front, the tacker can easily be adjusted for using fine and flat wire staples.



The tacker handle can be locked down when not in use or for storage.



Fastening down sheeting in a loft.

J-17 dual worker

Universal




The large hand tacker with high-quality aBS plastic housing for general-purpose use.

- Takes fine wire and flat wire staples of 6 to 14 mm
- Easy Shift: Sliding mechanism for easily changing between fine wire staples and flat wire staples
- Comfort Grip: Ergonomic soft-grip handle for working comfort
- Lock Down Handle: for storage when not in use
- Staple Indicator: Easily visible staple level
- Quick loading system: Bottom-loading mechanism with safety lock release for quick reloading.
- Power Control: Power adjustment for soft and hard wood

Art.No. Weight: EAN Code
030-0438 0.451 kg 4009729058398



Using the slide mechanism at the front, the tacker can easily be adjusted for using fine and flat wire staples.



Guarantees the right impact power for every job, no matter whether you're fastening into hard or soft wood.



Quickly covered picture frame.

J-25 metal power


Profi



The small professional tacker with durable, particularly low-recoil, diecast zinc housing for a wide range of different jobs in the home, DiY and workshop.

- Takes fine wire and flat wire staples of 4 to 10 mm
- Takes hammer tacker staples H and G
- Easy Shift: Sliding mechanism for easily changing between fine wire staples and flat wire staples
- Comfort Grip: Ergonomic soft-grip handle for working comfort
- Lock Down Handle: for storage when not in use
- Staple Indicator: Easily visible staple level
- Quick loading system: Bottom-loading mechanism with safety lock release for quick reloading.

Art.No. 030-0433 Weight: 0.645 kg EAN Code 4009729057346



Using the slide mechanism at the front, the tacker can easily be adjusted for using fine and flat wire staples.



Integrated staple slider for quick loading of staples. All parts form a single unit with no loose parts to lose.



Threadbare upholstered seats can be spruced up again simply by tacking on new fabric.

J-27 dual power


Profi




Large professional tacker with lightweight, durable aluminium housing for all sorts of different jobs in the home, DIY and workshop.

- Takes fine wire and flat wire staples of 6 to 14 mm
- Easy Shift: Sliding mechanism for easily changing between fine wire staples and flat wire staples
- Comfort Grip: Ergonomic soft-grip handle for working comfort
- Lock Down Handle: for storage when not in use
- Staple Indicator: Easily visible staple level
- Quick loading system: Bottom-loading mechanism with safety lock release for quick reloading.
- Power Control: Power adjustment for soft and hard wood

Art.No. 030-0439 Weight: 0.63 kg EAN Code 4009729058794



Using the slide mechanism at the front, the tacker can easily be adjusted for using fine and flat wire staples.



Guarantees the right impact power for every job, no matter whether you're fastening into hard or soft wood.



Threadbare upholstered seats can be spruced up again simply by tacking on new fabric.

J-29 high performer *Profi*



The powerful professional tacker with durable, particularly low-recoil, diecast zinc housing for a wide range of different jobs in the home, DIY and workshop.

- Takes fine wire and flat wire staples of 6 to 14 mm and nails up to 16 mm
- Takes hammer tacker staples H and G
- Easy Shift: Sliding mechanism for easily changing between fine wire staples and flat wire staples
- Comfort Grip: Ergonomic soft-grip handle for working comfort
- Lock Down Handle: for storage when not in use
- Staple Indicator: Easily visible staple level
- Precise plus: A row of staples can be stapled parallel at one height using the distance holder.
- Precise Nozzle: for precision fastening at hard-to-reach places
- Quick loading system: Bottom-loading mechanism with safety lock release for quick reloading.
- Power Control: Power adjustment for soft and hard wood

Art.No. Weight: EAN Code
030-0432 0.969 kg 4009729058015







Using the slide mechanism at the front, the tacker can easily be adjusted for using nails, fine and flat wire staples.







The distance holder allows you to drive in a row of staples parallel to the edge.



Easy nailing of decorative moulding.

							
J-11	J-13	J-15		J-17	J-25	J-27	J-29
<i>Hobby</i>	<i>Universal</i>	<i>Universal</i>		<i>Universal</i>	<i>Pro</i>	<i>Pro</i>	<i>Pro</i>

Fastener	Fine wire staple  Model/ length in mm	A 4-8	A 4-10	A/H 4-10		A 6-14	A/H 4-10	A 6-14	A/H 6-14
	Flat wire staple  Model/ length in mm					D 6-14	D/G 4-10	D 6-14	D/G 6-14
	Narrow crown staple  Model/ length in mm								
	Nail  Model/ length in mm								E 16


Features/equipment	Lock down handle <i>Handle lock</i>	■	■	■		■	■	■	■
	Staple indicator <i>Staple window</i>	■	■	■		■	■	■	■
	Precise plus <i>Distance holder</i>								■
	Precise nozzle <i>Precision nozzle</i>								■
	Power control <i>Impact force adjustment</i>					■		■	■
	Quick loading <i>Quick loading</i>	■	■	■		■	■	■	■
	Easy shift <i>Slide mechanism</i>			■		■	■	■	■
	Comfort grip <i>Rubber grip</i>			■		■	■	■	■

							
J-11	J-13	J-15		J-17	J-25	J-27	J-29
A 4–8	A 4–10	A/H 4–10 D/G 4–10		A 6–14 D 6–14	A/H 4–10 D/G 4–10	A 6–14 D 6–14	A/H 6–14 D/G 6–14

Material examples	Material/fabric	■	■	■		■	■	■	■
	Rugs	■	■	■		■	■	■	■
	Soft plastic boards (2–10 mm)	■	■	■		■	■	■	■
	Wire mesh					■		■	■
	Thin wooden posts					■		■	■
	Leather/faux leather			■		■	■	■	■
	Sheeting/cardboard/paper			■		■	■	■	■
	Waxed/oiled papers			■		■	■	■	■
	Insulation mats (glass wool)			■		■	■	■	■
	Aluminium-laminated products			■		■	■	■	■
	Weather strips			■		■	■	■	■
	Cork tiles (2–10 mm)			■		■	■	■	■
	Roofing felt					■		■	■
	Hardboards (2–6 mm)								■
Decorative moulding/ corner moulding								■	


Heavy-duty

Increased impact force thanks to high forward-directed weight



Power shot function

Additional power transmission guarantees effortless staple insertion up to 14 mm



Flexible surface protection

Wide, moving base plate for optimum surface protection and for preventing damage to tacker materials

Steel design

Robust and durable all-metal hammer tacker

Perfect-grip handle

Non-slip handle for safe handling and fatigue-free working



No loose parts

All parts are firmly attached to the tacker and cannot be lost



Quick loading system

Integrated staple pusher to quickly reload staples



Volume plus

Large loading capacity (two rows of staples or 175 staples) for fewer loading operations and easy and time-saving loading



Staple indicator

Easily visible staple level indicator




J-022*Universal*

Lightweight hammer tacker for processing fine wire staples for universal use.

- Suitable for fine wire staples of 4 to 6 mm
- Steel Design: Robust and durable all-metal hammer tacker
- No Loose Parts: All parts are firmly attached to the tacker and cannot be lost
- Perfect Grip Handle: Non-slip handle for safe handling and fatigue-free working
- Quick Loading System: Integrated staple pusher for fast reloading

Art.No.	Weight:	EAN Code
030-0445	0.429 kg	4009729071489



Integrated staple slider for quick loading of staples. All parts form a single unit with no loose parts to lose.



Rapid fitting of bitumen shingles.



Thin carpets simply fastened.

J-033*Universal***Robust hammer tacker for universal use on construction sites.**

- Suitable for flat wire staples of 6 to 10 mm
- Steel Design: Robust and durable all-metal hammer tacker
- No Loose Parts: All parts are firmly attached to the tacker and cannot be lost
- Perfect Grip Handle: Non-slip handle for safe handling and fatigue-free working
- Quick Loading System: Integrated staple pusher for fast reloading

Art.No. Weight: EAN Code
 030-0446 0.526 kg 4009729071502



Integrated staple slider for quick loading of staples. All parts form a single unit with no loose parts to lose.



Fastening down sheeting in a loft.



Easy attachment of sheeting.

J-044

Profi


Large hammer tacker for professional use on construction sites.

- Suitable for flat wire staples of 6 to 12 mm
- Steel Design: Robust and durable all-metal hammer tacker
- No Loose Parts: All parts are firmly attached to the tacker and cannot be lost
- Perfect Grip Handle: Non-slip handle for safe handling and fatigue-free working
- Volume Plus: Large loading capacity for fewer loading operations
- Surface Protection: Wide base plate for optimum surface protection
- Quick Loading System: Integrated staple pusher for fast reloading
- Staple Indicator: Easily visible staple level

Art.No. Weight: EAN Code
 030-0447 0.977 kg 4009729071526



The open staple channel shows how many staples are left in the magazine.



Integrated staple slider for quick loading of staples. All parts form a single unit with no loose parts to lose.



Quick and reliable for better results.

J-055

Profi



Professional hammer tacker for continuous use in roof extensions or drywall construction.

- Suitable for flat wire staples of 6 to 14 mm
- Steel Design: Robust and durable all-metal hammer tacker
- No Loose Parts: All parts are firmly attached to the tacker and cannot be lost
- Perfect Grip Handle: Non-slip handle for safe handling and fatigue-free working
- Volume Plus: Large loading capacity for fewer loading operations
- Flexible Surface Protection: Wide, flexible base plate for optimum surface protection
- Quick Loading System: Integrated staple pusher for fast reloading
- Staple Indicator: Easily visible staple level
- Heavy Duty: Increased impact force thanks to high forward-directed weight
- Power Shot Function: The optimised transmission of the impact force allows long staples to be inserted effortlessly

Art.No.	Weight:	EAN Code
030-0448	1.231 kg	4009729071540



Quick Loading System: Integrated staple pusher for fast reloading







Movable deflector plate for an excellent surface protection.



Easy attachment of sheeting.

			
J-022	J-033	J-044	J-055
Universal	Universal	Pro	Pro

Fastener	Fine wire staple Model/length in mm		H 4–6			
	Flat wire staple Model/length in mm			G 6–10	G 6–12	G 6–14
	Narrow crown Model/length in mm					
	Nail Model/length in mm					

Features/equipment	Steel design <i>All-metal</i>	■	■	■	■
	Staple indicator <i>Staple window</i>			■	■
	No loose parts <i>Securely attached parts</i>	■	■	■	■
	Quick loading <i>Top-loading mechanism</i>	■	■		
	Quick loading <i>Loading at the push of a button</i>			■	■
	Perfect grip handle <i>Ergonomic grip</i>	■	■	■	■
	Volume plus <i>Loading of two rows of staples</i>			■	■
	Surface protection <i>Surface protection</i>			■	■ (Flexible)
	Heavy duty <i>Increased impact force</i>				■
Power shot function <i>Effortless insertion</i>				■	

			
J-022	J-033	J-044	J-055
H 4–6	G 6–10	G 6–12	G 6–14

Material examples	Material/fabric	■		■	■	■
	Leather/faux leather			■	■	■
	Sheeting			■	■	■
	Paper/cardboard			■	■	■
	Waxed/oiled papers			■	■	■
	Insulation mats (glass wool)			■	■	■
	Aluminium-laminated products			■	■	■
	Weather strips				■	■
	Cork tiles (2–10 mm)				■	■


Safety lock

The tacker is ready for use after pushing back the trigger guard



Electric power control

Setting the correct impact force for soft or hardwood.



Staple indicator

Easily visible staple display




Quick loading

Integrated staple pusher for fast reloading



Precise plus

A row of staples can be stapled parallel at one height using the distance holder. The long nozzle allows for precise work, even in hard-to-reach places.



J-102 dual power

Universal



The attractively priced electric tacker for the home, DiY and decoration.

- Takes fine wire and flat wire staples of 6 to 14 mm
- Staple Indicator: Easily visible staple level
- Quick loading system: Bottom-loading mechanism with safety lock release for quick reloading.
- Safety Lock: Immediately ready for use after pushing back the trigger catch

Art.No.	Weight:	EAN Code	Add. information
031-0354	1.469 kg	4009729041802	2.5 m



Using the slide mechanism at the front, the tacker can easily be adjusted for using fine and flat wire staples.



Tacker is only ready for use after pushing back the trigger catch.



Quickly attached tar boards.

J-105 allrounder


Profi



The small universal tacker for interior finishing work and decoration.

- Takes fine wire and flat wire staples of 6 to 14 mm and nails up to 16 mm
- Takes hammer tacker staples H and G
- Universal: Interchangeable front plate for switching from working with fine wire staples and nails to flat wire staples
- Staple Indicator: Easily visible staple level
- Precise plus: A row of staples can be stapled parallel at one height using the distance holder.
- Precise Nozzle: Long nozzle for precision fastening at hard-to-reach places
- Quick loading system: Bottom-loading mechanism with safety lock release for quick reloading.
- Electronic impact power adjuster for adjustment to the material
- Safety Lock: Immediately ready for use after pushing back the trigger catch

Art.No.	Weight:	EAN Code	Add. information
031-0333	1.465 kg	4009729016411	3 m



Guarantees the right impact power for every job, no matter whether you're fastening into hard or soft wood.



The distance holder allows you to drive in a row of staples parallel to the edge.



Quickly nailed furniture back.

J-165 extra power

Profi



The extremely low-recoil, universal tacker for professional upholstery, insulation work and panelling with tongue-and-groove clips.

- Takes fine wire staples of 8 to 20 mm, flat wire staples of 8 to 18 mm and nails up to 19 mm
- Universal: Interchangeable front plate for switching from working with fine wire staples and nails to flat wire staples
- Staple Indicator: Easily visible staple level
- Precise Nozzle: Long nozzle for precision fastening at hard-to-reach places
- Easy Troubleshooter: Snap lock provides easy access for rapid troubleshooting
- Electronic impact power adjuster for adjustment to the material
- Safety Lock: Immediately ready for use after pushing back the trigger catch

Art.No.	Weight:	EAN Code	Add. information
031-0326	2.229 kg	4009729014547	3.5 m



Guarantees the right impact power for every job, no matter whether you're fastening into hard or soft wood.



The tacker's narrow and long nozzle also permits precision stapling at poorly accessible places.



Threadbare upholstered seats can be spruced up again simply by tacking on new fabric.

J-165 Panel


Profi



The extremely low-recoil panelling tacker is also suitable for fastening standard panelling clips.

- Takes narrow crown staples of 15 to 26 mm and nails up to 25 mm
- Staple Indicator: Easily visible staple level
- Precise nozzle: Extra-fine nozzle allows for precise work in hard-to-reach places and direct mounting of tongue-and-groove boards into the side of the groove.
- Easy Troubleshooter: Snap lock provides easy access for rapid troubleshooting
- Electronic impact power adjuster for adjustment to the material
- Safety Lock: Immediately ready for use after pushing back the trigger catch


Art.No.	Weight:	EAN Code	Add. information
031-0324	2.089 kg	4009729011799	3.5 m



Panel clip guard acts as a guide when handling tongue-and-groove clips







Guarantees the right impact power for every job, no matter whether you're fastening into hard or soft wood.



Panelling without clip, attached directly.

				
	J-102	J-105	J-165	J-165 Panel
	<i>Universal</i>	<i>Pro</i>	<i>Pro</i>	<i>Pro</i>

Fastener	Fine wire staple		A 6–14	A/H 6–14	A 8–20	
	Model/length in mm					
	Flat wire staple		D 6–14	D/G 6–14	D 8–18	
	Model/length in mm					
	Narrow crown					C 15–26
Model/length in mm						
Nail			E 16	E 16–19	E 16–25	
Model/length in mm						

Features/equipment	Staple indicator <i>Staple window</i>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	Precise plus <i>Distance holder</i>			<input checked="" type="checkbox"/>		
	Precise nozzle <i>Precision nozzle</i>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	Power control <i>Impact force adjustment</i>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	Quick loading system <i>Quick loading</i>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	Safety lock <i>Blank firing guard</i>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	Universal <i>Front plate for various staple types</i>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	Easy troubleshooter <i>Troubleshooting</i>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

**J-102**

A 6–14
D 6–14

**J-105**

A/H 6–14
D/G 6–14
E 16

**J-165**

A 8–20
D 8–18
E 16–19

**J-165 Panel**

C 15–26
E 16–25

Material examples

Material/fabric



Rugs



Soft plastic boards (2–10 mm)



Wire mesh/thin wooden posts



Leather/faux leather



Sheeting/paper/cardboard/waxed and oiled paper



Insulation mats (glass wool)



Aluminium-laminated products



Weather strips



Cork tiles (2–10 mm)



Roofing felt



Tongue-and-groove boards/panelling with clips (wall/ceiling)



Tongue-and-groove boards/panelling without clips (directly attached)



Hardboards (2–6 mm)



Mineral fibreboards (4–10 mm)



Plywood (4–10 mm)



Decorative moulding/corner moulding



Tension wire



Power control

Setting the correct impact force for soft or hardwood.



Work light

LED lights for practical lighting of workspace.



Li-ion

Removable lithium-ion battery without memory effect and self-discharge



Safety lock

Blank firing guard means staples are only released when tacker is in contact with material.



J-214 Li-Ion

Universal



The practical cordless tacker with lithium-ion accu, without memory effect and self-discharge.

- Takes fine wire staples of 6 to 14 mm and nails up to 14 mm
- Staple Indicator: Easily visible staple level
- Quick loading system: Bottom-loading mechanism with safety lock release for quick reloading.
- Electronic impact power adjuster for adjustment to the material
- Safety Lock: Blank firing guard prevents the tacker from being fired until it is pressed against the material being fastened
- Li-Ion: Removable lithium-ion rechargeable battery without memory effect and self-discharge
- Work Light: Practical LED light for illuminating the work area
- Supplied in a practical carrying case

Art.No. 031-0356 Weight: 1.719 kg EAN Code 4009729053683



Guarantees the right impact power for every job, no matter whether you're fastening into hard or soft wood.



For the right light wherever you're stapling.



Threadbare upholstered seats can be spruced up again simply by tacking on new fabric.

Heavy duty

Sturdy, lightweight metal housing



Comfort grip

Structured, rubber handle for ergonomic grip



Precise nozzle

Extra-fine nozzle for hard-to-reach areas



Quick loading

Integrated staple pusher to quickly reload staples



J-316 air power

Profi



The airtacker with light-alloy housing for professional upholstery and decorating.

- Takes fine wire staples of 6 to 16 mm
- Precise Nozzle: Long nozzle for precision fastening at hard-to-reach places
- Electronic impact power adjuster for adjustment to the material
- Safety Lock: Immediately ready for use after pushing back the trigger catch
- Silencer: Sound muffler for low noise levels
- Quick Loading System: Integrated staple pusher for fast reloading
- Supplied in a practical carrying case

Art.No.	Weight:	EAN Code	Add. information
032-0033	1.696 kg	4009729022375	approx. 0,66 l / shooting at 90 psi



Tacker is only ready for use after pushing back the trigger catch.



The tacker's narrow and long nozzle also permits precision stapling at poorly accessible places.



Easy attachment of fabrics.

J-328 air power


Profi



The professional airtacker with light-alloy housing is ideal for paneling work.

- Takes narrow crown staples of 12 to 28 mm and nails up to 30 mm
- Staple Indicator: Easily visible staple level
- Precise nozzle: Extra-fine nozzle allows for precise work in hard-to-reach places and direct mounting of tongue-and-groove boards into the side of the groove.
- Safety Lock: Blank firing guard prevents the tacker from being fired until it is pressed against the material being fastened
- Silencer: Sound muffler for low noise levels
- Quick Loading System: Integrated staple pusher for fast reloading
- Supplied in a practical carrying case


Art.No.	Weight:	EAN Code	Add. information
032-0034	2.131 kg	4009729022382	approx. 0,74 l / shooting at 90 psi



The open staple channel shows how many staples are left in the magazine.



The tacker's narrow and long nozzle also permits precision stapling at poorly accessible places.



Paneling without clip, attached directly.



Novus fasteners – quality that holds!

Novus offers the right size and length of fasteners for every task. Novus fasteners are made with state-of-the-art technology using only the best materials. Novus uses steel wire with a galvanised coating exclusively to ensure maximum environmental sustainability and exceptional rust protection.

The stainless-steel V2A staples are particularly suitable for continuous outdoor use. Only hard wire is used for lengths from 8 mm. “Superhard” refers to a steel wire of the highest strength and shows the stability of the staple.

Staple length

Guarantee results with the right staple length. You should use 1/3 of the staple length for fastening materials and 2/3 for anchoring materials. If you are using a hardwood as the anchoring material, a 1/1 ratio is enough.



The Novus clear packaging is geared towards individuals and private consumers.

The packaging is made from environmentally friendly, recyclable PET plastic and can be resealed.




For larger projects we recommend the great value Novus cardboard light packaging.


Fine wire staple

Perfect for fastening:

- Materials/textiles
- Thin metal tags
- Wire mesh
- Thin wooden posts



NOVUS model 53




Clear packaging

Quantity:	Name:	Item no.:	EAN:
2,000 units	53/4	042-0354	4009729002001
	53/6	042-0355	4009729002018
	53/8	042-0413	4009729003213
	53/8 superhard	042-0356	4009729002025
	1,000 units	53/6	042-0740
	53/8	042-0741	4009729041376
	53/10 superhard	042-0357	4009729002032
	53/10 V2A stainless steel	042-0458	4009729003305
	53/12 superhard	042-0358	4009729002049
	53/14 superhard	042-0359	4009729002056
	53/18 superhard	042-0360	4009729002063

Cardboard light packaging

Quantity:	Name:	Item no.:	EAN:
5,000 units	53/6 superhard	042-0516	4009729006450
	53/8 superhard	042-0517	4009729006467
	53/10 superhard	042-0518	4009729006474
	53/14 superhard	042-0520	4009729006498

NOVUS model 37



Clear packaging

Quantity:	Name:	Item no.:	EAN:
2,000 units	37/4 superhard	042-0368	4009729002148
	37/6 superhard	042-0369	4009729002155
	37/8 superhard	042-0370	4009729002162
1,000 units	37/10 superhard	042-0371	4009729002179
	37/14 superhard	042-0373	4009729002193


Cardboard light packaging

Quantity:	Name:	Item no.:	EAN:
5,000 units	37/6 superhard	042-0535	4009729007303
	37/8 superhard	042-0536	4009729007310


Flat wire staple

Perfect for fastening:

- Sheeting/tags
- Aluminium-laminated products
- Paper and cardboard
- Waxed and oiled paper



NOVUS model 53 F



Clear packaging

Quantity:	Name:	Item no.:	EAN:
1,200 units	53 F/6	042-0374	4009729002209
	53 F/8	042-0375	4009729002216
600 units	53 F/10	042-0376	4009729002223
	53 F/12	042-0377	4009729002230
	53 F/14	042-0378	4009729002247

Clear packaging staple with D-point

Quantity:	Name:	Item no.:	EAN:
600 units	53 F/14D (D-Point)	042-0654	4009729016374
	53 F/18D (D-Point)	042-0650	4009729015636


The 14 and 18 mm **flat wire staples with D-point** (sawtooth point) prevent the staple legs from being driven into the material in parallel meaning they are less likely to fall out. This makes them great for fastening profiled wood for wall and ceiling panelling.



NOVUS model 11



Flat wire staples specially for hammer tackers



Clear packaging

Quantity:	Name:	Item no.:	EAN:
1,200 units	11/6	042-0384	4009729002308
	11/8	042-0385	4009729002315
600 units	11/10	042-0386	4009729002322
	11/12	042-0387	4009729002339
	11/14	042-0388	4009729002346


Cardboard light packaging

Quantity:	Name:	Item no.:	EAN:
5,000 units	11/6	042-0527	4009729006566
	11/8	042-0528	4009729006573
	11/10	042-0529	4009729006580
	11/12	042-0757	4009729073551
	11/14	042-0758	4009729073575

Narrow crown staple


Perfect for fastening:

- Tongue-and-groove boards
- Panels
- Fibreboards
- Wire mesh

**Nail**

Perfect for fastening:




- Decorative moulding
- Corner moulding

**NOVUS model 4****Clear packaging**

Quantity:	Name:	Item no.:	EAN:
1,100 units	4/12	042-0389	4009729002353
	4/15	042-0390	4009729002360
	4/18	042-0391	4009729002377
	4/18 V2A stainless steel	042-0459	4009729003312
	4/23	042-0392	4009729002384
	4/26	042-0393	4009729002391
	4/26 V2A stainless steel	042-0460	4009729003329
	4/30	042-0461	4009729003336

Cardboard light packaging

Quantity:	Name:	Item no.:	EAN:
2,000 units	4/18	042-0594	4009729008997
	4/23	042-0595	4009729009000
	4/28	042-0724	4009729030998

Fastening of panels:**NOVUS model J****Clear packaging**

Quantity:	Name:	Item no.:	EAN:
1,000 units	J/14	044-0073	4009729006726
	J/16	044-0063	4009729002414
	J/19	044-0064	4009729002421
	J/25	044-0065	4009729002438
	J/30	044-0066	4009729002445
2,600 units	J/16	044-0084	4009729023297
	J/19	044-0085	4009729023303
	J/25	044-0086	4009729023310
	J/30	044-0087	4009729023327

	Model 53 A	Model 4 C	Model 53F D	Model J E	Model 11 G	Model 37 H	Model 50 R
NOVUS							
J-01 A	6–8						
J-01 AS	6–8						
J-08 ABH	4–8					4–8	
J-09 ABH	4–8					4–8	
J-08 XX	4–8		4–8		6–14	4–8	
J-09 XX	4–8		4–8		6–14	4–8	
J-16	6–14		6–14	16			
J-17 DA	6–14		6–14				
J-18	6–18			16			
J-16 EAD	6–14		6–14	16			
J-19 EAD	6–14		6–14	16			
J-19 EHG				16		6–14	
J-16 EADHG	6–14		6–14	16	6–14	6–14	
J-19 EADHG	6–14		6–14	16	6–14	6–14	
J-102 A	6–14						
J-145	8–18						
J-155	8–18	12–18	8–18	19			
J-155 A	8–18	12–18	8–18	19			
J-219 CORDLESS	8–18	12–18	8–18	19			
J-171		18–30		16–30			
J-172 A		18–30		16–30			
J-230 CORDLESS		18–30		16–30			
J-214 EA	6–14			14			
J-316 A	6–16						
J-328 EC		12–28		16–30			
J-021 H						4–6	
J-031 G					6–10		
J-032 G					6–10		
KWB							
PT 8	4–8						
MT14N	6–14						
HT057					6–10		



Novus
staple
finder

The dimensions of staples from various manufacturers may differ.
We cannot guarantee the function of staples from other manufacturers.

	Model 53 A	Model 4 C	Model 53F D	Model J E	Model 11 G	Model 37 H	Model 50 R
BOSCH							
HT8	4–8						
HT14	4–14						
HMT53	4–8						
HMT57					6–10		
PTK 3.6 LI	4–10						
PTK 3.6 LI Office Set	4–10						
PTK 14 EDT	6–14						
RAPID							
R11					6–10		
R19						4–6	
R23						4–8	
R53	4–8						
R153	6–8						
Alu953	6–14			8–15			
PREBENA							
HFPF09					6–9		
HFPF14					8–14		
HFUPF					6–9		
HFVZ10						6–10	
HP-J/VX16	6–14						
HPPF14					6–14		
HPVZ08						6–8	
HTVX08	6–8						
MILWAUKEE							
M12 BST-202X							6–14
M12 BST-0							6–14
M18 FNCS18GS-202X		12–30					
M18 FNCS18GS-0X		12–30					
MT14N	6–14						
HT057					6–10		
RYOBI							
R18ST50-0							6–14
R18S18G-0		10–38					


DO IT YOURSELF!

Upcycling or crafting your own beautiful pieces – Novus can give you a few creative ideas and craft instructions for amazing DIY projects.



Find extensive instructions incl. material lists and tips & tricks on our website.

www.novus-fastening.com/diy



As a specialist for fastening technology, Novus offers a range of riveting pliers and blind rivet nut pliers. Whether you're mounting signs or attaching accessories for car, home and garden devices, leather items or children's toys: wherever you need a strong, reliable fastening and you can only access one side of the material, riveting technology is the answer.

Handy partner for secure fastening

With blind rivet nut pliers, you can still use screw threads in hard-to-reach places.



Blind riveting pliers



Blind rivet nut pliers



Even when the rivets are exposed to constant vibrations, they hold steady.



Number plates can be switched out effortlessly using the thread in the rivet nut.



Novus Dahle GmbH
Breslauer Straße 34–38
49808 Lingen (Ems)
Germany
Tel. +49 (0) 591 9140 0
Fax +49 (0) 591 9140 841
info@novus-dahle.com

www.novus-dahle.com

855-3166 | EN 0820

Technical data and design are approximate and subject to change. We assume no liability for printing errors.